

Hva vet vi om kvinners helse?

Resultat av litteratursøk fra forprosjektet til kvinnehelseportalen.no

Rapporten baserer seg hovedsakelig på en systematisk kartlegging av norske vitenskapelige publikasjoner om kvinners helse og kjønnsforskjeller i helse fra år 2000 til i dag. Vi har søkt etter litteratur i databasene ORIA, SveMed+ og Ovid Medline.

Litteratursøket ble utført i samarbeid med Medisinsk bibliotek på Rikshospitalet, som er en del av Universitetsbiblioteket.

En utførlig beskrivelse av litteratursøk, utvelgelse og systematisering av funn beskrives i metodekapittelet (kap. 4) i selve rapporten.

Inndelingen av litteraturlistene i dette vedlegget følger samme kronologi som rapporten.

Hjerte- og karsykdommer	2
Kreft	13
Muskel- og skjelettlidelser, langvarige smerte- og utmattelsestilstander	43
Reproduktiv helse, fødsler, overgangsalder og aldring	53
Psykisk helse	112
Brukere og helsevesen	127
Etniske minoriteters helse	132
Øvrige referanser	139

Hjerte- og karsykdommer

- Albrektsen, G., Heuch, I., Løchen, M.-L., Thelle, D. S., Wilsgaard, T., Njølstad, I., & Børnaa, K. H. (2017). Data on gender contrasts in the risk of incident myocardial infarction by age. *The Tromsø Study 1979–2012. Data in Brief*, 13, 779-784. doi:<https://doi.org/10.1016/j.dib.2017.07.001>
- Albrektsen, G., Heuch, I., Løchen, M.-L., Thelle, D. S., Wilsgaard, T., Njølstad, I., & Børnaa, K. H. (2017). Risk of incident myocardial infarction by gender: Interactions with serum lipids, blood pressure and smoking. *The Tromsø Study 1979–2012. Atherosclerosis*, 261, 52-59. doi:<https://doi.org/10.1016/j.atherosclerosis.2017.04.009>
- Andersen, J. R., Sogner, E., & Natvig, G. K. (2006). Diet quality in 116 Norwegian men and women with coronary heart disease. *European Journal of Cardiovascular Nursing*, 5(3), 244-250. doi:<https://dx.doi.org/10.1016/j.ejcnurse.2005.11.001>
- Andersgaard, A. B., Acharya, G., Mathiesen, E. B., Johnsen, S. H., Straume, B., & Oian, P. (2012). Recurrence and long-term maternal health risks of hypertensive disorders of pregnancy: a population-based study. *American Journal of Obstetrics & Gynecology*, 206(2), 143.e141-148. doi:<https://dx.doi.org/10.1016/j.ajog.2011.09.032>
- Aspenes, S. T., Nilsen, T. I., Skaug, E. A., Bertheussen, G. F., Ellingsen, O., Vatten, L., & Wisloff, U. (2011). Peak oxygen uptake and cardiovascular risk factors in 4631 healthy women and men. *Medicine & Science in Sports & Exercise*, 43(8), 1465-1473. doi:<https://dx.doi.org/10.1249/MSS.0b013e31820ca81c>
- Bertelsen, G., Peto, T., Lindekleiv, H., Schirmer, H., Solbu, M. D., Toft, I., . . . Njølstad, I. (2014). Sex differences in risk factors for retinopathy in non-diabetic men and women: the Tromsø Eye Study. *Acta Ophthalmologica*, 92(4), 316-322. doi:<https://dx.doi.org/10.1111/aos.12199>
- Bjerkeset, O., Romild, U., Smith, G. D., & Hveem, K. (2011). The associations of high levels of C-reactive protein with depression and myocardial infarction in 9258 women and men from the HUNT population study. *Psychological Medicine*, 41(2), 345-352. doi:<https://dx.doi.org/10.1017/S0033291710000887>
- Bjorge, T., Lukanova, A., Jonsson, H., Tretli, S., Ulmer, H., Manjer, J., . . . Engeland, A. (2010). Metabolic syndrome and breast cancer in the me-can (metabolic syndrome and cancer) project. *Cancer Epidemiology, Biomarkers & Prevention*, 19(7), 1737-1745. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-10-0230>
- Bjorge, T., Lukanova, A., Tretli, S., Manjer, J., Ulmer, H., Stocks, T., . . . Engeland, A. (2011). Metabolic risk factors and ovarian cancer in the Metabolic Syndrome and Cancer project. *International Journal of Epidemiology*, 40(6), 1667-1677. doi:<https://dx.doi.org/10.1093/ije/dyr130>
- Bjorge, T., Stocks, T., Lukanova, A., Tretli, S., Selmer, R., Manjer, J., . . . Engeland, A. (2010). Metabolic syndrome and endometrial carcinoma. *American Journal of Epidemiology*, 171(8), 892-902. doi:<https://dx.doi.org/10.1093/aje/kwq006>
- Bjornnes, A. K., Parry, M., Lie, I., Fagerland, M. W., Watt-Watson, J., Rustoen, T., . . . Leegaard, M. (2016). Pain experiences of men and women after cardiac surgery. *Journal of Clinical Nursing*, 25(19-20), 3058-3068. doi:<https://dx.doi.org/10.1111/jocn.13329>
- Borch, K. B., Braaten, T., Lund, E., & Weiderpass, E. (2011). Physical activity and mortality among Norwegian women - the Norwegian Women and Cancer Study. *Clinical Epidemiology*, 3, 229-235. doi:<https://dx.doi.org/10.2147/CLEP.S22681>
- Borgeraas, H., Hertel, J. K., Svingen, G. F., Seifert, R., Pedersen, E. K., Schartum-Hansen, H., . . . Nygard, O. (2014). Association of body mass index with risk of acute myocardial infarction and mortality in Norwegian male and female patients with suspected stable angina pectoris: a prospective cohort study. *BMC Cardiovascular Disorders*, 14, 68. doi:<https://dx.doi.org/10.1186/1471-2261-14-68>

Hjerte- og karsykdommer

- Braekkan, S. K., Mathiesen, E. B., Njolstad, I., Wilsgaard, T., Stormer, J., & Hansen, J. B. (2008). Family history of myocardial infarction is an independent risk factor for venous thromboembolism: the Tromso study. *Journal of Thrombosis & Haemostasis*, 6(11), 1851-1857. doi:<https://dx.doi.org/10.1111/j.1538-7836.2008.03102.x>
- Brandsaeter, B., Atar, D., Agewall, S., & Norwegian Heart failure, R. (2011). Gender differences among Norwegian patients with heart failure. *International Journal of Cardiology*, 146(3), 354-358. doi:<https://dx.doi.org/10.1016/j.ijcard.2009.07.014>
- Brodwall, K., Leirgul, E., Greve, G., Vollset, S. E., Holmstrom, H., Tell, G. S., & Oyen, N. (2016). Possible Common Aetiology behind Maternal Preeclampsia and Congenital Heart Defects in the Child: a Cardiovascular Diseases in Norway Project Study. *Paediatric and Perinatal Epidemiology*, 30(1), 76-85. doi:<https://dx.doi.org/10.1111/ppe.12252>
- Bönaa, K. H. (2002). An alternative hypothesis explaining the gender difference in risk of coronary heart disease. [En alternativ hypotese som forklarer kjønnsforskjellene i risiko for koronar hjertesykdom]. *Tidsskrift for Den Norske Laegeforening*, 122(18), 1783-1787.
- Bönaa, K. H. (2002). Sex differences in coronary disease. What does protect the women? [Kjønnsforskjellene i koronar hjertesykdom. Hva beskytter kvinnene?]. *Medicinsk Årbog*, 161-168.
- Chan, J. L., Kar, S., Vanky, E., Morin-Papunen, L., Piltonen, T., Puurunen, J., . . . Dokras, A. (2017). Racial and Ethnic Differences in the Prevalence of Metabolic Syndrome and its Components of Metabolic Syndrome in Women with Polycystic Ovary Syndrome (PCOS): A Regional Cross-Sectional Study. *American Journal of Obstetrics & Gynecology*, 08, 08. doi:<https://dx.doi.org/10.1016/j.ajog.2017.04.007>
- Cramariuc, D., Rogge, B. P., Lonnebakk, M. T., Boman, K., Bahlmann, E., Gohlke-Barwolf, C., . . . Gerds, E. (2015). Sex differences in cardiovascular outcome during progression of aortic valve stenosis. *Heart*, 101(3), 209-214. doi:<https://dx.doi.org/10.1136/heartjnl-2014-306078>
- Cupul-Uicab, L. A., Skjaerven, R., Haug, K., Melve, K. K., Engel, S. M., & Longnecker, M. P. (2012). In utero exposure to maternal tobacco smoke and subsequent obesity, hypertension, and gestational diabetes among women in the MoBa cohort. *Environmental Health Perspectives*, 120(3), 355-360. doi:<https://dx.doi.org/10.1289/ehp.1103789>
- Cupul-Uicab, L. A., Skjaerven, R., Haug, K., Travlos, G. S., Wilson, R. E., Eggesbo, M., . . . Longnecker, M. P. (2012). Exposure to tobacco smoke in utero and subsequent plasma lipids, ApoB, and CRP among adult women in the MoBa cohort. *Environmental Health Perspectives*, 120(11), 1532-1537. doi:<https://dx.doi.org/10.1289/ehp.1104563>
- Dahm, A. E., Tiscia, G., Holmgren, A., Jacobsen, A. F., Skretting, G., Grandone, E., & Sandset, P. M. (2015). Genetic variations in the annexin A5 gene and the risk of pregnancy-related venous thrombosis. *Journal of Thrombosis & Haemostasis*, 13(3), 409-413. doi:<https://dx.doi.org/10.1111/jth.12817>
- Danielsen, K., Wilsgaard, T., Olsen, A. O., Eggen, A. E., Olsen, K., Cassano, P. A., & Furberg, A. S. (2015). Elevated odds of metabolic syndrome in psoriasis: a population-based study of age and sex differences. *British Journal of Dermatology*, 172(2), 419-427. doi:<https://dx.doi.org/10.1111/bjd.13288>
- DeRoo, L., Skjaerven, R., Wilcox, A., Klungsoyr, K., Wikstrom, A. K., Morken, N. H., & Cnattingius, S. (2016). Placental abruption and long-term maternal cardiovascular disease mortality: a population-based registry study in Norway and Sweden. *European Journal of Epidemiology*, 31(5), 501-511. doi:<https://dx.doi.org/10.1007/s10654-015-0067-9>
- Dessein, P. H., Solomon, A., & Hollan, I. (2016). Metabolic abnormalities in patients with inflammatory rheumatic diseases. *Best Pract Res Clin Rheumatol*, 30(5), 901-915. doi:10.1016/j.berh.2016.10.001
- Diaz, E., Poblador-Pou, B., Gimeno-Feliu, L.-A., Calderón-Larrañaga, A., Kumar, B. N., & Prados-Torres, A. (2015). Multimorbidity and Its Patterns according to Immigrant Origin. A Nationwide Register-Based Study in Norway. *PLoS ONE [Electronic Resource]*, 10(12), e0145233. doi:10.1371/journal.pone.0145233
- Dorum, A., Tonstad, S., Liavaag, A. H., Michelsen, T. M., Hildrum, B., & Dahl, A. A. (2008). Bilateral oophorectomy before 50 years of age is significantly associated with the metabolic syndrome and Framingham risk score: a controlled, population-based study (HUNT-2). *Gynecologic Oncology*, 109(3), 377-383. doi:<https://dx.doi.org/10.1016/j.ygyno.2008.02.025>

Hjerte- og karsykdommer

- Eilertsen, G. (2015). Understanding a patient's life project: Key in stroke rehabilitation? [Forståelse av pasientens livsprosjekt - en nøkkel i slagrehabilitering?]. *Tidsskrift for Omsorgsforskning*, 1(1), 27-37.
- Eilertsen, G., Kirkevold, M., & Bjork, I. T. (2010). Recovering from a stroke: a longitudinal, qualitative study of older Norwegian women. *Journal of Clinical Nursing*, 19(13-14), 2004-2013.
doi:<https://dx.doi.org/10.1111/j.1365-2702.2009.03138.x>
- Ellekjaer, H., Holmen, J., Ellekjaer, E., & Vatten, L. (2000). Physical activity and stroke mortality in women. Ten-year follow-up of the Nord-Trøndelag health survey, 1984-1986. *Stroke*, 31(1), 14-18.
- Emaus, A., Veierod, M. B., Furberg, A. S., Espetvedt, S., Friedenreich, C., Ellison, P. T., . . . Thune, I. (2008). Physical activity, heart rate, metabolic profile, and estradiol in premenopausal women. *Medicine & Science in Sports & Exercise*, 40(6), 1022-1030. doi:<https://dx.doi.org/10.1249/MSS.0b013e318167411f>
- Emaus, A., Veierod, M. B., Tretli, S., Finstad, S. E., Selmer, R., Furberg, A. S., . . . Thune, I. (2010). Metabolic profile, physical activity, and mortality in breast cancer patients. *Breast Cancer Research & Treatment*, 121(3), 651-660. doi:<https://dx.doi.org/10.1007/s10549-009-0603-y>
- Engeland, A., Bjorge, T., Klungsoyr, K., Skjaerven, R., Skurtveit, S., & Furu, K. (2015). Preeclampsia in pregnancy and later use of antihypertensive drugs. *European Journal of Epidemiology*, 30(6), 501-508.
doi:<https://dx.doi.org/10.1007/s10654-015-0018-5>
- Ernstsen, L., Bjerkeset, O., & Krokstad, S. (2010). Educational inequalities in ischaemic heart disease mortality in 44,000 Norwegian women and men: the influence of psychosocial and behavioural factors. The HUNT Study. *Scandinavian Journal of Public Health*, 38(7), 678-685.
doi:<https://dx.doi.org/10.1177/1403494810380300>
- Ernstsen, L., Nilsen, S. M., Espnes, G. A., & Krokstad, S. (2011). The predictive ability of self-rated health on ischaemic heart disease and all-cause mortality in elderly women and men: the Nord-Trøndelag Health Study (HUNT). *Age & Ageing*, 40(1), 105-111. doi:<https://dx.doi.org/10.1093/ageing/afq141>
- Eskerud, I., Gerds, E., Nordrehaug, J. E., & Lonnebakken, M. T. (2015). Global Coronary Artery Plaque Area is Associated with Myocardial Hypoperfusion in Women with Non-ST Elevation Myocardial Infarction. *Journal of Women's Health*, 24(5), 367-373. doi:10.1089/jwh.2014.4920
- Frich, J. C., Malterud, K., & Fugelli, P. (2006). Women at risk of coronary heart disease experience barriers to diagnosis and treatment: a qualitative interview study. *Scandinavian Journal of Primary Health Care*, 24(1), 38-43. doi:<https://dx.doi.org/10.1080/02813430500504305>
- Gerds, E., Okin, P. M., de Simone, G., Cramariuc, D., Wachtell, K., Boman, K., & Devereux, R. B. (2008). Gender differences in left ventricular structure and function during antihypertensive treatment: the Losartan Intervention for Endpoint Reduction in Hypertension Study. *Hypertension*, 51(4), 1109-1114.
doi:10.1161/hypertensionaha.107.107474
- Gerds, E., Zabalgaitia, M., Bjornstad, H., Svendsen, T. L., & Devereux, R. B. (2001). Gender differences in systolic left ventricular function in hypertensive patients with electrocardiographic left ventricular hypertrophy (the LIFE study). *Am J Cardiol*, 87(8), 980-983; a984.
- Graff-Iversen, S., Hammar, N., Thelle, D. S., & Tonstad, S. (2004). Hormone therapy and mortality during a 14-year follow-up of 14 324 Norwegian women. *Journal of Internal Medicine*, 256(5), 437-445.
doi:<https://dx.doi.org/10.1111/j.1365-2796.2004.01396.x>
- Graff-Iversen, S., Hammar, N., Thelle, D. S., & Tonstad, S. (2006). Use of oral contraceptives and mortality during 14 years' follow-up of Norwegian women. *Scandinavian Journal of Public Health*, 34(1), 11-16.
doi:<https://dx.doi.org/10.1080/14034940510032239>
- Graff-Iversen, S., Selmer, R., & Lochen, M. L. (2008). Rose angina predicts 23-year coronary heart disease mortality in women and men aged 40-49 years. *Heart*, 94(4), 482-486.
doi:<https://dx.doi.org/10.1136/hrt.2007.115931>
- Graff-Iversen, S., & Öien, H. (2000). Body mass index and body weight development: what differences are there between the sexes? [Kroppsmasseindex og vektutvikling: Hvilke forskjeller er det mellom kjønnene?]. *Norsk Epidemiologi*, 10(1), 87-94.

- Grundtvig, M. (2012). Acute myocardial infarction in men and women - different impact of smoking in the two genders: analyses of a cohort study of 2281 patients admitted to hospital (Vol. 25(2012)5). Oslo: Norwegian Society of Cardiology.
- Grundtvig, M., Hagen, T. P., German, M., & Reikvam, A. (2009). Sex-based differences in premature first myocardial infarction caused by smoking: twice as many years lost by women as by men. *European Journal of Cardiovascular Prevention & Rehabilitation*, 16(2), 174-179. doi:<https://dx.doi.org/10.1097/HJR.0b013e328325d7f0>
- Halvorsen, S. (2006). Do we treat women badly? [Behandler vi kvinner dårlig?]. *Hjerteforum*, 19(2), 63-64.
- Halvorsen, S., Eritsland, J., Abdelnoor, M., Holst Hansen, C., Risoe, C., Midtbo, K., . . . Mangschau, A. (2009). Gender differences in management and outcome of acute myocardial infarctions treated in 2006-2007. *Cardiology*, 114(2), 83-88. doi:<https://dx.doi.org/10.1159/000216582>
- Helgadottir, L. B., Skjeldestad, F. E., Jacobsen, A. F., Sandset, P. M., & Jacobsen, E. M. (2011). The association of inherited thrombophilia and intrauterine fetal death: a case-control study. *Blood Coagulation & Fibrinolysis*, 22(8), 651-656. doi:<https://dx.doi.org/10.1097/MBC.0b013e32834a614c>
- Hjellvik, V., Sakshaug, S., & Strom, H. (2012). Body mass index, triglycerides, glucose, and blood pressure as predictors of type 2 diabetes in a middle-aged Norwegian cohort of men and women. *Clinical Epidemiology*, 4, 213-224. doi:<https://dx.doi.org/10.2147/CLEP.S31830>
- Hjellvik, V., Selmer, R., Gjessing, H. K., Tverdal, A., & Vollset, S. E. (2013). Body mass index, smoking, and risk of death between 40 and 70 years of age in a Norwegian cohort of 32,727 women and 33,475 men. *European Journal of Epidemiology*, 28(1), 35-43. doi:<https://dx.doi.org/10.1007/s10654-012-9758-7>
- Hopstock, L. A., Bonna, K. H., Eggen, A. E., Grimsgaard, S., Jacobsen, B. K., Lochen, M. L., . . . Wilsgaard, T. (2015). Longitudinal and Secular Trends in Blood Pressure Among Women and Men in Birth Cohorts Born Between 1905 and 1977: The Tromso Study 1979 to 2008. *Hypertension*, 66(3), 496-501. doi:<https://dx.doi.org/10.1161/HYPERTENSIONAHA.115.05925>
- Iversen, B., Jacobsen, B. K., & Lochen, M. L. (2013). Active and passive smoking and the risk of myocardial infarction in 24,968 men and women during 11 year of follow-up: the Tromso Study. *European Journal of Epidemiology*, 28(8), 659-667. doi:<https://dx.doi.org/10.1007/s10654-013-9785-z>
- Jensen, S. A., Vatten, L. J., Romundstad, P. R., & Myhre, H. O. (2003). The prevalence of intermittent claudication. Sex-related differences have been eliminated. *European Journal of Vascular & Endovascular Surgery*, 25(3), 209-212. doi:<https://dx.doi.org/10.1053/ejvs.2002.1836>
- Johansson, A., Curran, J. E., Johnson, M. P., Freed, K. A., Fenstad, M. H., Bjorge, L., . . . Blangero, J. (2011). Identification of ACOX2 as a shared genetic risk factor for preeclampsia and cardiovascular disease. *European Journal of Human Genetics*, 19(7), 796-800. doi:<https://dx.doi.org/10.1038/ejhg.2011.19>
- Johnsen, S. H., Joakimsen, O., Fosse, E., & Arnesen, E. (2005). Sex differences in plaque morphology may explain the higher male prevalence of myocardial infarction compared to angina pectoris. *The Tromso Study. Scandinavian Cardiovascular Journal*, 39(1-2), 36-41.
- Johnsen, S. H., Mathiesen, E. B., Joakimsen, O., Stensland, E., Wilsgaard, T., Lochen, M. L., . . . Arnesen, E. (2007). Carotid atherosclerosis is a stronger predictor of myocardial infarction in women than in men: a 6-year follow-up study of 6226 persons: the Tromso Study. *Stroke*, 38(11), 2873-2880. doi:<https://dx.doi.org/10.1161/STROKEAHA.107.487264>
- Jorde, R., Sundsfjord, J., & Bonna, K. H. (2001). Determinants of serum calcium in men and women. The Tromso Study. *European Journal of Epidemiology*, 17(12), 1117-1123.
- Jorgensen, L., Engstad, T., & Jacobsen, B. K. (2001). Bone mineral density in acute stroke patients: low bone mineral density may predict first stroke in women. *Stroke*, 32(1), 47-51.
- Jortveit, J., Govatsmark, R. E., Langorgen, J., Hole, T., Mannsverk, J., Olsen, S., . . . Halvorsen, S. (2016). Gender differences in the assessment and treatment of myocardial infarction. *Tidsskrift for Den Norske Laegeforening*, 136(14-15), 1215-1222. doi:<https://dx.doi.org/10.4045/tidsskr.16.0224>
- Jortveit, J., Govatsmark, R. E. S., Langörger, J., Hole, T., Mannsverk, J., Olsen, S., . . . Halvorsen, S. (2016). Gender differences in the assessment and treatment of myocardial infarction. [Kjønnsforskjeller i utredning og behandling av hjerteinfarkt]. *Tidsskrift for Den Norske Laegeforening*, 136(14-15), 1215-1222.

Hjerte- og karsykdommer

- Ko, D., Rahman, F., Martins, M. A., Hylek, E. M., Ellinor, P. T., Schnabel, R. B., . . . Christophersen, I. E. (2017). Atrial fibrillation in women: treatment. *Nature Reviews Cardiology*, 14(2), 113-124.
doi:<https://dx.doi.org/10.1038/nrcardio.2016.171>
- Ko, D., Rahman, F., Schnabel, R. B., Yin, X., Benjamin, E. J., & Christophersen, I. E. (2016). Atrial fibrillation in women: epidemiology, pathophysiology, presentation, and prognosis. *Nature Reviews Cardiology*, 13(6), 321-332. doi:<https://dx.doi.org/10.1038/nrcardio.2016.45>
- Konstantinova, S. V., Tell, G. S., Vollset, S. E., Ulvik, A., Drevon, C. A., & Ueland, P. M. (2008). Dietary patterns, food groups, and nutrients as predictors of plasma choline and betaine in middle-aged and elderly men and women. *American Journal of Clinical Nutrition*, 88(6), 1663-1669.
doi:<https://dx.doi.org/10.3945/ajcn.2008.26531>
- Kravdal, O., & Grundy, E. (2014). Underuse of medication for circulatory disorders among unmarried women and men in Norway? *BMC Pharmacology & Toxicology*, 15, 65.
doi:<https://dx.doi.org/10.1186/2050-6511-15-65>
- Kumar, B. N., Selmer, R., Lindman, A. S., Tverdal, A., Falster, K., & Meyer, H. E. (2009). Ethnic differences in SCORE cardiovascular risk in Oslo, Norway. *European Journal of Cardiovascular Prevention & Rehabilitation*, 16(2), 229-234. doi:10.1097/HJR.0b013e3283294b07
- Kvakestad, K. M., Wang Fagerland, M., Eritsland, J., & Halvorsen, S. (2017). Gender differences in all-cause, cardiovascular and cancer mortality during long-term follow-up after acute myocardial infarction; a prospective cohort study. *BMC Cardiovascular Disorders*, 17(1), 75.
doi:<https://dx.doi.org/10.1186/s12872-017-0508-3>
- Kvalvik, L. G., Skjaerven, R., Klungsoyr, K., Vollset, S. E., & Haug, K. (2015). Can 'early programming' be partly explained by smoking? Results from a prospective, population-based cohort study. *Paediatric and Perinatal Epidemiology*, 29(1), 50-59. doi:<https://dx.doi.org/10.1111/ppe.12164>
- Kvehaugen, A. S., Andersen, L. F., & Staff, A. C. (2010). Anthropometry and cardiovascular risk factors in women and offspring after pregnancies complicated by preeclampsia or diabetes mellitus. *Acta Obstetrica et Gynecologica Scandinavica*, 89(11), 1478-1485. doi:<https://dx.doi.org/10.3109/00016349.2010.500368>
- Kvehaugen, A. S., Andersen, L. F., & Staff, A. C. (2010). Dietary intake and physical activity in women and offspring after pregnancies complicated by preeclampsia or diabetes mellitus. *Acta Obstetrica et Gynecologica Scandinavica*, 89(11), 1486-1490. doi:<https://dx.doi.org/10.3109/00016349.2010.519378>
- Kvehaugen, A. S., Dechend, R., Ramstad, H. B., Troisi, R., Fugelseth, D., & Staff, A. C. (2011). Endothelial function and circulating biomarkers are disturbed in women and children after preeclampsia. *Hypertension*, 58(1), 63-69. doi:<https://dx.doi.org/10.1161/HYPERTENSIONAHA.111.172387>
- Kvigne, K., & Kirkevold, M. (2003). Living with bodily strangeness: women's experiences of their changing and unpredictable body following a stroke. *Qualitative Health Research*, 13(9), 1291-1310.
doi:<https://dx.doi.org/10.1177/1049732303257224>
- Langhammer, A., Johnsen, R., Holmen, J., Gulsvik, A., & Bjermer, L. (2000). Cigarette smoking gives more respiratory symptoms among women than among men. The Nord-Trøndelag Health Study (HUNT). *Journal of Epidemiology & Community Health*, 54(12), 917-922.
- Langvik, E., & Nordahl, H. M. (2014). Anhedonic depression, history of depression, and anxiety as gender-specific risk factors of myocardial infarction in healthy men and women: The HUNT study. *Health Psychology Open*, 1(1), 2055102914557658. doi:<https://dx.doi.org/10.1177/2055102914557658>
- Leegaard, M., & Fagermoen, M. S. (2008). Women's descriptions of postoperative pain and pain management after discharge from cardiac surgery. *Journal of Clinical Nursing*, 17(15), 2051-2060.
doi:<https://dx.doi.org/10.1111/j.1365-2702.2007.02217.x>
- Leegaard, M., Rustoen, T., & Fagermoen, M. S. (2010). Interference of postoperative pain on women's daily life after early discharge from cardiac surgery. *Pain Management Nursing*, 11(2), 99-107.
doi:<https://dx.doi.org/10.1016/j.pmn.2009.04.001>

Hjerte- og karsykdommer

- Lindekleiv, H., Sandvei, M. S., Njolstad, I., Lochen, M. L., Romundstad, P. R., Vatten, L., . . . Mathiesen, E. B. (2011). Sex differences in risk factors for aneurysmal subarachnoid hemorrhage: a cohort study. [Erratum appears in *Neurology*. 2011 Dec 13;77(24):2143]. *Neurology*, 76(7), 637-643. doi:<https://dx.doi.org/10.1212/WNL.0b013e31820c30d3>
- Lindman, A. S., Veierod, M. B., Tverdal, A., Pedersen, J. I., & Selmer, R. (2010). Nonfasting triglycerides and risk of cardiovascular death in men and women from the Norwegian Counties Study. *European Journal of Epidemiology*, 25(11), 789-798. doi:<https://dx.doi.org/10.1007/s10654-010-9501-1>
- Lonnebakken, M. T. (2013). Ischemic heart disease in women. Is there anything new? [Iskemisk hjertesykdom hos kvinner. Er det noe nytt?]. *Hjerteforum*, 26(2), 45-50.
- Lonnebakken, M. T., Izzo, R., Mancusi, C., Gerds, E., Losi, M. A., Caciello, G., . . . de Simone, G. (2017). Left Ventricular Hypertrophy Regression During Antihypertensive Treatment in an Outpatient Clinic (the Campania Salute Network). *Journal of the American Heart Association*, 6(3). doi:10.1161/jaha.116.004152
- Lonnebakken, M. T., Nordrehaug, J. E., & Gerds, E. (2014). No gender difference in the extent of myocardial ischemia in non-ST elevation myocardial infarction. *Eur J Prev Cardiol*, 21(1), 123-129. doi:10.1177/2047487312454107
- Lovlien, M., Schei, B., & Gjengedal, E. (2006). Are there gender differences related to symptoms of acute myocardial infarction? A Norwegian perspective. *Progress in Cardiovascular Nursing*, 21(1), 14-19.
- Lovlien, M., Schei, B., & Hole, T. (2006). Women with myocardial infarction are less likely than men to experience chest symptoms. *Scandinavian Cardiovascular Journal*, 40(6), 342-347. doi:<https://dx.doi.org/10.1080/14017430600913199>
- Lovlien, M., Schei, B., & Hole, T. (2007). Prehospital delay, contributing aspects and responses to symptoms among Norwegian women and men with first time acute myocardial infarction. *European Journal of Cardiovascular Nursing*, 6(4), 308-313. doi:<https://dx.doi.org/10.1016/j.ejcnurse.2007.03.002>
- Lovlien, M., Schei, B., & Hole, T. (2008). Myocardial infarction: psychosocial aspects, gender differences and impact on pre-hospital delay. *Journal of Advanced Nursing*, 63(2), 148-154. doi:<https://dx.doi.org/10.1111/j.1365-2648.2008.04654.x>
- Lunde, M. S., Hjellset, V. T., & Hostmark, A. T. (2012). Slow post meal walking reduces the blood glucose response: an exploratory study in female Pakistani immigrants. *Journal of Immigrant & Minority Health*, 14(5), 816-822. doi:<https://dx.doi.org/10.1007/s10903-012-9574-x>
- Lund-Johansen, P., Strandén, E., Helberg, S., Wessel-Aas, T., Risberg, K., Ronnevik, P. K., . . . Madsbu, S. (2003). Quantification of leg oedema in postmenopausal hypertensive patients treated with lercanidipine or amlodipine. *Journal of Hypertension*, 21(5), 1003-1010. doi:<https://dx.doi.org/10.1097/01.hjh.0000059015.82022.11>
- Löchen, L., & Kvan, E. (2010). Sex differences and cardiovascular drugs. [Kjønnsforskjeller og kardiovaskulære legemidler]. *Tidsskrift for Den Norske Lægeforening*, 130(4), 382-384.
- Løchen, M.-L., & Gerds, E. (2015). *Kvinnehjarter: en medisinsk fagbok om vanlige hjertesykdommer*. Oslo: Gyldendal akademisk.
- Lövlien, M. (2001). Are women's hearts taken seriously? [Blir kvinners hjerter tatt på alvor?]. *Vård i Norden*, 21(1), 15-19.
- Magnussen, E. B., Vatten, L. J., Lund-Nilsen, T. I., Salvesen, K. A., Davey Smith, G., & Romundstad, P. R. (2007). Prepregnancy cardiovascular risk factors as predictors of pre-eclampsia: population based cohort study. *BMJ*, 335(7627), 978. doi:<https://dx.doi.org/10.1136/bmj.39366.416817.BE>
- Magnussen, E. B., Vatten, L. J., Myklestad, K., Salvesen, K. A., & Romundstad, P. R. (2011). Cardiovascular risk factors prior to conception and the length of pregnancy: population-based cohort study. *American Journal of Obstetrics & Gynecology*, 204(6), 526.e521-528. doi:<https://dx.doi.org/10.1016/j.ajog.2011.02.016>
- Magnussen, E. B., Vatten, L. J., Smith, G. D., & Romundstad, P. R. (2009). Hypertensive disorders in pregnancy and subsequently measured cardiovascular risk factors. *Obstetrics & Gynecology*, 114(5), 961-970. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181bb0dfc>

Hjerte- og karsykdommer

- Mannsverk, J., Wilsgaard, T., Njolstad, I., Hopstock, L. A., Lochen, M. L., Mathiesen, E. B., . . . Bonna, K. H. (2012). Age and gender differences in incidence and case fatality trends for myocardial infarction: a 30-year follow-up. *The Tromso Study. European Journal of Preventive Cardiology*, 19(5), 927-934. doi:<https://dx.doi.org/10.1177/1741826711421081>
- Markhus, L. S., & Fållun, N. (2015). Nobody talks to me about sex. [Ingen snakker med meg om sex]. *Sykepleien*, 103(12), 68-71.
- Mathiesen, E. B., Johnsen, S. H., Wilsgaard, T., Bonna, K. H., Lochen, M. L., & Njolstad, I. (2011). Carotid plaque area and intima-media thickness in prediction of first-ever ischemic stroke: a 10-year follow-up of 6584 men and women: the Tromso Study. *Stroke*, 42(4), 972-978. doi:<https://dx.doi.org/10.1161/STROKEAHA.110.589754>
- Mellin-Olsen, T., & Wandel, M. (2005). Changes in food habits among Pakistani immigrant women in Oslo, Norway. *Ethnicity & Health*, 10(4), 311-339. doi:<https://dx.doi.org/10.1080/13557850500145238>
- Meltzer, H. M., Alexander, J., Brantsaeter, A. L., Borch-Iohnsen, B., Ellingsen, D. G., Thomassen, Y., . . . Ydersbond, T. A. (2016). The impact of iron status and smoking on blood divalent metal concentrations in Norwegian women in the HUNT2 Study. *Journal of Trace Elements in Medicine & Biology*, 38, 165-173. doi:<https://dx.doi.org/10.1016/j.jtemb.2016.04.008>
- Meltzer, H. M., Brantsaeter, A. L., Borch-Iohnsen, B., Ellingsen, D. G., Alexander, J., Thomassen, Y., . . . Ydersbond, T. A. (2010). Low iron stores are related to higher blood concentrations of manganese, cobalt and cadmium in non-smoking, Norwegian women in the HUNT 2 study. *Environmental Research*, 110(5), 497-504. doi:<https://dx.doi.org/10.1016/j.envres.2010.03.006>
- Michelsen, T. M., Pripp, A. H., Tonstad, S., Trope, C. G., & Dorum, A. (2009). Metabolic syndrome after risk-reducing salpingo-oophorectomy in women at high risk for hereditary breast ovarian cancer: a controlled observational study. *European Journal of Cancer*, 45(1), 82-89. doi:<https://dx.doi.org/10.1016/j.ejca.2008.09.028>
- Michelsen, T. M., Tonstad, S., Pripp, A. H., Trope, C. G., & Dorum, A. (2010). Coronary heart disease risk profile in women who underwent salpingo-oophorectomy to prevent hereditary breast ovarian cancer. *International Journal of Gynecological Cancer*, 20(2), 233-239.
- Moholdt, T., Wisloff, U., Nilsen, T. I., & Slordahl, S. A. (2008). Physical activity and mortality in men and women with coronary heart disease: a prospective population-based cohort study in Norway (the HUNT study). *European Journal of Cardiovascular Prevention & Rehabilitation*, 15(6), 639-645. doi:<https://dx.doi.org/10.1097/HJR.0b013e3283101671>
- Molstad, P. (2009). Coronary heart disease in women: less extensive disease and improved long-term survival compared to men. *Scandinavian Cardiovascular Journal*, 43(1), 10-16. doi:<https://dx.doi.org/10.1080/14017430802455833>
- Myklestad, K., Vatten, L. J., Magnussen, E. B., Salvesen, K. A., Smith, G. D., & Romundstad, P. R. (2012). Offspring birth weight and cardiovascular risk in parents: a population-based HUNT 2 study. *American Journal of Epidemiology*, 175(6), 546-555. doi:<https://dx.doi.org/10.1093/aje/kwr347>
- Myklestad, K., Vatten, L. J., Salvesen, K. A., Davey Smith, G., & Romundstad, P. R. (2011). Hypertensive disorders in pregnancy and paternal cardiovascular risk: a population-based study. *Annals of Epidemiology*, 21(6), 407-412. doi:<https://dx.doi.org/10.1016/j.annepidem.2010.12.001>
- Myrstad, M., Aaronaes, M., Graff-Iversen, S., Nystad, W., & Ranhoff, A. H. (2015). Does endurance exercise cause atrial fibrillation in women? *International Journal of Cardiology*, 184, 431-432. doi:<https://dx.doi.org/10.1016/j.ijcard.2015.03.018>
- Naess, H., Fromm, A., Iversen, O. E., Thomassen, L., & Waje-Andreassen, U. (2011). Decline of arterial cerebral infarction among young women: the Bergen Stroke Study. *Vascular Health & Risk Management*, 7, 81-84. doi:<https://dx.doi.org/10.2147/VHRM.S17219>
- Naess, O., Stoltenberg, C., Hoff, D. A., Nystad, W., Magnus, P., Tverdal, A., & Davey Smith, G. (2013). Cardiovascular mortality in relation to birth weight of children and grandchildren in 500,000 Norwegian families. *European Heart Journal*, 34(44), 3427-3436. doi:<https://dx.doi.org/10.1093/eurheartj/ehs298>

- Norekval, T. M., Fridlund, B., Rokne, B., Segadal, L., Wentzel-Larsen, T., & Nordrehaug, J. E. (2010). Patient-reported outcomes as predictors of 10-year survival in women after acute myocardial infarction. *Health & Quality of Life Outcomes*, 8, 140. doi:<https://dx.doi.org/10.1186/1477-7525-8-140>
- Norekval, T. M., Moons, P., Hanestad, B. R., Nordrehaug, J. E., Wentzel-Larsen, T., & Fridlund, B. (2008). The other side of the coin: perceived positive effects of illness in women following acute myocardial infarction. *European Journal of Cardiovascular Nursing*, 7(1), 80-87. doi:<https://dx.doi.org/10.1016/j.ejcnurse.2007.09.004>
- Norekval, T. M., Wahl, A. K., Fridlund, B., Nordrehaug, J. E., Wentzel-Larsen, T., & Hanestad, B. R. (2007). Quality of life in female myocardial infarction survivors: a comparative study with a randomly selected general female population cohort. *Health & Quality of Life Outcomes*, 5, 58. doi:<https://dx.doi.org/10.1186/1477-7525-5-58>
- Norheim, A., & Segadal, L. (2011). Relative survival after CABG surgery is poorer in women and in patients younger than 70 years at surgery. *Scandinavian Cardiovascular Journal*, 45(4), 247-251. doi:<https://dx.doi.org/10.3109/14017431.2011.582139>
- Norvik, J. V., Schirmer, H., Ytrehus, K., Jenssen, T. G., Zykova, S. N., Eggen, A. E., . . . Solbu, M. D. (2017). Low adiponectin is associated with diastolic dysfunction in women: a cross-sectional study from the Tromso Study. *BMC Cardiovascular Disorders*, 17(1), 79. doi:<https://dx.doi.org/10.1186/s12872-017-0509-2>
- Nurk, E., Tell, G. S., Refsum, H., Ueland, P. M., & Vollset, S. E. (2006). Factor V Leiden, pregnancy complications and adverse outcomes: the Hordaland Homocysteine Study. *Qjm*, 99(5), 289-298. doi:<https://dx.doi.org/10.1093/qjmed/hcl040>
- Nyrnes, A., Mathiesen, E. B., Njolstad, I., Wilsgaard, T., & Lochen, M. L. (2013). Palpitations are predictive of future atrial fibrillation. An 11-year follow-up of 22,815 men and women: the Tromso Study. *European Journal of Preventive Cardiology*, 20(5), 729-736. doi:<https://dx.doi.org/10.1177/2047487312446562>
- Nyrnes, A., Njolstad, I., Mathiesen, E. B., Wilsgaard, T., Hansen, J. B., Skjelbakken, T., . . . Lochen, M. L. (2012). Inflammatory biomarkers as risk factors for future atrial fibrillation. An eleven-year follow-up of 6315 men and women: the Tromso study. *Gender Medicine*, 9(6), 536-547. doi:<https://dx.doi.org/10.1016/j.genm.2012.09.001>
- Nyrnes, A., Toft, I., Njolstad, I., Mathiesen, E. B., Wilsgaard, T., Hansen, J. B., & Lochen, M. L. (2014). Uric acid is associated with future atrial fibrillation: an 11-year follow-up of 6308 men and women--the Tromso Study. *Europace*, 16(3), 320-326. doi:<https://dx.doi.org/10.1093/europace/eut260>
- Olsen, R. B., Bruehl, S., Nielsen, C. S., Rosseland, L. A., Eggen, A. E., & Stubhaug, A. (2013). Gender differences in blood pressure-related hypoalgesia in a general population: the Tromso Study. *Journal of Pain*, 14(7), 699-708. doi:<https://dx.doi.org/10.1016/j.jpain.2013.01.780>
- Os, I., Oparil, S., Gerdtts, E., & Hoieggen, A. (2004). Essential hypertension in women. *Blood Pressure*, 13(5), 272-278. doi:<https://dx.doi.org/10.1080/08037050410024330>
- Os, I., Os, A., Abdelnoor, M., Larsen, A., Birkeland, K., & Westheim, A. (2005). Insulin sensitivity in women with coronary heart disease during hormone replacement therapy. *Journal of Women's Health*, 14(2), 137-145. doi:<https://dx.doi.org/10.1089/jwh.2005.14.137>
- Pettersen, K. I., Reikvam, A., Rollag, A., & Stavem, K. (2008). Understanding sex differences in health-related quality of life following myocardial infarction. *International Journal of Cardiology*, 130(3), 449-456. doi:<https://dx.doi.org/10.1016/j.ijcard.2007.10.016>
- Rabanal, K. S., Lindman, A. S., Selmer, R. M., & Aamodt, G. (2013). Ethnic differences in risk factors and total risk of cardiovascular disease based on the Norwegian CONOR study. *Eur J Prev Cardiol*, 20(6), 1013-1021. doi:[10.1177/2047487312450539](https://dx.doi.org/10.1177/2047487312450539)
- Regitz-Zagrosek, V., Oertelt-Prigione, S., Prescott, E., Franconi, F., Gerdtts, E., Foryst-Ludwig, A., . . . Stangl, V. (2016). Gender in cardiovascular diseases: impact on clinical manifestations, management, and outcomes. *European Heart Journal*, 37(1), 24-34. doi:[10.1093/eurheartj/ehv598](https://dx.doi.org/10.1093/eurheartj/ehv598)

- Rich-Edwards, J. W., Klungsoyr, K., Wilcox, A. J., & Skjaerven, R. (2015). Duration of pregnancy, even at term, predicts long-term risk of coronary heart disease and stroke mortality in women: a population-based study. *American Journal of Obstetrics & Gynecology*, 213(4), 518.e511-518. doi:<https://dx.doi.org/10.1016/j.ajog.2015.06.001>
- Riise, H. K., Sullo, G., Tell, G. S., Iglund, J., Nygard, O., Vollset, S. E., . . . Daltveit, A. K. (2017). Incident Coronary Heart Disease After Preeclampsia: Role of Reduced Fetal Growth, Preterm Delivery, and Parity. *Journal of the American Heart Association*, 6(3), 06. doi:<https://dx.doi.org/10.1161/JAHA.116.004158>
- Risnes, K. R., Romundstad, P. R., Nilsen, T. I., Eskild, A., & Vatten, L. J. (2009). Placental weight relative to birth weight and long-term cardiovascular mortality: findings from a cohort of 31,307 men and women. *American Journal of Epidemiology*, 170(5), 622-631. doi:<https://dx.doi.org/10.1093/aje/kwp182>
- Romundstad, P. R., Davey Smith, G., Nilsen, T. I., & Vatten, L. J. (2007). Associations of prepregnancy cardiovascular risk factors with the offspring's birth weight. *American Journal of Epidemiology*, 166(12), 1359-1364. doi:<https://dx.doi.org/10.1093/aje/kwm272>
- Romundstad, P. R., Magnussen, E. B., Smith, G. D., & Vatten, L. J. (2010). Hypertension in pregnancy and later cardiovascular risk: common antecedents? *Circulation*, 122(6), 579-584. doi:<https://dx.doi.org/10.1161/CIRCULATIONAHA.110.943407>
- Rylander, C., Sandanger, T. M., Engeset, D., & Lund, E. (2014). Consumption of lean fish reduces the risk of type 2 diabetes mellitus: a prospective population based cohort study of Norwegian women. *PLoS ONE [Electronic Resource]*, 9(2), e89845. doi:<https://dx.doi.org/10.1371/journal.pone.0089845>
- Rylander, C., Sandanger, T. M., Nost, T. H., Breivik, K., & Lund, E. (2015). Combining plasma measurements and mechanistic modeling to explore the effect of POPs on type 2 diabetes mellitus in Norwegian women. *Environmental Research*, 142, 365-373. doi:<https://dx.doi.org/10.1016/j.envres.2015.07.002>
- Schei, B., & Bakketeig, L. S. (2007). *Kvinner lider - menn dør: folkehelse i et kjønnsperspektiv*. Oslo: Gyldendal akademisk.
- Selmer, R., Sakshaug, S., Skurtveit, S., Furu, K., & Tverdal, A. (2009). Statin treatment in a cohort of 20 212 men and women in Norway according to cardiovascular risk factors and level of education. *British Journal of Clinical Pharmacology*, 67(3), 355-362. doi:<https://dx.doi.org/10.1111/j.1365-2125.2008.03360.x>
- Selmer, R., & Tverdal, A. (2003). Serum total cholesterol and mortality from ischaemic heart disease, all cardiovascular causes and all causes: 25-year follow-up of the first cardiovascular screening in Finnmark, Oppland and Sogn og Fjordane. [Serum total kolesterol og dødelighet av iskemisk hjertesykdom, alle sirkulasjonssykdommer og alla årsaker: 25 års oppfølging av første hjerte-karundersøkelse i Finnmark, Oppland og Sogn og Fjordane]. *Norsk Epidemiologi*, 13(1), 115-125.
- Semb, A. G., Ikdahl, E., Hisdal, J., Olsen, I. C., & Rollefstad, S. (2016). Exploring cardiovascular disease risk evaluation in patients with inflammatory joint diseases. *International Journal of Cardiology*, 223, 331-336. doi:[10.1016/j.ijcard.2016.08.129](https://dx.doi.org/10.1016/j.ijcard.2016.08.129)
- Semb, A. G., Rollefstad, S., van Riel, P., Kitas, G. D., Matteson, E. L., & Gabriel, S. E. (2014). Cardiovascular disease assessment in rheumatoid arthritis: a guide to translating knowledge of cardiovascular risk into clinical practice. *Annals of the Rheumatic Diseases*, 73(7), 1284-1288. doi:[10.1136/annrheumdis-2013-204792](https://dx.doi.org/10.1136/annrheumdis-2013-204792)
- Skaug, E. A., Aspenes, S. T., Oldervoll, L., Morkedal, B., Vatten, L., Wisloff, U., & Ellingsen, O. (2013). Age and gender differences of endothelial function in 4739 healthy adults: the HUNT3 Fitness Study. *European Journal of Preventive Cardiology*, 20(4), 531-540. doi:<https://dx.doi.org/10.1177/2047487312444234>
- Skjaerven, R., Wilcox, A. J., Klungsoyr, K., Irgens, L. M., Vikse, B. E., Vatten, L. J., & Lie, R. T. (2012). Cardiovascular mortality after pre-eclampsia in one child mothers: prospective, population based cohort study. *BMJ*, 345, e7677. doi:<https://dx.doi.org/10.1136/bmj.e7677>
- Skjelbakken, T., Dahl, I. M., & Lochen, M. L. (2010). Changes in body mass index and smoking habits have a different impact on hemoglobin concentration in men and women: a longitudinal follow-up of the Tromsø Study, 1994-2002. *Gender Medicine*, 7(3), 230-239. doi:<https://dx.doi.org/10.1016/j.genm.2010.06.006>
- Solberg, S., Singh, K., Wilsgaard, T., & Jacobsen, B. K. (2005). Increased growth rate of abdominal aortic aneurysms in women. The Tromsø study. *European Journal of Vascular & Endovascular Surgery*, 29(2), 145-149. doi:<https://dx.doi.org/10.1016/j.ejvs.2004.11.015>

Hjerte- og karsykdommer

- Sorheim, I. C., Johannessen, A., Gulsvik, A., Bakke, P. S., Silverman, E. K., & DeMeo, D. L. (2010). Gender differences in COPD: are women more susceptible to smoking effects than men? *Thorax*, 65(6), 480-485. doi:<https://dx.doi.org/10.1136/thx.2009.122002>
- Staff, A. C., Redman, C. W. G., Williams, D., Leeson, P., Moe, K., Thilaganathan, B., . . . Roberts, J. M. (2016). Pregnancy and long-term maternal cardiovascular health: progress through harmonization of research cohorts and biobank. *Hypertension*, 67(2), 251-260. doi:<https://doi.org/10.1161/HYPERTENSIONAHA.115.06357>
- Stene, L. E., Jacobsen, G. W., Dyb, G., Tverdal, A., & Schei, B. (2013). Intimate partner violence and cardiovascular risk in women: a population-based cohort study. *Journal of Women's Health*, 22(3), 250-258. doi:<https://dx.doi.org/10.1089/jwh.2012.3920>
- Stensland-Bugge, E., Bonna, K. H., & Joakimsen, O. (2001). Age and sex differences in the relationship between inherited and lifestyle risk factors and subclinical carotid atherosclerosis: the Tromso study. *Atherosclerosis*, 154(2), 437-448.
- Stensland-Bugge, E., Bonna, K. H., Joakimsen, O., & Njolstad, I. (2000). Sex differences in the relationship of risk factors to subclinical carotid atherosclerosis measured 15 years later: the Tromso study. *Stroke*, 31(3), 574-581.
- Strand, B. H., Groholt, E. K., Steingrimsdottir, O. A., Blakely, T., Graff-Iversen, S., & Naess, O. (2010). Educational inequalities in mortality over four decades in Norway: prospective study of middle aged men and women followed for cause specific mortality, 1960-2000. [Erratum appears in *BMJ*. 2010;340:c1803]. *BMJ*, 340, c654. doi:<https://dx.doi.org/10.1136/bmj.c654>
- Strand, B. H., & Tverdal, A. (2004). Can cardiovascular risk factors and lifestyle explain the educational inequalities in mortality from ischaemic heart disease and from other heart diseases? 26 year follow up of 50,000 Norwegian men and women. *Journal of Epidemiology & Community Health*, 58(8), 705-709. doi:<https://dx.doi.org/10.1136/jech.2003.014563>
- Strand, B. H., & Tverdal, A. (2006). Trends in educational inequalities in cardiovascular risk factors: a longitudinal study among 48,000 middle-aged Norwegian men and women. *European Journal of Epidemiology*, 21(10), 731-739. doi:<https://dx.doi.org/10.1007/s10654-006-9046-5>
- Strandheim, A., Halland, H., Saeed, S., Cramariuc, D., Hetland, T., Lonnebakken, M. T., & Gerdtts, E. (2015). Obesity-associated metabolic changes influence resting and peak heart rate in women and men. *Scandinavian Cardiovascular Journal*, 49(6), 337-343. doi:<https://dx.doi.org/10.3109/14017431.2015.1081273>
- Sundstrom Poromaa, I., Mellembakken, J. R., Papunen, L. M., Piltonen, T., Puurunen, J., Tapanainen, J. S., . . . Andersen, M. (2016). Should we individualize lipid profiling in women with polycystic ovary syndrome? *Human Reproduction*, 31(12), 2791-2795. doi:<https://dx.doi.org/10.1093/humrep/dew228>
- Thelle, D. S., Selmer, R., Gjesdal, K., Sakshaug, S., Jugessur, A., Graff-Iversen, S., . . . Nystad, W. (2013). Resting heart rate and physical activity as risk factors for lone atrial fibrillation: a prospective study of 309,540 men and women. *Heart*, 99(23), 1755-1760. doi:<https://dx.doi.org/10.1136/heartjnl-2013-303825>
- Tjessem, K. H., Johansen, S., Malinen, E., Reinertsen, K. V., Danielsen, T., Fossa, S. D., & Fossa, A. (2013). Long-term cardiac mortality after hypofractionated radiation therapy in breast cancer. *International Journal of Radiation Oncology, Biology, Physics*, 87(2), 337-343. doi:<https://dx.doi.org/10.1016/j.ijrobp.2013.05.038>
- Tonstad, S., & Graff-Iversen, S. (2001). Action levels for obesity treatment in 40 to 42-y-old men and women compared with action levels for prevention of coronary heart disease. *International Journal of Obesity & Related Metabolic Disorders: Journal of the International Association for the Study of Obesity*, 25(11), 1698-1704. doi:<https://dx.doi.org/10.1038/sj.ijo.0801804>
- Tonstad, S., & Hjermann, I. (2003). A high risk score for coronary heart disease is associated with the metabolic syndrome in 40-year-old men and women. *Journal of Cardiovascular Risk*, 10(2), 129-135. doi:<https://dx.doi.org/10.1097/01.hjr.0000060837.46105.e7>
- Tverdal, A., Hjellvik, V., & Selmer, R. (2008). Heart rate and mortality from cardiovascular causes: a 12 year follow-up study of 379,843 men and women aged 40-45 years. *European Heart Journal*, 29(22), 2772-2781. doi:<https://dx.doi.org/10.1093/eurheartj/ehn435>

Hjerte- og karsykdommer

- Vollset, S. E. (2010). Does the southern European cardiovascular mortality advantage extend to total mortality? 50-year trends in death risks between 40 and 70 years of age in Western European men and women. *Scandinavian Journal of Public Health*, 38(5 Suppl), 127-134.
doi:<https://dx.doi.org/10.1177/1403494810379893>
- Waage, C. W., Mdala, I., Jenum, A. K., Michelsen, T. M., Birkeland, K. I., & Sletner, L. (2016). Ethnic differences in blood pressure from early pregnancy to postpartum: a Norwegian cohort study. *Journal of Hypertension*, 34(6), 1151-1159. doi:<https://dx.doi.org/10.1097/HJH.0000000000000918>
- Wennergren, M. H., Smedman, A., Turpeinen, A. M., Retterstol, K., Tengblad, S., Lipre, E., . . . Vessby, B. (2009). Dairy products and metabolic effects in overweight men and women: results from a 6-mo intervention study. *American Journal of Clinical Nutrition*, 90(4), 960-968.
doi:<https://dx.doi.org/10.3945/ajcn.2009.27664>
- Wik, H. S., Jacobsen, A. F., Sandvik, L., & Sandset, P. M. (2012). Prevalence and predictors for post-thrombotic syndrome 3 to 16 years after pregnancy-related venous thrombosis: a population-based, cross-sectional, case-control study. *Journal of Thrombosis & Haemostasis*, 10(5), 840-847.
doi:<https://dx.doi.org/10.1111/j.1538-7836.2012.04690.x>
- Wilsgaard, T., Schirmer, H., & Arnesen, E. (2000). Impact of body weight on blood pressure with a focus on sex differences: the Tromso Study, 1986-1995. *Archives of Internal Medicine*, 160(18), 2847-2853.
- Øhrn, A. S. H. M., Nielsen, C. S., Schirmer, H., Stubhaug, A., Wilsgaard, T., & Lindekleiv, H. (2016). Pain tolerance in persons with recognized and unrecognized myocardial infarction: a population-based, cross-sectional study. doi:10.1161/JAHA.116.003846

- Abeler, V. M., Royne, O., Thoresen, S., Danielsen, H. E., Nesland, J. M., & Kristensen, G. B. (2009). Uterine sarcomas in Norway. A histopathological and prognostic survey of a total population from 1970 to 2000 including 419 patients. *Histopathology*, 54(3), 355-364. doi:<https://dx.doi.org/10.1111/j.1365-2559.2009.03231.x>
- Acharya, G., Kjeldberg, I., Hansen, S. M., Sorheim, N., Jacobsen, B. K., & Maltau, J. M. (2005). Pregnancy outcome after loop electrosurgical excision procedure for the management of cervical intraepithelial neoplasia. *Archives of Gynecology & Obstetrics*, 272(2), 109-112. doi:<https://dx.doi.org/10.1007/s00404-005-0727-1>
- Albrektsen, G., Heuch, I., Hansen, S., & Kvale, G. (2005). Breast cancer risk by age at birth, time since birth and time intervals between births: exploring interaction effects. *British Journal of Cancer*, 92(1), 167-175. doi:<https://dx.doi.org/10.1038/sj.bjc.6602302>
- Albrektsen, G., Heuch, I., Thoresen, S., & Kvale, G. (2006). Clinical stage of breast cancer by parity, age at birth, and time since birth: a progressive effect of pregnancy hormones? *Cancer Epidemiology, Biomarkers & Prevention*, 15(1), 65-69. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-05-0634>
- Albrektsen, G., Heuch, I., Thoresen, S., & Kvale, G. (2006). Family history of breast cancer and short-term effects of childbirths on breast cancer risk. *International Journal of Cancer*, 119(6), 1468-1474. doi:<https://dx.doi.org/10.1002/ijc.22003>
- Albrektsen, G., Heuch, I., Thoresen, S., & Kvale, G. (2007). Twin births, sex of children and maternal risk of ovarian cancer: a cohort study in Norway. *British Journal of Cancer*, 96(9), 1433-1435. doi:<https://dx.doi.org/10.1038/sj.bjc.6603687>
- Albrektsen, G., Heuch, I., Thoresen, S., & Kvale, G. (2008). Twin births, sex of children and maternal risk of endometrial cancer: a cohort study in Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 87(11), 1123-1128. doi:<https://dx.doi.org/10.1080/00016340802443780>
- Albrektsen, G., Heuch, I., & Thoresen, S. O. (2010). Histological type and grade of breast cancer tumors by parity, age at birth, and time since birth: a register-based study in Norway. *BMC Cancer*, 10, 226. doi:<https://dx.doi.org/10.1186/1471-2407-10-226>
- Albrektsen, G., Heuch, I., Wik, E., & Salvesen, H. B. (2009). Parity and time interval since childbirth influence survival in endometrial cancer patients. *International Journal of Gynecological Cancer*, 19(4), 665-669. doi:<https://dx.doi.org/10.1111/IGC.0b013e3181a3e1bf>
- Albrektsen, G., Heuch, I., Wik, E., & Salvesen, H. B. (2009). Prognostic impact of parity in 493 uterine sarcoma patients. *International Journal of Gynecological Cancer*, 19(6), 1062-1067. doi:<https://dx.doi.org/10.1111/IGC.0b013e3181aaa950>
- Alfsen, G. C., Kristensen, G. B., Skovlund, E., Pettersen, E. O., & Abeler, V. M. (2001). Histologic subtype has minor importance for overall survival in patients with adenocarcinoma of the uterine cervix: a population-based study of prognostic factors in 505 patients with nonsquamous cell carcinomas of the cervix. *Cancer*, 92(9), 2471-2483.
- Alfsen, G. C., Reed, W., & Abeler, V. M. (2003). Reproducibility of classification in non-squamous cell carcinomas of the uterine cervix. *Gynecologic Oncology*, 90(2), 282-289.
- Alfsen, G. C., Thoresen, S. O., Kristensen, G. B., Skovlund, E., & Abeler, V. M. (2000). Histopathologic subtyping of cervical adenocarcinoma reveals increasing incidence rates of endometrioid tumors in all age groups: a population based study with review of all nonsquamous cervical carcinomas in Norway from 1966 to 1970, 1976 to 1980, and 1986 to 1990. *Cancer*, 89(6), 1291-1299.

- Alsaker, M. D., Janszky, I., Opdahl, S., Vatten, L. J., & Romundstad, P. R. (2013). Weight change in adulthood and risk of postmenopausal breast cancer: the HUNT study of Norway. *British Journal of Cancer*, 109(5), 1310-1317. doi:<https://dx.doi.org/10.1038/bjc.2013.403>
- Alsaker, M. D., Opdahl, S., Romundstad, P. R., & Vatten, L. J. (2013). Association of time since last birth, age at first birth and parity with breast cancer survival among parous women: a register-based study from Norway. *International Journal of Cancer*, 132(1), 174-181. doi:<https://dx.doi.org/10.1002/ijc.27593>
- Alsaker, M. D. K. (2014). Life-course epidemiology in breast cancer: importance of weight change through life and reproductive history to risk for and survival from breast cancer : prospective studies of Norwegian women. (2014:78), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Amundsen, O. J. (2010). More non-western women in mammography screening wanted. [Vil ha flere ikke-vestlige i mammografiscreeningen]. *HMT(2)*, 26-27.
- Asberg, A., Thorstensen, K., Irgens, W. O., Romundstad, P. R., & Hveem, K. (2013). Cancer risk in HFE C282Y homozygotes: results from the HUNT 2 study. *Scandinavian Journal of Gastroenterology*, 48(2), 189-195. doi:<https://dx.doi.org/10.3109/00365521.2012.752028>
- Asli, L. A., Olsen, A., Braaten, T., Lund, E., & Skeie, G. (2017). Potato Consumption and Risk of Colorectal Cancer in the Norwegian Women and Cancer Cohort. *Nutrition & Cancer*, 69(4), 564-572. doi:<https://dx.doi.org/10.1080/01635581.2017.1295086>
- Augestad, M. T., Hoberg-Vetti, H., Bjorvatn, C., & Sekse, R. J. (2017). Identifying Needs: a Qualitative Study of women's Experiences Regarding Rapid Genetic Testing for Hereditary Breast and Ovarian Cancer in the DNA BONus Study. *Journal of Genetic Counseling*, 26(1), 182-189. doi:<https://dx.doi.org/10.1007/s10897-016-9996-z>
- Aune, G., Torp, S. H., Syversen, U., Hagen, B., & Tingulstad, S. (2012). Ten years' experience with centralized surgery of ovarian cancer in one health region in Norway. *International Journal of Gynecological Cancer*, 22(2), 226-231. doi:<https://dx.doi.org/10.1097/IGC.0b013e31823589ef>
- Aziz, S., Wik, E., Knutsvik, G., Klingen, T. A., Chen, Y., Davidsen, B., . . . Akslen, L. A. (2016). Evaluation of Tumor Cell Proliferation by Ki-67 Expression and Mitotic Count in Lymph Node Metastases from Breast Cancer. *PLoS ONE [Electronic Resource]*, 11(3), e0150979. doi:<https://dx.doi.org/10.1371/journal.pone.0150979>
- Aziz, S., Wik, E., Knutsvik, G., Klingen, T. A., Chen, Y., Davidsen, B., . . . Akslen, L. A. (2017). Extra-nodal extension is a significant prognostic factor in lymph node positive breast cancer. *PLoS ONE [Electronic Resource]*, 12(2), e0171853. doi:<https://dx.doi.org/10.1371/journal.pone.0171853>
- Baekelandt, M., Jorunn Nesbakken, A., Kristensen, G. B., Trope, C. G., & Abeler, V. M. (2000). Carcinoma of the fallopian tube. *Cancer*, 89(10), 2076-2084.
- Bakken, K. (2004). Patterns of use and medical consequences of hormone replacement therapy : the Norwegian Women and Cancer (NOWAC) study. Department of Pharmacy, Faculty of Medicine, University of Tromsø, Tromsø.
- Bakken, K., Alsaker, E., Eggen, A. E., & Lund, E. (2004). Hormone replacement therapy and incidence of hormone-dependent cancers in the Norwegian Women and Cancer study. *International Journal of Cancer*, 112(1), 130-134. doi:<https://dx.doi.org/10.1002/ijc.20389>
- Bakken, K., Fournier, A., Lund, E., Waaseth, M., Dumeaux, V., Clavel-Chapelon, F., . . . Berrino, F. (2011). Menopausal hormone therapy and breast cancer risk: impact of different treatments. The European Prospective Investigation into Cancer and Nutrition. *International Journal of Cancer*, 128(1), 144-156. doi:<https://dx.doi.org/10.1002/ijc.25314>
- Bakken, T., Braaten, T., Olsen, A., Kyro, C., Lund, E., & Skeie, G. (2016). Consumption of Whole-Grain Bread and Risk of Colorectal Cancer among Norwegian Women (the NOWAC Study). *Nutrients*, 8(1), 13. doi:<https://dx.doi.org/10.3390/nu8010040>
- Baumbusch, L. O., Helland, A., Wang, Y., Liestol, K., Schaner, M. E., Holm, R., . . . Borresen-Dale, A. L. (2013). High levels of genomic aberrations in serous ovarian cancers are associated with better survival. *PLoS ONE [Electronic Resource]*, 8(1), e54356. doi:<https://dx.doi.org/10.1371/journal.pone.0054356>

- Bemarian, V., Sauer, T., Touma, J., Lindstedt, B. A., Chen, Y., Odegard, H. P., . . . Geisler, J. (2015). The epidermal growth factor receptor (EGFR / HER-1) gatekeeper mutation T790M is present in European patients with early breast cancer. *PLoS ONE [Electronic Resource]*, 10(8), e0134398. doi:<https://dx.doi.org/10.1371/journal.pone.0134398>
- Berg Gudbergsson, S., Fossa, S. D., & Dahl, A. A. (2008). Is cancer survivorship associated with reduced work engagement? A NOCWO Study. *Journal of Cancer Survivorship*, 2(3), 159-168. doi:<https://dx.doi.org/10.1007/s11764-008-0059-9>
- Bertelsen, B. I., Kugarajh, K., Skar, R., & Laerum, O. D. (2006). HPV subtypes in cervical cancer biopsies between 1930 and 2004: detection using general primer pair PCR and sequencing. *Virchows Archiv*, 449(2), 141-147. doi:<https://dx.doi.org/10.1007/s00428-006-0232-3>
- Bertheussen, G. F., Kaasa, S., Hokstad, A., Sandmael, J. A., Helbostad, J. L., Salvesen, O., & Oldervoll, L. M. (2012). Feasibility and changes in symptoms and functioning following inpatient cancer rehabilitation. *Acta Oncologica*, 51(8), 1070-1080. doi:<https://dx.doi.org/10.3109/0284186X.2012.699684>
- Biong, M., Gram, I. T., Brill, I., Johansen, F., Solvang, H. K., Alnaes, G. I., . . . Kristensen, V. N. (2010). Genotypes and haplotypes in the insulin-like growth factors, their receptors and binding proteins in relation to plasma metabolic levels and mammographic density. *BMC Medical Genomics [Electronic Resource]*, 3, 9. doi:<https://dx.doi.org/10.1186/1755-8794-3-9>
- Bjerkaas, E., Parajuli, R., Engeland, A., Maskarinec, G., Weiderpass, E., & Gram, I. T. (2014). The association between lifetime smoking exposure and breast cancer mortality--results from a Norwegian cohort. *Cancer Medicine*, 3(5), 1448-1457. doi:<https://dx.doi.org/10.1002/cam4.304>
- Bjerkaas, E., Parajuli, R., Engeland, A., Maskarinec, G., Weiderpass, E., & Gram, I. T. (2015). Social inequalities and smoking-associated breast cancer - Results from a prospective cohort study. *Preventive Medicine*, 73, 125-129. doi:<https://dx.doi.org/10.1016/j.ypmed.2015.01.004>
- Bjerkaas, E., Parajuli, R., Weiderpass, E., Engeland, A., Maskarinec, G., Selmer, R., & Gram, I. T. (2013). Smoking duration before first childbirth: an emerging risk factor for breast cancer? Results from 302,865 Norwegian women. *Cancer Causes & Control*, 24(7), 1347-1356. doi:<https://dx.doi.org/10.1007/s10552-013-0213-1>
- Bjorge, T., Abeler, V. M., Sundfor, K., Trope, C. G., & Kaern, J. (2002). Gestational trophoblastic tumors in Norway, 1968-1997: patient characteristics, treatment, and prognosis. *Gynecologic Oncology*, 87(1), 71-76.
- Bjorge, T., Cnattingius, S., Engeland, A., Tretli, S., Lie, R. T., & Lukanova, A. (2009). Fetal Down syndrome and the risk of maternal breast cancer. *Epidemiology*, 20(4), 584-589. doi:<https://dx.doi.org/10.1097/EDE.0b013e3181a66457>
- Bjorge, T., Engeland, A., Tretli, S., & Weiderpass, E. (2007). Body size in relation to cancer of the uterine corpus in 1 million Norwegian women. *International Journal of Cancer*, 120(2), 378-383. doi:<https://dx.doi.org/10.1002/ijc.22260>
- Bjorge, T., Gissler, M., Ording, A. G., Engeland, A., Glimelius, I., Leinonen, M., . . . Grotmol, T. (2016). Reproductive history and risk of colorectal adenocarcinoma in parous women: a Nordic population-based case-control study. *British Journal of Cancer*, 115(11), 1416-1420. doi:<https://dx.doi.org/10.1038/bjc.2016.315>
- Bjorge, T., Lie, A. K., Hovig, E., Gislefoss, R. E., Hansen, S., Jellum, E., . . . Dorum, A. (2004). BRCA1 mutations in ovarian cancer and borderline tumours in Norway: a nested case-control study. *British Journal of Cancer*, 91(10), 1829-1834. doi:<https://dx.doi.org/10.1038/sj.bjc.6602199>
- Bjorge, T., Lukanova, A., Jonsson, H., Tretli, S., Ulmer, H., Manjer, J., . . . Engeland, A. (2010). Metabolic syndrome and breast cancer in the me-can (metabolic syndrome and cancer) project. *Cancer Epidemiology, Biomarkers & Prevention*, 19(7), 1737-1745. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-10-0230>
- Bjorge, T., Lukanova, A., Tretli, S., Manjer, J., Ulmer, H., Stocks, T., . . . Engeland, A. (2011). Metabolic risk factors and ovarian cancer in the Metabolic Syndrome and Cancer project. *International Journal of Epidemiology*, 40(6), 1667-1677. doi:<https://dx.doi.org/10.1093/ije/dyr130>
- Bjorge, T., Skare, G. B., Bjorge, L., Trope, A., & Lonnberg, S. (2016). Adverse Pregnancy Outcomes After Treatment for Cervical Intraepithelial Neoplasia. *Obstetrics & Gynecology*, 128(6), 1265-1273. doi:<https://dx.doi.org/10.1097/AOG.0000000000001777>

- Bjorge, T., Stocks, T., Lukanova, A., Tretli, S., Selmer, R., Manjer, J., . . . Engeland, A. (2010). Metabolic syndrome and endometrial carcinoma. *American Journal of Epidemiology*, 171(8), 892-902.
doi:<https://dx.doi.org/10.1093/aje/kwq006>
- Bjorge, T., Tretli, S., & Engeland, A. (2004). Relation of height and body mass index to renal cell carcinoma in two million Norwegian men and women. *American Journal of Epidemiology*, 160(12), 1168-1176.
doi:<https://dx.doi.org/10.1093/aje/>
- Bjorneklett, H. G., Lindemalm, C., Ojutkangas, M. L., Berglund, A., Letocha, H., Strang, P., & Bergkvist, L. (2012). A randomized controlled trial of a support group intervention on the quality of life and fatigue in women after primary treatment for early breast cancer. *Supportive Care in Cancer*, 20(12), 3325-3334.
doi:<https://dx.doi.org/10.1007/s00520-012-1480-1>
- Bjorneklett, H. G., Rosenblad, A., Lindemalm, C., Ojutkangas, M. L., Letocha, H., Strang, P., & Bergkvist, L. (2013). Long-term follow-up of a randomized study of support group intervention in women with primary breast cancer. *Journal of Psychosomatic Research*, 74(4), 346-353.
doi:<https://dx.doi.org/10.1016/j.jpsychores.2012.11.005>
- Bjornsett, M., Knappskog, S., Lonning, P. E., & Dorum, A. (2012). Effect of the MDM2 promoter polymorphisms SNP309T>G and SNP285G>C on the risk of ovarian cancer in BRCA1 mutation carriers. *BMC Cancer*, 12, 454. doi:<https://dx.doi.org/10.1186/1471-2407-12-454>
- Borch, K. B., Braaten, T., Lund, E., & Weiderpass, E. (2011). Physical activity and mortality among Norwegian women - the Norwegian Women and Cancer Study. *Clinical Epidemiology*, 3, 229-235.
doi:<https://dx.doi.org/10.2147/CLEP.S22681>
- Borch, K. B., Lund, E., Braaten, T., & Weiderpass, E. (2014). Physical activity and the risk of postmenopausal breast cancer - the Norwegian Women and Cancer Study. *Journal of Negative Results in Biomedicine*, 13, 3.
doi:<https://dx.doi.org/10.1186/1477-5751-13-3>
- Borch, K. B., & Universitetet i Tromsø Det helsevitenskapelige, f. (2013). Physical activity, mortality and breast cancer risk: the Norwegian Women and Cancer Study. (nr. 135), University of Tromsø, Faculty of Health Sciences, Department of Community Medicine, Tromsø.
- Borkamo, E. D., Schem, B. C., Fluge, O., Bruland, O., Dahl, O., & Mella, O. (2009). cDNA microarray analysis of serially sampled cervical cancer specimens from patients treated with thermochemoradiotherapy. *International Journal of Radiation Oncology, Biology, Physics*, 75(5), 1562-1569.
doi:<https://dx.doi.org/10.1016/j.ijrobp.2009.08.007>
- Borosund, E., Cvancarova, M., Moore, S. M., Ekstedt, M., & Ruland, C. M. (2014). Comparing effects in regular practice of e-communication and Web-based self-management support among breast cancer patients: preliminary results from a randomized controlled trial. *Journal of Medical Internet Research*, 16(12), e295.
doi:<https://dx.doi.org/10.2196/jmir.3348>
- Braaten, T. (2008). Explaining the socioeconomic variation in incidence and survival of cancer : analyses and multiple imputation of data from The Norwegian Women and Cancer Study and the Norwegian-Swedish Women's Lifestyle and Health Cohort Study. (nr. 96), Institute of Community Medicine, University of Tromsø, Tromsø.
- Braaten, T., Weiderpass, E., Kumle, M., Adami, H. O., & Lund, E. (2004). Education and risk of breast cancer in the Norwegian-Swedish women's lifestyle and health cohort study. *International Journal of Cancer*, 110(4), 579-583. doi:<https://dx.doi.org/10.1002/ijc.20141>
- Braaten, T., Weiderpass, E., Kumle, M., & Lund, E. (2005). Explaining the socioeconomic variation in cancer risk in the Norwegian Women and Cancer Study. [Erratum appears in *Cancer Epidemiol Biomarkers Prev.* 2006 Jan;15(1):187]. *Cancer Epidemiology, Biomarkers & Prevention*, 14(11 Pt 1), 2591-2597.
doi:<https://dx.doi.org/10.1158/1055-9965.EPI-05-0345>
- Braaten, T., Weiderpass, E., & Lund, E. (2009). Socioeconomic differences in cancer survival: the Norwegian Women and Cancer Study. *BMC Public Health*, 9, 178. doi:<https://dx.doi.org/10.1186/1471-2458-9-178>
- Bredal, I. S. (2004). Personality trait, emotional distress, and quality of life in Norwegian women diagnosed with breast cancer. (no. 247), Faculty of Medicine, University of Oslo Unipub, Oslo.

- Bremnes, Y. (2007). Hormones, smoking and mammographic density in postmenopausal Norwegian women: the Tromsø Mammography and Breast Cancer Study. (Nr. 94), Institute of Community Medicine, University of Tromsø; Norske Kvinners Sanitetsforening, Tromsø.
- Bremnes, Y., Ursin, G., Bjurstam, N., & Gram, I. T. (2007). Different measures of smoking exposure and mammographic density in postmenopausal Norwegian women: a cross-sectional study. *Breast Cancer Research*, 9(5), R73. doi:<https://dx.doi.org/10.1186/bcr1782>
- Bremnes, Y., Ursin, G., Bjurstam, N., Lund, E., & Gram, I. T. (2007). Different types of postmenopausal hormone therapy and mammographic density in Norwegian women. *International Journal of Cancer*, 120(4), 880-884. doi:<https://dx.doi.org/10.1002/ijc.22437>
- Bremnes, Y., Ursin, G., Bjurstam, N., Rinaldi, S., Kaaks, R., & Gram, I. T. (2007). Endogenous sex hormones, prolactin and mammographic density in postmenopausal Norwegian women. *International Journal of Cancer*, 121(11), 2506-2511. doi:<https://dx.doi.org/10.1002/ijc.22971>
- Bremnes, Y., Ursin, G., Bjurstam, N., Rinaldi, S., Kaaks, R., & Gram, I. T. (2007). Insulin-like growth factor and mammographic density in postmenopausal Norwegian women. *Cancer Epidemiology, Biomarkers & Prevention*, 16(1), 57-62. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-06-0788>
- Brustad, M., Sandanger, T. M., Andersen, V., & Lund, E. (2007). POP exposure from fish liver consumption and risk of cancer--the Norwegian Women and Cancer Study. *Journal of Environmental Monitoring*, 9(7), 682-686. doi:<https://dx.doi.org/10.1039/b706302b>
- Budal, E. B., Haugland, H. K., Skar, R., Maehle, B. O., Bjorge, T., & Vintermyr, O. K. (2014). HPV DNA testing improves CIN2+ risk stratification and detection of CIN2+ in delayed triage of ASCUS and LSIL. A population-based follow-up study from Western Norway. *Cancer Medicine*, 3(1), 182-189. doi:<https://dx.doi.org/10.1002/cam4.171>
- Bukholm, I. R., Husdal, A., Nesland, J. M., Langerod, A., & Bukholm, G. (2003). Overexpression of cyclin A overrides the effect of p53 alterations in breast cancer patients with long follow-up time. *Breast Cancer Research & Treatment*, 80(2), 199-206. doi:<https://dx.doi.org/10.1023/A:1024527220362>
- Burger, E. A., Nygard, M., Gyrd-Hansen, D., Moger, T. A., & Kristiansen, I. S. (2014). Does the primary screening test influence women's anxiety and intention to screen for cervical cancer? A randomized survey of Norwegian women. *BMC Public Health*, 14, 360. doi:<https://dx.doi.org/10.1186/1471-2458-14-360>
- Chaturvedi, A. K., Engels, E. A., Gilbert, E. S., Chen, B. E., Storm, H., Lynch, C. F., . . . Travis, L. B. (2007). Second cancers among 104,760 survivors of cervical cancer: evaluation of long-term risk. *Journal of the National Cancer Institute*, 99(21), 1634-1643. doi:<https://dx.doi.org/10.1093/jnci/djm201>
- Chaturvedi, A. K., Kleinerman, R. A., Hildesheim, A., Gilbert, E. S., Storm, H., Lynch, C. F., . . . Engels, E. A. (2009). Second cancers after squamous cell carcinoma and adenocarcinoma of the cervix. *Journal of Clinical Oncology*, 27(6), 967-973. doi:<https://dx.doi.org/10.1200/JCO.2008.18.4549>
- Collett, K., Stefansson, I. M., Eide, J., Braaten, A., Wang, H., Eide, G. E., . . . Akslen, L. A. (2005). A basal epithelial phenotype is more frequent in interval breast cancers compared with screen detected tumors. *Cancer Epidemiology, Biomarkers & Prevention*, 14(5), 1108-1112. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-04-0394>
- Couto, E., Qureshi, S. A., Hofvind, S., Hilsen, M., Aase, H., Skaane, P., . . . Ursin, G. (2012). Hormone therapy use and mammographic density in postmenopausal Norwegian women. *Breast Cancer Research & Treatment*, 132(1), 297-305. doi:<https://dx.doi.org/10.1007/s10549-011-1810-x>
- Damtjernhaug, B. (2007). The effect of screening best evaluated by the mammography program. [Screeningeffekt vurderes best gjennom mammografiprogrammet]. *Utposten*, 36(6), 20-23.
- Davidson, B., Kjaereng, M. L., Forsund, M., Danielsen, H. E., Kristensen, G. B., & Abeler, V. M. (2016). Progesterone Receptor Expression Is an Independent Prognosticator in FIGO Stage I Uterine Leiomyosarcoma. *American Journal of Clinical Pathology*, 145(4), 449-458. doi:<https://dx.doi.org/10.1093/ajcp/aqw030>
- Davidson, B., Trope, C. G., Wang, T. L., & Shih Ie, M. (2006). Expression of the chromatin remodeling factor Rsf-1 is upregulated in ovarian carcinoma effusions and predicts poor survival. *Gynecologic Oncology*, 103(3), 814-819. doi:<https://dx.doi.org/10.1016/j.ygyno.2006.05.042>

- de Blasio, B. F., Neilson, A. R., Klemp, M., & Skjeldestad, F. E. (2012). Modeling the impact of screening policy and screening compliance on incidence and mortality of cervical cancer in the post-HPV vaccination era. *Journal of Public Health, 34*(4), 539-547. doi:<https://dx.doi.org/10.1093/pubmed/fds040>
- Dillekas, H., Demicheli, R., Ardoino, I., Jensen, S. A., Biganzoli, E., & Straume, O. (2016). The recurrence pattern following delayed breast reconstruction after mastectomy for breast cancer suggests a systemic effect of surgery on occult dormant micrometastases. *Breast Cancer Research & Treatment, 158*(1), 169-178. doi:<https://dx.doi.org/10.1007/s10549-016-3857-1>
- Domingo, L., Hofvind, S., Hubbard, R. A., Roman, M., Benkeser, D., Sala, M., & Castells, X. (2016). Cross-national comparison of screening mammography accuracy measures in U.S., Norway, and Spain. *European Radiology, 26*(8), 2520-2528. doi:<https://dx.doi.org/10.1007/s00330-015-4074-8>
- Dorum, A., Blom, G. P., Ekerhovd, E., & Granberg, S. (2005). Prevalence and histologic diagnosis of adnexal cysts in postmenopausal women: an autopsy study. *American Journal of Obstetrics & Gynecology, 192*(1), 48-54. doi:<https://dx.doi.org/10.1016/j.ajog.2004.07.038>
- Dorum, A., Tonstad, S., Liavaag, A. H., Michelsen, T. M., Hildrum, B., & Dahl, A. A. (2008). Bilateral oophorectomy before 50 years of age is significantly associated with the metabolic syndrome and Framingham risk score: a controlled, population-based study (HUNT-2). *Gynecologic Oncology, 109*(3), 377-383. doi:<https://dx.doi.org/10.1016/j.ygyno.2008.02.025>
- Drageset, S. (2011). Hard waiting-time. [Vond ventetid]. *Sykepleien, 99*(12), 52-54.
- Drageset, S., Lindstrom, T. C., Giske, T., & Underlid, K. (2011). Being in suspense: women's experiences awaiting breast cancer surgery. *Journal of Advanced Nursing, 67*(9), 1941-1951. doi:<https://dx.doi.org/10.1111/j.1365-2648.2011.05638.x>
- Drageset, S., Lindstrom, T. C., Giske, T., & Underlid, K. (2012). "The support I need": women's experiences of social support after having received breast cancer diagnosis and awaiting surgery. *Cancer Nursing, 35*(6), E39-47. doi:<https://dx.doi.org/10.1097/NCC.0b013e31823634aa>
- Drageset, S., Lindstrom, T. C., & Underlid, K. (2010). Coping with breast cancer: between diagnosis and surgery. *Journal of Advanced Nursing, 66*(1), 149-158. doi:<https://dx.doi.org/10.1111/j.1365-2648.2009.05210.x>
- Drageset, S., Lindstrom, T. C., & Underlid, K. (2016). "I just have to move on": Women's coping experiences and reflections following their first year after primary breast cancer surgery. *European Journal of Oncology Nursing, 21*, 205-211. doi:<https://dx.doi.org/10.1016/j.ejon.2015.10.005>
- Duffy, S. W., Michalopoulos, D., Sebuodegard, S., & Hofvind, S. (2014). Trends in aggregate cancer incidence rates in relation to screening and possible overdiagnosis: a word of caution. *Journal of Medical Screening, 21*(1), 24-29. doi:<https://dx.doi.org/10.1177/0969141313517676>
- Dumeaux, V., Alsaker, E., & Lund, E. (2003). Breast cancer and specific types of oral contraceptives: a large Norwegian cohort study. *International Journal of Cancer, 105*(6), 844-850. doi:<https://dx.doi.org/10.1002/ijc.11167>
- Dumeaux, V., Borresen-Dale, A. L., Frantzen, J. O., Kumle, M., Kristensen, V. N., & Lund, E. (2008). Gene expression analyses in breast cancer epidemiology: the Norwegian Women and Cancer postgenome cohort study. *Breast Cancer Research, 10*(1), R13. doi:<https://dx.doi.org/10.1186/bcr1859>
- Dumeaux, V., Johansen, J., Borresen-Dale, A. L., & Lund, E. (2006). Gene expression profiling of whole-blood samples from women exposed to hormone replacement therapy. *Molecular Cancer Therapeutics, 5*(4), 868-876. doi:<https://dx.doi.org/10.1158/1535-7163.MCT-05-0329>
- Dumeaux, V., Lund, E., & Hjartaker, A. (2004). Use of oral contraceptives, alcohol, and risk for invasive breast cancer. *Cancer Epidemiology, Biomarkers & Prevention, 13*(8), 1302-1307.
- Dumeaux, V., Ursini-Siegel, J., Flatberg, A., Fjosne, H. E., Frantzen, J. O., Holmen, M. M., . . . Lund, E. (2015). Peripheral blood cells inform on the presence of breast cancer: a population-based case-control study. *International Journal of Cancer, 136*(3), 656-667. doi:<https://dx.doi.org/10.1002/ijc.29030>
- Dybvik, E., Furnes, O., Fossa, S. D., Trovik, C., & Lie, S. A. (2014). Pelvic irradiation does not increase the risk of hip replacement in patients with gynecological cancer. A cohort study based on 8,507 patients. *Acta Orthopaedica, 85*(6), 652-656. doi:<https://dx.doi.org/10.3109/17453674.2014.963784>

- Edvardsen, H., Tefre, T., Jansen, L., Vu, P., Haffty, B. G., Fossa, S. D., . . . Borresen-Dale, A. L. (2007). Linkage disequilibrium pattern of the ATM gene in breast cancer patients and controls; association of SNPs and haplotypes to radio-sensitivity and post-lumpectomy local recurrence. *Radiation Oncology*, 2, 25. doi:<https://dx.doi.org/10.1186/1748-717X-2-25>
- Egestad, H., & Emaus, N. (2014). Changes in health related quality of life in women and men undergoing radiation treatment for head and neck cancer and the impact of smoking status in the radiation treatment period. *European Journal of Oncology Nursing*, 18(4), 339-346. doi:<https://dx.doi.org/10.1016/j.ejon.2014.04.003>
- Eggemoen, A. R., Falk, R. S., Knutsen, K. V., Lagerlov, P., Sletner, L., Birkeland, K. I., & Jennum, A. K. (2016). Vitamin D deficiency and supplementation in pregnancy in a multiethnic population-based cohort. *BMC Pregnancy & Childbirth*, 16, 7. doi:<https://dx.doi.org/10.1186/s12884-016-0796-0>
- Eggen, T., Arnes, M., Moe, B., Straume, B., & Orbo, A. (2007). Prognosis of early cervical cancer (FIGO Stages IA2, IB, and IIA) in northern Norway predicted by malignancy grading score and objective morphometric image analysis. *International Journal of Gynecological Pathology*, 26(4), 447-456. doi:<https://dx.doi.org/10.1097/pgp.0b013e3180341111>
- Ellingjord-Dale, M., dos-Santos-Silva, I., Grotmol, T., Sakhi, A. K., Hofvind, S., Qureshi, S., . . . Ursin, G. (2015). Vitamin D intake, month the mammogram was taken and mammographic density in Norwegian women aged 50-69. *PLoS ONE [Electronic Resource]*, 10(5), e0123754. doi:<https://dx.doi.org/10.1371/journal.pone.0123754>
- Ellingjord-Dale, M., Grotmol, T., Lee, E., Van Den Berg, D. J., Hofvind, S., Couto, E., . . . Ursin, G. (2014). Breast cancer susceptibility variants and mammographic density phenotypes in norwegian postmenopausal women. *Cancer Epidemiology, Biomarkers & Prevention*, 23(9), 1752-1763. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-13-1212>
- Ellingjord-Dale, M., Lee, E., Couto, E., Ozhand, A., Qureshi, S., Hofvind, S., . . . Ursin, G. (2012). Polymorphisms in hormone metabolism and growth factor genes and mammographic density in Norwegian postmenopausal hormone therapy users and non-users. *Breast Cancer Research*, 14(5), R135. doi:<https://dx.doi.org/10.1186/bcr3337>
- Ellingjord-Dale, M., Vos, L., Tretli, S., Hofvind, S., Dos-Santos-Silva, I., & Ursin, G. (2017). Parity, hormones and breast cancer subtypes - results from a large nested case-control study in a national screening program. *Breast Cancer Research*, 19(1), 10. doi:<https://dx.doi.org/10.1186/s13058-016-0798-x>
- Elstad, J. I., Torstensrud, R., Lyngstad, T. H., & Kravdal, O. (2012). Trends in educational inequalities in mortality, seven types of cancers, Norway 1971-2002. *European Journal of Public Health*, 22(6), 771-776. doi:<https://dx.doi.org/10.1093/eurpub/ckr181>
- Elstrand, M. B., Sandstad, B., Oksefjell, H., Davidson, B., & Trope, C. G. (2012). Prognostic significance of residual tumor in patients with epithelial ovarian carcinoma stage IV in a 20 year perspective. *Acta Obstetrica et Gynecologica Scandinavica*, 91(3), 308-317. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01316.x>
- Emaus, A., Espetvedt, S., Veierod, M. B., Ballard-Barbash, R., Furberg, A. S., Ellison, P. T., . . . Thune, I. (2008). 17-beta-estradiol in relation to age at menarche and adult obesity in premenopausal women. *Human Reproduction*, 23(4), 919-927. doi:<https://dx.doi.org/10.1093/humrep/dem432>
- Emaus, A., Veierod, M. B., Furberg, A. S., Espetvedt, S., Friedenreich, C., Ellison, P. T., . . . Thune, I. (2008). Physical activity, heart rate, metabolic profile, and estradiol in premenopausal women. *Medicine & Science in Sports & Exercise*, 40(6), 1022-1030. doi:<https://dx.doi.org/10.1249/MSS.0b013e318167411f>
- Emaus, A., Veierod, M. B., Tretli, S., Finstad, S. E., Selmer, R., Furberg, A. S., . . . Thune, I. (2010). Metabolic profile, physical activity, and mortality in breast cancer patients. *Breast Cancer Research & Treatment*, 121(3), 651-660. doi:<https://dx.doi.org/10.1007/s10549-009-0603-y>
- Enerly, E., Bonde, J., Schee, K., Pedersen, H., Lonnberg, S., & Nygard, M. (2016). Self-Sampling for Human Papillomavirus Testing among Non-Attenders Increases Attendance to the Norwegian Cervical Cancer Screening Programme. *PLoS ONE [Electronic Resource]*, 11(4), e0151978. doi:<https://dx.doi.org/10.1371/journal.pone.0151978>
- Engeland, A., Tretli, S., Akslén, L. A., & Bjorge, T. (2006). Body size and thyroid cancer in two million Norwegian men and women. *British Journal of Cancer*, 95(3), 366-370. doi:<https://dx.doi.org/10.1038/sj.bjc.6603249>

- Engeland, A., Tretli, S., Austad, G., & Bjorge, T. (2005). Height and body mass index in relation to colorectal and gallbladder cancer in two million Norwegian men and women. *Cancer Causes & Control*, 16(8), 987-996. doi:<https://dx.doi.org/10.1007/s10552-005-3638-3>
- Engeland, A., Tretli, S., & Bjorge, T. (2003). Height, body mass index, and ovarian cancer: a follow-up of 1.1 million Norwegian women. *Journal of the National Cancer Institute*, 95(16), 1244-1248.
- Engeland, A., Tretli, S., & Bjorge, T. (2004). Height and body mass index in relation to esophageal cancer; 23-year follow-up of two million Norwegian men and women. *Cancer Causes & Control*, 15(8), 837-843. doi:<https://dx.doi.org/10.1023/B:CACO.0000043434.21558.ea>
- Engeland, A., Tretli, S., Hansen, S., & Bjorge, T. (2007). Height and body mass index and risk of lymphohematopoietic malignancies in two million Norwegian men and women. *American Journal of Epidemiology*, 165(1), 44-52. doi:<https://dx.doi.org/10.1093/aje/kwj353>
- Engelsen, I. B., Stefansson, I., Akslen, L. A., & Salvesen, H. B. (2006). Pathologic expression of p53 or p16 in preoperative curettage specimens identifies high-risk endometrial carcinomas. *American Journal of Obstetrics & Gynecology*, 195(4), 979-986. doi:<https://dx.doi.org/10.1016/j.ajog.2006.02.045>
- Engeset, D., Andersen, V., Hjartaker, A., & Lund, E. (2007). Consumption of fish and risk of colon cancer in the Norwegian Women and Cancer (NOWAC) study. [Erratum appears in *Br J Nutr.* 2008 Mar;99(3):696]. *British Journal of Nutrition*, 98(3), 576-582. doi:<https://dx.doi.org/10.1017/S0007114507721487>
- Engeset, D., Dyachenko, A., Ciampi, A., & Lund, E. (2009). Dietary patterns and risk of cancer of various sites in the Norwegian European Prospective Investigation into Cancer and Nutrition cohort: the Norwegian Women and Cancer study. *European Journal of Cancer Prevention*, 18(1), 69-75. doi:<https://dx.doi.org/10.1097/CEJ.0b013e328305a091>
- Engstrom, M. J., Opdahl, S., Hagen, A. I., Romundstad, P. R., Akslen, L. A., Haugen, O. A., . . . Bofin, A. M. (2013). Molecular subtypes, histopathological grade and survival in a historic cohort of breast cancer patients. *Breast Cancer Research & Treatment*, 140(3), 463-473. doi:<https://dx.doi.org/10.1007/s10549-013-2647-2>
- Evans, D. G., Harkness, E. F., Howell, A., Wilson, M., Hurley, E., Holmen, M. M., . . . Moller, P. (2016). Intensive breast screening in BRCA2 mutation carriers is associated with reduced breast cancer specific and all cause mortality. *Hereditary Cancer in Clinical Practice*, 14, 8. doi:<https://dx.doi.org/10.1186/s13053-016-0048-3>
- Falk, R. S., Hofvind, S., Skaane, P., & Haldorsen, T. (2011). Second events following ductal carcinoma in situ of the breast: a register-based cohort study. *Breast Cancer Research & Treatment*, 129(3), 929-938. doi:<https://dx.doi.org/10.1007/s10549-011-1531-1>
- Falk, R. S., Hofvind, S., Skaane, P., & Haldorsen, T. (2013). Overdiagnosis among women attending a population-based mammography screening program. *International Journal of Cancer*, 133(3), 705-712. doi:<https://dx.doi.org/10.1002/ijc.28052>
- Finstad, S. E., Emaus, A., Potischman, N., Barrett, E., Furberg, A. S., Ellison, P. T., . . . Thune, I. (2009). Influence of birth weight and adult body composition on 17beta-estradiol levels in young women. *Cancer Causes & Control*, 20(2), 233-242. doi:<https://dx.doi.org/10.1007/s10552-008-9238-2>
- Finstad, S. E., Emaus, A., Tretli, S., Jasienska, G., Ellison, P. T., Furberg, A. S., . . . Thune, I. (2009). Adult height, insulin, and 17beta-estradiol in young women. *Cancer Epidemiology, Biomarkers & Prevention*, 18(5), 1477-1483. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-08-0972>
- Fjosne, H. E., Soreide, J. A., Karesen, R., Lonning, P. E., Jacobsen, A. B., Lundgren, S., & Norwegian Breast Cancer, G. (2011). Hospital volume and prognosis among Norwegian breast cancer patients enrolled in adjuvant trials. *Acta Oncologica*, 50(7), 1068-1074. doi:<https://dx.doi.org/10.3109/0284186X.2011.585998>
- Flote, V. G., Frydenberg, H., Ursin, G., Iversen, A., Fagerland, M. W., Ellison, P. T., . . . Thune, I. (2015). High-density lipoprotein-cholesterol, daily estradiol and progesterone, and mammographic density phenotypes in premenopausal women. *Cancer Prevention Research*, 8(6), 535-544. doi:<https://dx.doi.org/10.1158/1940-6207.CAPR-14-0267>
- Fossa, S. D., Magelssen, H., Melve, K., Jacobsen, A. B., Langmark, F., & Skjaerven, R. (2005). Parenthood in survivors after adulthood cancer and perinatal health in their offspring: a preliminary report. *Journal of the National Cancer Institute, Monographs*.(34), 77-82. doi:<https://dx.doi.org/10.1093/jncimonographs/lgi019>

- Frost, P., Jugessur, A., Apold, J., Heimdal, K., Aloysius, T., Eliassen, A. K., . . . Eiken, H. G. (2005). Complete mutation screening and haplotype characterization of the BRCA1 gene in 61 familial breast cancer patients from Norway. *Disease Markers*, 21(1), 29-36.
- Frydenberg, H., Flote, V. G., Larsson, I. M., Barrett, E. S., Furberg, A. S., Ursin, G., . . . Thune, I. (2015). Alcohol consumption, endogenous estrogen and mammographic density among premenopausal women. *Breast Cancer Research*, 17, 103. doi:<https://dx.doi.org/10.1186/s13058-015-0620-1>
- Frydenberg, H., Thune, I., Lofterod, T., Mortensen, E. S., Eggen, A. E., Risberg, T., . . . McTiernan, A. (2016). Pre-diagnostic high-sensitive C-reactive protein and breast cancer risk, recurrence, and survival. *Breast Cancer Research & Treatment*, 155(2), 345-354. doi:<https://dx.doi.org/10.1007/s10549-015-3671-1>
- Furberg, A. S., Espetvedt, S., Emaus, A., Khan, N., & Thune, I. (2007). Low high-density lipoprotein cholesterol may signal breast cancer risk: recent findings and new hypotheses. *Biomarkers in Medicine*, 1(1), 121-131. doi:<https://dx.doi.org/10.2217/17520363.1.1.121>
- Furberg, A. S., Jasienska, G., Bjurstaam, N., Torjesen, P. A., Emaus, A., Lipson, S. F., . . . Thune, I. (2005). Metabolic and hormonal profiles: HDL cholesterol as a plausible biomarker of breast cancer risk. The Norwegian EBBA Study. *Cancer Epidemiology, Biomarkers & Prevention*, 14(1), 33-40.
- Furberg, A. S., Sandanger, T., Thune, I., Burkow, I. C., & Lun, E. (2002). Fish consumption and plasma levels of organochlorines in a female population in Northern Norway. *Journal of Environmental Monitoring*, 4(1), 175-181.
- Furberg, A. S., & Thune, I. (2003). Metabolic abnormalities (hypertension, hyperglycemia and overweight), lifestyle (high energy intake and physical inactivity) and endometrial cancer risk in a Norwegian cohort. [Erratum appears in *Int J Cancer*. 2003 May 10;104(6):799]. *International Journal of Cancer*, 104(6), 669-676. doi:<https://dx.doi.org/10.1002/ijc.10974>
- Furberg, A. S., Veierod, M. B., Wilsgaard, T., Bernstein, L., & Thune, I. (2004). Serum high-density lipoprotein cholesterol, metabolic profile, and breast cancer risk. *Journal of the National Cancer Institute*, 96(15), 1152-1160. doi:<https://dx.doi.org/10.1093/jnci/djh216>
- Gansmo, L. B., Bjornslett, M., Halle, M. K., Salvesen, H. B., Dorum, A., Birkeland, E., . . . Knappskog, S. (2016). The MDM4 SNP34091 (rs4245739) C-allele is associated with increased risk of ovarian-but not endometrial cancer. *Tumour Biology*, 37(8), 10697-10702. doi:<https://dx.doi.org/10.1007/s13277-016-4940-2>
- Gansmo, L. B., Romundstad, P., Birkeland, E., Hveem, K., Vatten, L., Knappskog, S., & Lonning, P. E. (2015). MDM4 SNP34091 (rs4245739) and its effect on breast-, colon-, lung-, and prostate cancer risk. *Cancer Medicine*, 4(12), 1901-1907. doi:<https://dx.doi.org/10.1002/cam4.555>
- Gavrilyuk, O., Braaten, T., Skeie, G., Weiderpass, E., Dumeaux, V., & Lund, E. (2014). High coffee consumption and different brewing methods in relation to postmenopausal endometrial cancer risk in the Norwegian women and cancer study: a population-based prospective study. *BMC Women's Health*, 14, 48. doi:<https://dx.doi.org/10.1186/1472-6874-14-48>
- Geirdal, A. O., Maehle, L., Heimdal, K., Stormorken, A., Moller, P., & Dahl, A. A. (2006). Quality of life and its relation to cancer-related stress in women of families with hereditary cancer without demonstrated mutation. *Quality of Life Research*, 15(3), 461-470. doi:<https://dx.doi.org/10.1007/s11136-005-3008-3>
- Gele, A. A., Qureshi, S. A., Kour, P., Kumar, B., & Diaz, E. (2017). Barriers and facilitators to cervical cancer screening among Pakistani and Somali immigrant women in Oslo: a qualitative study. *Int J Womens Health*, 9, 487-496. doi:10.2147/ijwh.s139160
- Ghiasvand, R. (2016). Sunscreen use, indoor tanning and risk of melanoma among Norwegian women. Institute of Basic Medical Sciences, Faculty of Medicine, University of Oslo, Oslo.
- Ghiasvand, R., Lund, E., Edvardsen, K., Weiderpass, E., & Veierod, M. B. (2015). Prevalence and trends of sunscreen use and sunburn among Norwegian women. *British Journal of Dermatology*, 172(2), 475-483. doi:<https://dx.doi.org/10.1111/bjd.13434>
- Gislefoss, R. E., Langseth, H., Bolstad, N., Nustad, K., & Morkrid, L. (2015). HE4 as an Early Detection Biomarker of Epithelial Ovarian Cancer: Investigations in Prediagnostic Specimens From the Janus Serumbank. *International Journal of Gynecological Cancer*, 25(9), 1608-1615. doi:<https://dx.doi.org/10.1097/IGC.0000000000000532>

- Gorovetz, M., Baekelandt, M., Berner, A., Trope, C. G., Davidson, B., & Reich, R. (2006). The clinical role of phospholipase A2 isoforms in advanced-stage ovarian carcinoma. *Gynecologic Oncology*, 103(3), 831-840. doi:<https://dx.doi.org/10.1016/j.ygyno.2006.06.042>
- Gram, I. T., Braaten, T., Adami, H. O., Lund, E., & Weiderpass, E. (2008). Cigarette smoking and risk of borderline and invasive epithelial ovarian cancer. *International Journal of Cancer*, 122(3), 647-652. doi:<https://dx.doi.org/10.1002/ijc.23108>
- Gram, I. T., Braaten, T., Lund, E., Le Marchand, L., & Weiderpass, E. (2009). Cigarette smoking and risk of colorectal cancer among Norwegian women. *Cancer Causes & Control*, 20(6), 895-903. doi:<https://dx.doi.org/10.1007/s10552-009-9327-x>
- Gram, I. T., Braaten, T., Terry, P. D., Sasco, A. J., Adami, H. O., Lund, E., & Weiderpass, E. (2005). Breast cancer risk among women who start smoking as teenagers. *Cancer Epidemiology, Biomarkers & Prevention*, 14(1), 61-66.
- Gram, I. T., Funkhouser, E., Nordgard, L., Tabar, L., & Ursin, G. (2002). Oral contraceptive use and mammographic patterns. *European Journal of Cancer Prevention*, 11(3), 265-270.
- Gram, I. T., Little, M. A., Lund, E., & Braaten, T. (2016). The fraction of breast cancer attributable to smoking: The Norwegian women and cancer study 1991-2012. *British Journal of Cancer*, 115(5), 616-623. doi:<https://dx.doi.org/10.1038/bjc.2016.154>
- Gram, I. T., Sandin, S., Braaten, T., Lund, E., & Weiderpass, E. (2013). The hazards of death by smoking in middle-aged women. *European Journal of Epidemiology*, 28(10), 799-806. doi:<https://dx.doi.org/10.1007/s10654-013-9851-6>
- Grindedal, E. M., Heramb, C., Karsrud, I., Ariansen, S. L., Maehle, L., Undlien, D. E., . . . Schlichting, E. (2017). Current guidelines for BRCA testing of breast cancer patients are insufficient to detect all mutation carriers. *BMC Cancer*, 17(1), 438. doi:10.1186/s12885-017-3422-2
- Gudbergsson, S. B., Fossa, S. D., & Dahl, A. A. (2011). Are there sex differences in the work ability of cancer survivors? Norwegian experiences from the NOCWO study. *Supportive Care in Cancer*, 19(3), 323-331. doi:<https://dx.doi.org/10.1007/s00520-010-0820-2>
- Gudlaugsson, E., Skaland, I., Undersrud, E., Janssen, E. A., Soiland, H., & Baak, J. P. (2011). D2-40/p63 defined lymph vessel invasion has additional prognostic value in highly proliferating operable node negative breast cancer patients. *Modern Pathology*, 24(4), 502-511. doi:<https://dx.doi.org/10.1038/modpathol.2010.199>
- Haakensen, V. D., Lingjaerde, O. C., Luders, T., Riis, M., Prat, A., Troester, M. A., . . . Helland, A. (2011). Gene expression profiles of breast biopsies from healthy women identify a group with claudin-low features. *BMC Medical Genomics [Electronic Resource]*, 4, 77. doi:<https://dx.doi.org/10.1186/1755-8794-4-77>
- Hafslund, B., Espehaug, B., & Nortvedt, M. W. (2012). Health-related quality of life, anxiety and depression related to mammography screening in Norway. *Journal of Clinical Nursing*, 21(21-22), 3223-3234. doi:<https://dx.doi.org/10.1111/j.1365-2702.2012.04244.x>
- Hagen, A. I. (2016). BRCA1 og BRCA2 tyve år etter oppdagelsen – hva har skjedd? Hva er dagens situasjon? *Kirurgien*(2).
- Hagen, A. I., Maehle, L., Veda, N., Vetti, H. H., Stormorken, A., Ludvigsen, T., . . . Moller, P. (2014). Risk reducing mastectomy, breast reconstruction and patient satisfaction in Norwegian BRCA1/2 mutation carriers. *Breast*, 23(1), 38-43. doi:<https://dx.doi.org/10.1016/j.breast.2013.10.002>
- Hagen, A. I., Tretli, S., Maehle, L., Apold, J., Veda, N., & Moller, P. (2009). Survival in Norwegian BRCA1 mutation carriers with breast cancer. *Hereditary Cancer in Clinical Practice*, 7(1), 7. doi:<https://dx.doi.org/10.1186/1897-4287-7-7>
- Hagen, B., Skjeldestad, F. E., Halvorsen, T., Strickert, T., Tingulstad, S., Lorenz, E., & Onsrud, M. (2000). Primary treatment of cervical carcinoma. Ten years experience from one Norwegian health region. *Acta Obstetrica et Gynecologica Scandinavica*, 79(12), 1093-1099.

- Hansen, B. T., Hukkelberg, S. S., Haldorsen, T., Eriksen, T., Skare, G. B., & Nygard, M. (2011). Factors associated with non-attendance, opportunistic attendance and reminded attendance to cervical screening in an organized screening program: a cross-sectional study of 12,058 Norwegian women. *BMC Public Health*, 11, 264. doi:<https://dx.doi.org/10.1186/1471-2458-11-264>
- Hansen, B. T., Nygard, M., Falk, R. S., & Hofvind, S. (2012). Breast cancer and ductal carcinoma in situ among women with prior squamous or glandular precancer in the cervix: a register-based study. *British Journal of Cancer*, 107(9), 1451-1453. doi:<https://dx.doi.org/10.1038/bjc.2012.438>
- Hartmann-Johnsen, O. J., Karesen, R., Schlichting, E., & Nygard, J. F. (2015). Survival is Better After Breast Conserving Therapy than Mastectomy for Early Stage Breast Cancer: A Registry-Based Follow-up Study of Norwegian Women Primary Operated Between 1998 and 2008. *Annals of Surgical Oncology*, 22(12), 3836-3845. doi:<https://dx.doi.org/10.1245/s10434-015-4441-3>
- Hauge, I. H., Pedersen, K., Olerud, H. M., Hole, E. O., & Hofvind, S. (2014). The risk of radiation-induced breast cancers due to biennial mammographic screening in women aged 50-69 years is minimal. *Acta Radiologica*, 55(10), 1174-1179. doi:<https://dx.doi.org/10.1177/0284185113514051>
- Hauglann, B., Benth, J. S., Fossa, S. D., & Dahl, A. A. (2012). A cohort study of permanently reduced work ability in breast cancer patients. *Journal of Cancer Survivorship*, 6(3), 345-356. doi:<https://dx.doi.org/10.1007/s11764-012-0215-0>
- Heimdal, K., Maehle, L., Apold, J., Pedersen, J. C., & Moller, P. (2003). The Norwegian founder mutations in BRCA1: high penetrance confirmed in an incident cancer series and differences observed in the risk of ovarian cancer. *European Journal of Cancer*, 39(15), 2205-2213.
- Heimdal, K., Skovlund, E., & Moller, P. (2002). Oral contraceptives and risk of familial breast cancer. *Cancer Detection & Prevention*, 26(1), 23-27.
- Hellevik, A. I., Asvold, B. O., Bjoro, T., Romundstad, P. R., Nilsen, T. I., & Vatten, L. J. (2009). Thyroid function and cancer risk: a prospective population study. *Cancer Epidemiology, Biomarkers & Prevention*, 18(2), 570-574. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-08-0911>
- Heuch, I., Jacobsen, B. K., Albrektsen, G., & Kvale, G. (2008). Reproductive factors and pancreatic cancer risk: a Norwegian cohort study. *British Journal of Cancer*, 98(1), 189-193. doi:<https://dx.doi.org/10.1038/sj.bjc.6604095>
- Hjartåker, A. (2000). Dietary data in the Norwegian Women and Cancer Study : validation and analyses of health related aspects. (nr 59), Universitetet i Tromsø, Institutt for samfunnsmedisin, Tromsø.
- Hjartåker, A., Laake, P., & Lund, E. (2001). Childhood and adult milk consumption and risk of premenopausal breast cancer in a cohort of 48,844 women - the Norwegian women and cancer study. *International Journal of Cancer*, 93(6), 888-893.
- Hjartåker, A., Thoresen, M., Engeset, D., & Lund, E. (2010). Dairy consumption and calcium intake and risk of breast cancer in a prospective cohort: the Norwegian Women and Cancer study. *Cancer Causes & Control*, 21(11), 1875-1885. doi:<https://dx.doi.org/10.1007/s10552-010-9615-5>
- Hjerkind, K. V., Qureshi, S. A., Moller, B., Weiderpass, E., Deapen, D., Kumar, B., & Ursin, G. (2017). Ethnic differences in the incidence of cancer in Norway. *International Journal of Cancer*, 140(8), 1770-1780. doi:[10.1002/ijc.30598](https://dx.doi.org/10.1002/ijc.30598)
- Hoff, S. R., Abrahamsen, A. L., Samset, J. H., Vigeland, E., Klepp, O., & Hofvind, S. (2012). Breast cancer: missed interval and screening-detected cancer at full-field digital mammography and screen-film mammography-- results from a retrospective review. [Erratum appears in *Radiology*. 2013 Jan;266(1):367]. *Radiology*, 264(2), 378-386. doi:<https://dx.doi.org/10.1148/radiol.12112074>
- Hoff, S. R., Klepp, O., & Hofvind, S. (2012). Asymptomatic breast cancer in non-participants of the national screening programme in Norway: a confounding factor in evaluation? *Journal of Medical Screening*, 19(4), 177-183. doi:<https://dx.doi.org/10.1258/jms.2013.012090>
<https://dx.doi.org/10.1177/0969141313476633>
- Hoff, S. R., Klepp, O., & Hofvind, S. (2013). Asymptomatic breast cancer in non-participants of the national screening-programme in Norway: a confounding factor in evaluation? *Journal of Medical Screening*, 13, 13. doi:<https://dx.doi.org/10.1177/0969141313476633>

- Hoff, S. R., Samset, J. H., Abrahamsen, A. L., Vigeland, E., Klepp, O., & Hofvind, S. (2011). Missed and true interval and screen-detected breast cancers in a population based screening program. *Academic Radiology*, 18(4), 454-460. doi:<https://dx.doi.org/10.1016/j.acra.2010.11.014>
- Hofso, K., Rustoen, T., Cooper, B. A., Bjordal, K., & Miaskowski, C. (2013). Changes over time in occurrence, severity, and distress of common symptoms during and after radiation therapy for breast cancer. *Journal of Pain & Symptom Management*, 45(6), 980-1006. doi:<https://dx.doi.org/10.1016/j.jpainsymman.2012.06.003>
- Hofsø, K. (2015). Symptoms and quality of life of women with breast cancer, before, during and after radiotherapy. (no. 2028), Institute of Clinical Medicine, Faculty of Medicine, University of Oslo, Oslo.
- Hofvind, S., Bjurstam, N., Sorum, R., Bjorndal, H., Thoresen, S., & Skaane, P. (2006). Number and characteristics of breast cancer cases diagnosed in four periods in the screening interval of a biennial population-based screening programme. *Journal of Medical Screening*, 13(4), 192-196. doi:<https://dx.doi.org/10.1177/096914130601300406>
- Hofvind, S., Geller, B. M., Rosenberg, R. D., & Skaane, P. (2009). Screening-detected breast cancers: discordant independent double reading in a population-based screening program. *Radiology*, 253(3), 652-660. doi:<https://dx.doi.org/10.1148/radiol.2533090210>
- Hofvind, S., Holen, A., Aas, T., Roman, M., Sebuodegard, S., & Akslen, L. A. (2015). Women treated with breast conserving surgery do better than those with mastectomy independent of detection mode, prognostic and predictive tumor characteristics. *European Journal of Surgical Oncology*, 41(10), 1417-1422. doi:<https://dx.doi.org/10.1016/j.ejso.2015.07.002>
- Hofvind, S., Holen, A., Roman, M., Sebuodegard, S., Puig-Vives, M., & Akslen, L. (2016). Mode of detection: an independent prognostic factor for women with breast cancer. *Journal of Medical Screening*, 23(2), 89-97. doi:<https://dx.doi.org/10.1177/0969141315604006>
- Hofvind, S., Iversen, B. F., Eriksen, L., Styr, B. M., Kjellevoid, K., & Kurz, K. D. (2011). Mammographic morphology and distribution of calcifications in ductal carcinoma in situ diagnosed in organized screening. *Acta Radiologica*, 52(5), 481-487. doi:<https://dx.doi.org/10.1258/ar.2011.100357>
- Hofvind, S., Lee, C. I., & Elmore, J. G. (2012). Stage-specific breast cancer incidence rates among participants and non-participants of a population-based mammographic screening program. *Breast Cancer Research & Treatment*, 135(1), 291-299. doi:<https://dx.doi.org/10.1007/s10549-012-2162-x>
- Hofvind, S., Moller, B., Thoresen, S., & Ursin, G. (2006). Use of hormone therapy and risk of breast cancer detected at screening and between mammographic screens. *International Journal of Cancer*, 118(12), 3112-3117. doi:<https://dx.doi.org/10.1002/ijc.21742>
- Hofvind, S., Roman, M., Sebuodegard, S., & Falk, R. S. (2016). Balancing the benefits and detriments among women targeted by the Norwegian Breast Cancer Screening Program. *Journal of Medical Screening*, 23(4), 203-209. doi:<https://dx.doi.org/10.1177/0969141315625088>
- Hofvind, S., Sakshaug, S., Ursin, G., & Graff-Iversen, S. (2012). Breast cancer incidence trends in Norway--explained by hormone therapy or mammographic screening? *International Journal of Cancer*, 130(12), 2930-2938. doi:<https://dx.doi.org/10.1002/ijc.26280>
- Hofvind, S., & Skaane, P. (2012). Stage distribution of breast cancer diagnosed before and after implementation of population-based mammographic screening. *Rofo: Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin*, 184(5), 437-442. doi:<https://dx.doi.org/10.1055/s-0031-1299352>
- Hofvind, S., Skaane, P., Elmore, J. G., Sebuodegard, S., Hoff, S. R., & Lee, C. I. (2014). Mammographic performance in a population-based screening program: before, during, and after the transition from screen-film to full-field digital mammography. *Radiology*, 272(1), 52-62. doi:<https://dx.doi.org/10.1148/radiol.14131502>
- Hofvind, S., Sorum, R., & Thoresen, S. (2008). Incidence and tumor characteristics of breast cancer diagnosed before and after implementation of a population-based screening-program. *Acta Oncologica*, 47(2), 225-231. doi:<https://dx.doi.org/10.1080/02841860701518041>
- Hofvind, S., Thoresen, S., & Tretli, S. (2004). The cumulative risk of a false-positive recall in the Norwegian Breast Cancer Screening Program. *Cancer*, 101(7), 1501-1507. doi:<https://dx.doi.org/10.1002/cncr.20528>

- Hofvind, S., Ursin, G., Tretli, S., Sebuodegard, S., & Moller, B. (2013). Breast cancer mortality in participants of the Norwegian Breast Cancer Screening Program. *Cancer*, 119(17), 3106-3112. doi:<https://dx.doi.org/10.1002/cncr.28174>
- Hofvind, S., Wang, H., & Thoresen, S. (2004). Do the results of the process indicators in the Norwegian Breast Cancer Screening Program predict future mortality reduction from breast cancer? *Acta Oncologica*, 43(5), 467-473.
- Hofvind, S. S., Wang, H., & Thoresen, S. (2003). The Norwegian Breast Cancer Screening Program: re-attendance related to the women's experiences, intentions and previous screening result. *Cancer Causes & Control*, 14(4), 391-398.
- Horn, J. (2014). Risk factors for breast cancer subtypes and breast cancer in old age: prospective studies in Norwegian women. (2014:299), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Horn, J., Alsaker, M. D., Opdahl, S., Engstrom, M. J., Tretli, S., Haugen, O. A., . . . Asvold, B. O. (2014). Anthropometric factors and risk of molecular breast cancer subtypes among postmenopausal Norwegian women. *International Journal of Cancer*, 135(11), 2678-2686. doi:<https://dx.doi.org/10.1002/ijc.28912>
- Horn, J., Asvold, B. O., Opdahl, S., Tretli, S., & Vatten, L. J. (2013). Reproductive factors and the risk of breast cancer in old age: a Norwegian cohort study. *Breast Cancer Research & Treatment*, 139(1), 237-243. doi:<https://dx.doi.org/10.1007/s10549-013-2531-0>
- Horn, J., Opdahl, S., Engstrom, M. J., Romundstad, P. R., Tretli, S., Haugen, O. A., . . . Asvold, B. O. (2014). Reproductive history and the risk of molecular breast cancer subtypes in a prospective study of Norwegian women. *Cancer Causes & Control*, 25(7), 881-889. doi:<https://dx.doi.org/10.1007/s10552-014-0388-0>
- Hovind, I. L., Bredal, I. S., & Dihle, A. (2013). Women's experience of acute and chronic pain following breast cancer surgery. *Journal of Clinical Nursing*, 22(7-8), 1044-1052. doi:<https://dx.doi.org/10.1111/jocn.12167>
- Huang, R., Ma, Y., Holm, R., Trope, C. G., Nesland, J. M., & Suo, Z. (2013). Sex hormone-binding globulin (SHBG) expression in ovarian carcinomas and its clinicopathological associations. *PLoS ONE [Electronic Resource]*, 8(12), e83238. doi:<https://dx.doi.org/10.1371/journal.pone.0083238>
- Iversen, A., Thune, I., McTiernan, A., Emaus, A., Finstad, S. E., Flote, V., . . . Furberg, A. S. (2011). Ovarian hormones and reproductive risk factors for breast cancer in premenopausal women: the Norwegian EBBA-I study. *Human Reproduction*, 26(6), 1519-1529. doi:<https://dx.doi.org/10.1093/humrep/der081>
- Iversen, A., Thune, I., McTiernan, A., Makar, K. W., Wilsgaard, T., Ellison, P. T., . . . Furberg, A. S. (2012). Genetic polymorphism CYP17 rs2486758 and metabolic risk factors predict daily salivary 17beta-estradiol concentration in healthy premenopausal Norwegian women. The EBBA-I study. *Journal of Clinical Endocrinology & Metabolism*, 97(5), E852-857. doi:<https://dx.doi.org/10.1210/jc.2011-2577>
- Jakobsen, M. D., Braaten, T., Obstfelder, A., & Abelsen, B. (2016). Self-Reported Food Hypersensitivity: Prevalence, Characteristics, and Comorbidities in the Norwegian Women and Cancer Study. *PLoS ONE [Electronic Resource]*, 11(12), e0168653. doi:<https://dx.doi.org/10.1371/journal.pone.0168653>
- Jarhelle, E., Riise Stensland, H. M., Maehle, L., & Van Ghelue, M. (2017). Characterization of BRCA1 and BRCA2 variants found in a Norwegian breast or ovarian cancer cohort. *Familial Cancer*, 16(1), 1-16. doi:<https://dx.doi.org/10.1007/s10689-016-9916-2>
- Johansen, R., Westin, A. A., Bofin, A. M., & Lundgren, S. (2008). Outcome of whole-brain irradiation for breast cancer patients. *Acta Oncologica*, 47(2), 261-266. doi:<https://dx.doi.org/10.1080/02841860701558765>
- Johansen, S., Danielsen, T., & Olsen, D. R. (2008). Estimated risk for secondary cancer in the contra-lateral breast following radiation therapy of breast cancer. *Acta Oncologica*, 47(3), 391-396. doi:<https://dx.doi.org/10.1080/02841860701846152>
- Johansen, S., Tjessem, K. H., Fossa, K., Bosse, G., Danielsen, T., Malinen, E., & Fossa, S. D. (2013). Dose Distribution in the Heart and Cardiac Chambers Following 4-field Radiation Therapy of Breast Cancer: a Retrospective Study. *Breast Cancer*, 7, 41-49. doi:<https://dx.doi.org/10.4137/BCBCR.S11118>
- Johansen, V. F., & Universitetet i B. (2012). Når det intime blir offentlig: om kvinners åpenhet om brystkreft og om markedsføring av brystkreftsaken. Universitetet i Bergen, Bergen.

- Jorgensen, L., Heuch, I., Jenssen, T., & Jacobsen, B. K. (2008). Association of albuminuria and cancer incidence. *Journal of the American Society of Nephrology*, 19(5), 992-998.
doi:<https://dx.doi.org/10.1681/ASN.2007060712>
- Kalager, M., Haldorsen, T., Bretthauer, M., Hoff, G., Thoresen, S. O., & Adami, H. O. (2009). Improved breast cancer survival following introduction of an organized mammography screening program among both screened and unscreened women: a population-based cohort study. *Breast Cancer Research*, 11(4), R44.
doi:<https://dx.doi.org/10.1186/bcr2331>
- Kalager, M., Loberg, M., Bretthauer, M., & Adami, H. O. (2014). Comparative analysis of breast cancer mortality following mammography screening in Denmark and Norway. *Annals of Oncology*, 25(6), 1137-1143.
doi:<https://dx.doi.org/10.1093/annonc/mdu122>
- Kalager, M., Zelen, M., Langmark, F., & Adami, H. O. (2010). Effect of screening mammography on breast-cancer mortality in Norway. *New England Journal of Medicine*, 363(13), 1203-1210.
doi:<https://dx.doi.org/10.1056/NEJMoa1000727>
- Klingen, T. A., Chen, Y., Stefansson, I. M., Knutsvik, G., Collett, K., Abrahamsen, A. L., . . . Akslen, L. A. (2017). Tumour cell invasion into blood vessels is significantly related to breast cancer subtypes and decreased survival. *Journal of Clinical Pathology*, 70(4), 313-319.
doi:<https://dx.doi.org/10.1136/jclinpath-2016-203861>
- Klingen, T. A., Chen, Y., Suhrke, P., Stefansson, I. M., Gundersen, M. D., & Akslen, L. A. (2013). Expression of thyroid transcription factor-1 is associated with a basal-like phenotype in breast carcinomas. *Diagnostic Pathology*, 8, 80. doi:<https://dx.doi.org/10.1186/1746-1596-8-80>
- Klingen, T. A., Klaasen, H., Aas, H., Chen, Y., & Akslen, L. A. (2009). Secondary breast cancer: a 5-year population-based study with review of the literature. *APMIS*, 117(10), 762-767.
doi:<https://dx.doi.org/10.1111/j.1600-0463.2009.02529.x>
- Kliukiene, J., Tynes, T., & Andersen, A. (2003). Follow-up of radio and telegraph operators with exposure to electromagnetic fields and risk of breast cancer. *European Journal of Cancer Prevention*, 12(4), 301-307.
doi:<https://dx.doi.org/10.1097/01.cej.0000082602.47188.da>
- Kliukiene, J., Tynes, T., & Andersen, A. (2004). Residential and occupational exposures to 50-Hz magnetic fields and breast cancer in women: a population-based study. *American Journal of Epidemiology*, 159(9), 852-861.
- Klungsoyr, O., Nygard, M., Skare, G., Eriksen, T., & Nygard, J. F. (2009). Validity of self-reported Pap smear history in Norwegian women. *Journal of Medical Screening*, 16(2), 91-97.
doi:<https://dx.doi.org/10.1258/jms.2009.008087>
- Knudsen, A. K., Berge, L. I., Skogen, J. C., Veddegjaerde, K. E., & Wilhelmsen, I. (2015). The prospective association between health anxiety and cancer detection: A cohort study linking the Hordaland Health Study (HUSK) with the Norwegian Cancer Registry. *Journal of Psychosomatic Research*, 79(2), 148-152.
doi:<https://dx.doi.org/10.1016/j.jpsychores.2015.03.002>
- Knutsvik, G., Stefansson, I. M., Aziz, S., Arnes, J., Eide, J., Collett, K., & Akslen, L. A. (2014). Evaluation of Ki67 expression across distinct categories of breast cancer specimens: a population-based study of matched surgical specimens, core needle biopsies and tissue microarrays. *PLoS ONE [Electronic Resource]*, 9(11), e112121. doi:<https://dx.doi.org/10.1371/journal.pone.0112121>
- Kravdal, O. (2003). Children, family and cancer survival in Norway. *International Journal of Cancer*, 105(2), 261-266.
doi:<https://dx.doi.org/10.1002/ijc.11071>
- Kringen, P., Wang, Y., Dumeaux, V., Nesland, J. M., Kristensen, G., Borresen-Dale, A. L., & Dorum, A. (2005). TP53 mutations in ovarian carcinomas from sporadic cases and carriers of two distinct BRCA1 founder mutations; relation to age at diagnosis and survival. *BMC Cancer*, 5, 134.
doi:<https://dx.doi.org/10.1186/1471-2407-5-134>
- Kumle, M. (2003). Aspects of women's health in relation to use of hormonal contraceptives and pattern of child bearing: analysis in the Norwegian-Swedish women, lifestyle and health cohort, the Norwegian women and cancer cohort and the Norwegian 1970 census cohort. (nr 69), Institute of Community Medicine, University of Tromsø, Tromsø.

- Kumle, M., Weiderpass, E., Braaten, T., Adami, H. O., & Lund, E. (2004). Risk for invasive and borderline epithelial ovarian neoplasias following use of hormonal contraceptives: the Norwegian-Swedish Women's Lifestyle and Health Cohort Study. *British Journal of Cancer*, 90(7), 1386-1391.
doi:<https://dx.doi.org/10.1038/sj.bjc.6601715>
- Kumle, M., Weiderpass, E., Braaten, T., Persson, I., Adami, H. O., & Lund, E. (2002). Use of oral contraceptives and breast cancer risk: The Norwegian-Swedish Women's Lifestyle and Health Cohort Study. *Cancer Epidemiology, Biomarkers & Prevention*, 11(11), 1375-1381.
- Kvakkestad, K. M., Wang Fagerland, M., Eritsland, J., & Halvorsen, S. (2017). Gender differences in all-cause, cardiovascular and cancer mortality during long-term follow-up after acute myocardial infarction; a prospective cohort study. *BMC Cardiovascular Disorders*, 17(1), 75.
doi:<https://dx.doi.org/10.1186/s12872-017-0508-3>
- Laake, K., Vu, P., Andersen, T. I., Erikstein, B., Karesen, R., Lonning, P. E., . . . Borresen-Dale, A. L. (2000). Screening breast cancer patients for Norwegian ATM mutations. *British Journal of Cancer*, 83(12), 1650-1653.
doi:<https://dx.doi.org/10.1054/bjoc.2000.1519>
- Landmark, B. T., Bohler, A., Loberg, K., & Wahl, A. K. (2008). Women with newly diagnosed breast cancer and their perceptions of needs in a health-care context. *Journal of Clinical Nursing*, 17(7B), 192-200.
doi:<https://dx.doi.org/10.1111/j.1365-2702.2008.02340.x>
- Landmark, B. T., Strandmark, M., & Wahl, A. (2002). Breast cancer and experiences of social support. In-depth interviews of 10 women with newly diagnosed breast cancer. *Scandinavian Journal of Caring Sciences*, 16(3), 216-223.
- Landmark, B. T., Strandmark, M., & Wahl, A. K. (2001). Living with newly diagnosed breast cancer--the meaning of existential issues. A qualitative study of 10 women with newly diagnosed breast cancer, based on grounded theory. *Cancer Nursing*, 24(3), 220-226.
- Landmark, B. T., & Wahl, A. (2002). Living with newly diagnosed breast cancer: a qualitative study of 10 women with newly diagnosed breast cancer. *Journal of Advanced Nursing*, 40(1), 112-121.
- Langseth, H. (2007). Risk of cancer and non-malignant mortality among women in the Norwegian pulp and paper industry: a focus on ovarian cancer and exposure to asbestos and other dust. (no. 461), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Langseth, H., Johansen, B. V., Nesland, J. M., & Kjaerheim, K. (2007). Asbestos fibers in ovarian tissue from Norwegian pulp and paper workers. *International Journal of Gynecological Cancer*, 17(1), 44-49.
doi:<https://dx.doi.org/10.1111/j.1525-1438.2006.00768.x>
- Langseth, H., & Kjaerheim, K. (2004). Ovarian cancer and occupational exposure among pulp and paper employees in Norway. *Scandinavian Journal of Work, Environment & Health*, 30(5), 356-361.
- Latif, F., Helgeland, J., Bukholm, G., & Bukholm, I. R. (2015). Ethnicity differences in breast cancer stage at the time of diagnosis in Norway. *Scandinavian Journal of Surgery: SJS*, 104(4), 248-253.
doi:<https://dx.doi.org/10.1177/1457496914565420>
- Leinonen, M. K., Campbell, S., Klungsoyr, O., Lonnberg, S., Hansen, B. T., & Nygard, M. (2017). Personal and provider level factors influence participation to cervical cancer screening: A retrospective register-based study of 1.3 million women in Norway. *Preventive Medicine*, 94, 31-39.
doi:<https://dx.doi.org/10.1016/j.ypmed.2016.11.018>
- Lende, T. H., Janssen, E. A., Gudlaugsson, E., Voorhorst, F., Smaaland, R., van Diest, P., . . . Baak, J. P. (2011). In patients younger than age 55 years with lymph node-negative breast cancer, proliferation by mitotic activity index is prognostically superior to adjuvant! *Journal of Clinical Oncology*, 29(7), 852-858.
doi:<https://dx.doi.org/10.1200/JCO.2009.25.0407>
- Liavaag, A. H., Dorum, A., Bjoro, T., Oksefjell, H., Fossa, S. D., Trope, C., & Dahl, A. A. (2008). A controlled study of sexual activity and functioning in epithelial ovarian cancer survivors. A therapeutic approach. *Gynecologic Oncology*, 108(2), 348-354. doi:<https://dx.doi.org/10.1016/j.ygyno.2007.10.009>
- Liavaag, A. H., Dorum, A., Fossa, S. D., Trope, C., & Dahl, A. A. (2007). Controlled study of fatigue, quality of life, and somatic and mental morbidity in epithelial ovarian cancer survivors: how lucky are the lucky ones? *Journal of Clinical Oncology*, 25(15), 2049-2056. doi:<https://dx.doi.org/10.1200/JCO.2006.09.1769>

- Liavaag, A. H., Dorum, A., Fossa, S. D., Trope, C., & Dahl, A. A. (2009). Morbidity associated with "self-rated health" in epithelial ovarian cancer survivors. *BMC Cancer*, 9, 2. doi:<https://dx.doi.org/10.1186/1471-2407-9-2>
- Liavaag, A. H., Tonstad, S., Pripp, A. H., Trope, C., & Dorum, A. (2009). Prevalence and determinants of metabolic syndrome and elevated Framingham risk score in epithelial ovarian cancer survivors: a controlled observational study. *International Journal of Gynecological Cancer*, 19(4), 634-640. doi:<https://dx.doi.org/10.1111/IGC.0b013e3181a13058>
- Licaj, I., Jacobsen, B. K., Selmer, R. M., Maskarinec, G., Weiderpass, E., & Gram, I. T. (2017). Smoking and risk of ovarian cancer by histological subtypes: an analysis among 300000 Norwegian women. *British Journal of Cancer*, 116(2), 270-276. doi:<https://dx.doi.org/10.1038/bjc.2016.418>
- Licaj, I., Lukic, M., Jareid, M., Lund, E., Braaten, T., & Gram, I. T. (2016). Epithelial ovarian cancer subtypes attributable to smoking in the Norwegian Women and Cancer Study, 2012. *Cancer Medicine*, 5(4), 720-727. doi:<https://dx.doi.org/10.1002/cam4.590>
- Lie, J. A., Kjuus, H., Zienolddiny, S., Haugen, A., & Kjaerheim, K. (2013). Breast cancer among nurses: is the intensity of night work related to hormone receptor status? *American Journal of Epidemiology*, 178(1), 110-117. doi:<https://dx.doi.org/10.1093/aje/kws428>
- Lie, J. A., Kjuus, H., Zienolddiny, S., Haugen, A., Stevens, R. G., & Kjaerheim, K. (2011). Night work and breast cancer risk among Norwegian nurses: assessment by different exposure metrics. *American Journal of Epidemiology*, 173(11), 1272-1279. doi:<https://dx.doi.org/10.1093/aje/kwr014>
- Lie, J. A., Roessink, J., & Kjaerheim, K. (2006). Breast cancer and night work among Norwegian nurses. *Cancer Causes & Control*, 17(1), 39-44. doi:<https://dx.doi.org/10.1007/s10552-005-3639-2>
- Lieng, M., Berner, E., & Busund, B. (2015). Risk of morcellation of uterine leiomyosarcomas in laparoscopic supracervical hysterectomy and laparoscopic myomectomy, a retrospective trial including 4791 women. *Journal of Minimally Invasive Gynecology*, 22(3), 410-414. doi:<https://dx.doi.org/10.1016/j.jmig.2014.10.022>
- Lieng, M., Qvigstad, E., Istre, O., Langebrekke, A., & Ballard, K. (2008). Long-term outcomes following laparoscopic supracervical hysterectomy. *BJOG: An International Journal of Obstetrics & Gynaecology*, 115(13), 1605-1610. doi:<https://dx.doi.org/10.1111/j.1471-0528.2008.01854.x>
- Lieng, M., Qvigstad, E., Sandvik, L., Jorgensen, H., Langebrekke, A., & Istre, O. (2007). Hysteroscopic resection of symptomatic and asymptomatic endometrial polyps. *Journal of Minimally Invasive Gynecology*, 14(2), 189-194. doi:<https://dx.doi.org/10.1016/j.jmig.2006.09.018>
- Lindemann, K., Cvanarova, M., & Eskild, A. (2015). Body mass index, diabetes and survival after diagnosis of endometrial cancer: A report from the HUNT-Survey. *Gynecologic Oncology*, 139(3), 476-480. doi:<https://dx.doi.org/10.1016/j.ygyno.2015.09.088>
- Lindemann, K., Eskild, A., Vatten, L. J., & Bray, F. (2010). Endometrial cancer incidence trends in Norway during 1953-2007 and predictions for 2008-2027. *International Journal of Cancer*, 127(11), 2661-2668. doi:<https://dx.doi.org/10.1002/ijc.25267>
- Lindemann, K., Malander, S., Christensen, R. D., Mirza, M. R., Kristensen, G. B., Aavall-Lundqvist, E., . . . Nordstrom, B. (2014). Examestane in advanced or recurrent endometrial carcinoma: a prospective phase II study by the Nordic Society of Gynecologic Oncology (NSGO). *BMC Cancer*, 14, 68. doi:<https://dx.doi.org/10.1186/1471-2407-14-68>
- Lindemann, K., Vatten, L. J., Ellstrom-Engh, M., & Eskild, A. (2008). Body mass, diabetes and smoking, and endometrial cancer risk: a follow-up study. *British Journal of Cancer*, 98(9), 1582-1585. doi:<https://dx.doi.org/10.1038/sj.bjc.6604313>
- Lindemann, K., Vatten, L. J., Ellstrom-Engh, M., & Eskild, A. (2009). Serum lipids and endometrial cancer risk: results from the HUNT-II study. *International Journal of Cancer*, 124(12), 2938-2941. doi:<https://dx.doi.org/10.1002/ijc.24285>
- Lindman, A. S., Veierod, M. B., Tverdal, A., Pedersen, J. I., & Selmer, R. (2010). Nonfasting triglycerides and risk of cardiovascular death in men and women from the Norwegian Counties Study. *European Journal of Epidemiology*, 25(11), 789-798. doi:<https://dx.doi.org/10.1007/s10654-010-9501-1>

- Listol, W., Hoberg-Vetti, H., Eide, G. E., & Bjorvatn, C. (2017). Anxiety and depression symptoms among women attending group-based patient education courses for hereditary breast and ovarian cancer. *Hereditary Cancer in Clinical Practice*, 15, 2. doi:<https://dx.doi.org/10.1186/s13053-016-0062-5>
- Lonnberg, S., Hansen, B. T., Haldorsen, T., Campbell, S., Schee, K., & Nygard, M. (2015). Cervical cancer prevented by screening: Long-term incidence trends by morphology in Norway. *International Journal of Cancer*, 137(7), 1758-1764. doi:<https://dx.doi.org/10.1002/ijc.29541>
- Lousdal, M. L., Kristiansen, I. S., Moller, B., & Stovring, H. (2014). Trends in breast cancer stage distribution before, during and after introduction of a screening programme in Norway. *European Journal of Public Health*, 24(6), 1017-1022. doi:<https://dx.doi.org/10.1093/eurpub/cku015>
- Lousdal, M. L., Kristiansen, I. S., Moller, B., & Stovring, H. (2016). Effect of organised mammography screening on stage-specific incidence in Norway: population study. *British Journal of Cancer*, 114(5), 590-596. doi:<https://dx.doi.org/10.1038/bjc.2016.8>
- Lukic, M., Jareid, M., Weiderpass, E., & Braaten, T. (2016). Coffee consumption and the risk of malignant melanoma in the Norwegian Women and Cancer (NOWAC) Study. *BMC Cancer*, 16, 562. doi:<https://dx.doi.org/10.1186/s12885-016-2586-5>
- Lukic, M., Licaj, I., Lund, E., Skeie, G., Weiderpass, E., & Braaten, T. (2016). Coffee consumption and the risk of cancer in the Norwegian Women and Cancer (NOWAC) Study. *European Journal of Epidemiology*, 31(9), 905-916. doi:<https://dx.doi.org/10.1007/s10654-016-0142-x>
- Lund, E., Bakken, K., Dumeaux, V., Andersen, V., & Kumle, M. (2007). Hormone replacement therapy and breast cancer in former users of oral contraceptives--The Norwegian Women and Cancer study. *International Journal of Cancer*, 121(3), 645-648. doi:<https://dx.doi.org/10.1002/ijc.22699>
- Lund, E., Mode, N., Waaseth, M., & Thalabard, J. C. (2013). Overdiagnosis of breast cancer in the Norwegian Breast Cancer Screening Program estimated by the Norwegian Women and Cancer cohort study. *BMC Cancer*, 13, 614. doi:<https://dx.doi.org/10.1186/1471-2407-13-614>
- Maehle, B. O., Tretli, S., Skjaerven, R., & Thorsen, T. (2001). Premorbid body weight and its relations to primary tumour diameter in breast cancer patients; its dependence on estrogen and progesterone receptor status. *Breast Cancer Research & Treatment*, 68(2), 159-169.
- Maehle, B. O., Vatten, L. J., & Tretli, S. (2010). Birth length and weight as predictors of breast cancer prognosis. *BMC Cancer*, 10, 115. doi:<https://dx.doi.org/10.1186/1471-2407-10-115>
- Maehle, L., Apold, J., Paulsen, T., Hagen, B., Lovslett, K., Fiane, B., . . . Moller, P. (2008). High risk for ovarian cancer in a prospective series is restricted to BRCA1/2 mutation carriers. *Clinical Cancer Research*, 14(22), 7569-7573. doi:<https://dx.doi.org/10.1158/1078-0432.CCR-08-0112>
- Maeland, M. K., Engebretsen, L. F., & Jacobsen, F. F. (2010). Women's experiences with removing the ovaries to prevent hereditary breast and ovarian cancer. [Kvinnerns erfaringer med fjerning av eggstokkene for å forebygge arvelig bryst- og eggstokkreft]. *Sykepleien Forskning*, 5(4), 314-321.
- Maeland, M. K., Eriksen, E. O., & Synnes, O. (2014). The loss of a mother and dealing with genetic cancer risk: women who have undergone prophylactic removal of the ovaries. *European Journal of Oncology Nursing*, 18(5), 521-526. doi:<https://dx.doi.org/10.1016/j.ejon.2014.04.006>
- Mannelqvist, M., Stefansson, I. M., Wik, E., Kusonmano, K., Raeder, M. B., Oyan, A. M., . . . Akslen, L. A. (2012). Lipocalin 2 expression is associated with aggressive features of endometrial cancer. *BMC Cancer*, 12, 169. doi:<https://dx.doi.org/10.1186/1471-2407-12-169>
- Markussen, M. S. (2016). Dietary patterns in Norwegian women aged 50-69 years. Department of Nutrition, Institute of Basic Medical Sciences, Faculty of Medicine, University of Oslo, Oslo.
- Mauland, K. K., Trovik, J., Wik, E., Raeder, M. B., Njolstad, T. S., Stefansson, I. M., . . . Salvesen, H. B. (2011). High BMI is significantly associated with positive progesterone receptor status and clinico-pathological markers for non-aggressive disease in endometrial cancer. *British Journal of Cancer*, 104(6), 921-926. doi:<https://dx.doi.org/10.1038/bjc.2011.46>
- Meltzer-Gunnes, C. J., Smastuen, M. C., Kristensen, G. B., Trope, C. G., Lie, A. K., & Vistad, I. (2017). Vulvar carcinoma in Norway: A 50-year perspective on trends in incidence, treatment and survival. *Gynecologic Oncology*, 26, 26. doi:<https://dx.doi.org/10.1016/j.ygyno.2017.03.008>

- Michelsen, T. M., Dorum, A., Trope, C. G., Fossa, S. D., & Dahl, A. A. (2009). Fatigue and quality of life after risk-reducing salpingo-oophorectomy in women at increased risk for hereditary breast-ovarian cancer. *International Journal of Gynecological Cancer*, 19(6), 1029-1036. doi:<https://dx.doi.org/10.1111/IGC.0b013e3181a83cd5>
- Michelsen, T. M., Pripp, A. H., Tonstad, S., Trope, C. G., & Dorum, A. (2009). Metabolic syndrome after risk-reducing salpingo-oophorectomy in women at high risk for hereditary breast ovarian cancer: a controlled observational study. *European Journal of Cancer*, 45(1), 82-89. doi:<https://dx.doi.org/10.1016/j.ejca.2008.09.028>
- Michelsen, T. M., Tonstad, S., Pripp, A. H., Trope, C. G., & Dorum, A. (2010). Coronary heart disease risk profile in women who underwent salpingo-oophorectomy to prevent hereditary breast ovarian cancer. *International Journal of Gynecological Cancer*, 20(2), 233-239.
- Moen, K. A., Kumar, B., Qureshi, S., & Diaz, E. (2016). Differences in cervical cancer screening between immigrants and nonimmigrants in Norway: a primary healthcare register-based study. *European Journal of Cancer Prevention*, 04, 04. doi:<https://dx.doi.org/10.1097/CEJ.0000000000000311>
- Molden, T., Nygard, J. F., Kraus, I., Karlsen, F., Nygard, M., Skare, G. B., . . . Hagmar, B. (2005). Predicting CIN2+ when detecting HPV mRNA and DNA by PreTect HPV-proofer and consensus PCR: A 2-year follow-up of women with ASCUS or LSIL Pap smear. *International Journal of Cancer*, 114(6), 973-976. doi:<https://dx.doi.org/10.1002/ijc.20839>
- Moller, B., Weedon-Fekjaer, H., Hakulinen, T., Tryggvadottir, L., Storm, H. H., Talback, M., & Haldorsen, T. (2005). The influence of mammographic screening on national trends in breast cancer incidence. *European Journal of Cancer Prevention*, 14(2), 117-128.
- Moller, P., Borg, A., Heimdal, K., Apold, J., Vallon-Christersson, J., Hovig, E., & Maehle, L. (2001). The BRCA1 syndrome and other inherited breast or breast-ovarian cancers in a Norwegian prospective series. *European Journal of Cancer*, 37(8), 1027-1032.
- Moller, P., Evans, D. G., Reis, M. M., Gregory, H., Anderson, E., Maehle, L., . . . Steel, C. M. (2007). Surveillance for familial breast cancer: Differences in outcome according to BRCA mutation status. *International Journal of Cancer*, 121(5), 1017-1020. doi:<https://dx.doi.org/10.1002/ijc.22789>
- Moller, P., Heimdal, K., Apold, J., Fredriksen, A., Borg, A., Hovig, E., . . . Maehle, L. (2001). Genetic epidemiology of BRCA1 mutations in Norway. *European Journal of Cancer*, 37(18), 2428-2434.
- Moller, P., Maehle, L., Vabo, A., Clark, N., Sun, P., & Narod, S. A. (2013). Age-specific incidence rates for breast cancer in carriers of BRCA1 mutations from Norway. *Clinical Genetics*, 83(1), 88-91. doi:<https://dx.doi.org/10.1111/j.1399-0004.2012.01855.x>
- Moller, P., Stormorken, A., Holmen, M. M., Hagen, A. I., Vabo, A., & Maehle, L. (2014). The clinical utility of genetic testing in breast cancer kindreds: a prospective study in families without a demonstrable BRCA mutation. *Breast Cancer Research & Treatment*, 144(3), 607-614. doi:<https://dx.doi.org/10.1007/s10549-014-2902-1>
- Moller, P., Stormorken, A., Jonsrud, C., Holmen, M. M., Hagen, A. I., Clark, N., . . . Maehle, L. (2013). Survival of patients with BRCA1-associated breast cancer diagnosed in an MRI-based surveillance program. *Breast Cancer Research & Treatment*, 139(1), 155-161. doi:<https://dx.doi.org/10.1007/s10549-013-2540-z>
- Moller, S., Mucci, L. A., Harris, J. R., Scheike, T., Holst, K., Halekoh, U., . . . Hjelmborg, J. B. (2016). The Heritability of Breast Cancer among Women in the Nordic Twin Study of Cancer. *Cancer Epidemiology, Biomarkers & Prevention*, 25(1), 145-150. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-15-0913>
- Mortensen, J. H., Oyen, N., Fomina, T., Melbye, M., Tretli, S., Vollset, S. E., & Bjorge, T. (2015). Supplemental folic acid in pregnancy and maternal cancer risk. *Cancer Epidemiology*, 39(6), 805-811. doi:<https://dx.doi.org/10.1016/j.canep.2015.10.009>
- Moshina, N., Ursin, G., Hoff, S. R., Akslen, L. A., Roman, M., Sebuodegard, S., & Hofvind, S. (2015). Mammographic density and histopathologic characteristics of screen-detected tumors in the Norwegian Breast Cancer Screening Program. *Acta Radiologica Open*, 4(9), 2058460115604340. doi:<https://dx.doi.org/10.1177/2058460115604340>

- Moshina, N., Ursin, G., Roman, M., Sebuodegard, S., & Hofvind, S. (2016). Positive predictive values by mammographic density and screening mode in the Norwegian Breast Cancer Screening Program. *European Journal of Radiology*, 85(1), 248-254. doi:<https://dx.doi.org/10.1016/j.ejrad.2015.11.030>
- Munk, A. C., Gudlaugsson, E., Malpica, A., Fiane, B., Lovslett, K. I., Kruse, A. J., . . . Baak, J. P. (2012). Consistent condom use increases the regression rate of cervical intraepithelial neoplasia 2-3. *PLoS ONE [Electronic Resource]*, 7(9), e45114. doi:<https://dx.doi.org/10.1371/journal.pone.0045114>
- Myklebust, M., Gjengedal, E., & Stromsvik, N. (2016). Experience of Norwegian Female BRCA1 and BRCA2 Mutation-Carrying Participants in Educational Support Groups: a Qualitative Study. *Journal of Genetic Counseling*, 25(6), 1198-1206. doi:<https://dx.doi.org/10.1007/s10897-016-9954-9>
- Naume, B., Synnestvedt, M., Falk, R. S., Wiedswang, G., Weyde, K., Risberg, T., . . . Borgen, E. (2014). Clinical outcome with correlation to disseminated tumor cell (DTC) status after DTC-guided secondary adjuvant treatment with docetaxel in early breast cancer. *Journal of Clinical Oncology*, 32(34), 3848-3857. doi:<https://dx.doi.org/10.1200/JCO.2014.56.9327>
- Nesvold, I. L., Fossa, S. D., Holm, I., Naume, B., & Dahl, A. A. (2010). Arm/shoulder problems in breast cancer survivors are associated with reduced health and poorer physical quality of life. *Acta Oncologica*, 49(3), 347-353. doi:<https://dx.doi.org/10.3109/02841860903302905>
- Nieder, C., Marienhagen, K., Thamm, R., Astner, S. T., Molls, M., & Norum, J. (2008). Prediction of very short survival in patients with brain metastases from breast cancer. *Clinical Oncology (Royal College of Radiologists)*, 20(5), 337-339. doi:<https://dx.doi.org/10.1016/j.clon.2008.03.005>
- Nilsen, T. I., Romundstad, P. R., Troisi, R., Potischman, N., & Vatten, L. J. (2005). Birth size and colorectal cancer risk: a prospective population based study. *Gut*, 54(12), 1728-1732. doi:<https://dx.doi.org/10.1136/gut.2004.060475>
- Nilsen, T. I., & Vatten, L. J. (2001). Adult height and risk of breast cancer: a possible effect of early nutrition. *British Journal of Cancer*, 85(7), 959-961. doi:<https://dx.doi.org/10.1038/sj.bjc.6691946>
- Nordgard, S. H., Ritchie, M. D., Jensrud, S. D., Motsinger, A. A., Alnaes, G. I., Lemmon, G., . . . Kristensen, V. N. (2007). ABCB1 and GST polymorphisms associated with TP53 status in breast cancer. *Pharmacogenetics and Genomics*, 17(2), 127-136. doi:<https://dx.doi.org/10.1097/FPC.0b013e328011abaa>
- Norum, J., Hofvind, S., Nieder, C., Schnell, E. A., & Broderstad, A. R. (2012). Mammographic screening in Sami speaking municipalities and a control group. Are early outcome measures influenced by ethnicity? *International Journal of Circumpolar Health*, 71, 1-6. doi:<https://dx.doi.org/10.3402/ijch.v71i0.18205>
- Nygaard, J. F., Sauer, T., Nygaard, M., Skare, G. B., & Thoresen, S. O. (2004). CIN 2/3 and cervical cancer in an organised screening programme after an unsatisfactory or a normal Pap smear: a seven-year prospective study of the Norwegian population-based screening programme. *Journal of Medical Screening*, 11(2), 70-76. doi:<https://dx.doi.org/10.1258/096914104774061047>
- Nygaard, J. F., Sauer, T., Skjeldestad, F. E., Skare, G. B., & Thoresen, S. O. (2003). CIN 2/3 and cervical cancer after an ASCUS pap smear. A 7-year, prospective study of the Norwegian population-based, coordinated screening program. *Acta Cytologica*, 47(6), 991-1000.
- Nygaard, J. F., Skare, G. B., & Thoresen, S. O. (2002). The cervical cancer screening programme in Norway, 1992-2000: changes in Pap smear coverage and incidence of cervical cancer. *Journal of Medical Screening*, 9(2), 86-91. doi:<https://dx.doi.org/10.1136/jms.9.2.86>
- Nygaard, M., Hansen, B. T., Dillner, J., Munk, C., Oddsson, K., Tryggvadottir, L., . . . Kjaer, S. K. (2014). Targeting human papillomavirus to reduce the burden of cervical, vulvar and vaginal cancer and pre-invasive neoplasia: establishing the baseline for surveillance. *PLoS ONE [Electronic Resource]*, 9(2), e88323. doi:<https://dx.doi.org/10.1371/journal.pone.0088323>
- Oksefjell, H., Sandstad, B., & Trope, C. (2006). Ovarian cancer stage IIIC. Consequences of treatment level on overall and progression-free survival. *European Journal of Gynaecological Oncology*, 27(3), 209-214.
- Oksefjell, H., Sandstad, B., & Trope, C. (2007). Improved survival for stage IIIC ovarian cancer patients treated at the Norwegian Radium Hospital between 1984 and 2001. *European Journal of Gynaecological Oncology*, 28(4), 256-262.

- Oksefjell, H., Sandstad, B., & Trope, C. (2008). Is the watch and wait approach adequate after comprehensive surgical staging in invasive stage I epithelial ovarian cancer? The Norwegian Radium Hospital experience. *European Journal of Gynaecological Oncology*, 29(6), 583-589.
- Oksefjell, H., Sandstad, B., & Trope, C. (2009). The role of secondary cytoreduction in the management of the first relapse in epithelial ovarian cancer. *Annals of Oncology*, 20(2), 286-293.
doi:<https://dx.doi.org/10.1093/annonc/mdn591>
- Oksefjell, H., Sandstad, B., & Trope, C. (2011). The role of surgery in the second relapse of epithelial ovarian cancer. Selection criteria, morbidity and survival outcome. *European Journal of Gynaecological Oncology*, 32(4), 369-376.
- Olsen, A. H., Lynge, E., Njor, S. H., Kumle, M., Waaseth, M., Braaten, T., & Lund, E. (2013). Breast cancer mortality in Norway after the introduction of mammography screening. *International Journal of Cancer*, 132(1), 208-214. doi:<https://dx.doi.org/10.1002/ijc.27609>
- Olsen, K. S., Aksnes, L., Froyland, L., Lund, E., & Rylander, C. (2014). Vitamin D status and PUFA ratios in a national representative cross-section of healthy, middle-aged Norwegian women-the Norwegian Women and Cancer Post-Genome Cohort. *Scandinavian Journal of Public Health*, 42(8), 814-820.
doi:<https://dx.doi.org/10.1177/1403494814550519>
- Olsen, K. S., Fenton, C., Froyland, L., Waaseth, M., Paulssen, R. H., & Lund, E. (2013). Plasma fatty acid ratios affect blood gene expression profiles--a cross-sectional study of the Norwegian Women and Cancer Post-Genome Cohort. *PLoS ONE [Electronic Resource]*, 8(6), e67270.
doi:<https://dx.doi.org/10.1371/journal.pone.0067270>
- Opdahl, S. (2013). Pregnancy and breast cancer risk: prospective studies of Norwegian women. (2013:6), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Opdahl, S., Alsaker, M. D., Janszky, I., Romundstad, P. R., & Vatten, L. J. (2011). Joint effects of nulliparity and other breast cancer risk factors. *British Journal of Cancer*, 105(5), 731-736.
doi:<https://dx.doi.org/10.1038/bjc.2011.286>
- Opdahl, S., Alsaker, M. D., Romundstad, P. R., Eskild, A., & Vatten, L. J. (2012). Placental weight and breast cancer risk in young women: a registry-based cohort study from Norway. *Cancer Epidemiology, Biomarkers & Prevention*, 21(7), 1060-1065. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-11-0990>
- Opdahl, S., Nilsen, T. I., Romundstad, P. R., Vanky, E., Carlsen, S. M., & Vatten, L. J. (2008). Association of size at birth with adolescent hormone levels, body size and age at menarche: relevance for breast cancer risk. *British Journal of Cancer*, 99(1), 201-206. doi:<https://dx.doi.org/10.1038/sj.bjc.6604449>
- Opdahl, S., Romundstad, P. R., Alsaker, M. D., & Vatten, L. J. (2012). Hypertensive diseases in pregnancy and breast cancer risk. *British Journal of Cancer*, 107(1), 176-182. doi:<https://dx.doi.org/10.1038/bjc.2012.195>
- Orbo, A., Baak, J. P., Kleivan, I., Lysne, S., Prytz, P. S., Broecker, M. A., . . . Tichelaar, H. J. (2000). Computerised morphometrical analysis in endometrial hyperplasia for the prediction of cancer development. A long-term retrospective study from northern Norway. *Journal of Clinical Pathology*, 53(9), 697-703.
- Orbo, A., Eklo, K., & Kopp, M. (2002). A semiautomated test for microsatellite instability and its significance for the prognosis of sporadic endometrial cancer in northern Norway. *International Journal of Gynecological Pathology*, 21(1), 27-33.
- Parajuli, R., Bjerkaas, E., Tverdal, A., Le Marchand, L., Weiderpass, E., & Gram, I. T. (2014). Smoking increases rectal cancer risk to the same extent in women as in men: results from a Norwegian cohort study. *BMC Cancer*, 14, 321. doi:<https://dx.doi.org/10.1186/1471-2407-14-321>
- Parajuli, R., Bjerkaas, E., Tverdal, A., Selmer, R., Le Marchand, L., Weiderpass, E., & Gram, I. T. (2013). The increased risk of colon cancer due to cigarette smoking may be greater in women than men. *Cancer Epidemiology, Biomarkers & Prevention*, 22(5), 862-871. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-12-1351>
- Park, D., Karesen, R., Naume, B., Synnestvedt, M., Beraki, E., & Sauer, T. (2009). The prognostic impact of occult nodal metastasis in early breast carcinoma. *Breast Cancer Research & Treatment*, 118(1), 57-66.
doi:<https://dx.doi.org/10.1007/s10549-009-0340-2>

- Parr, C. L. (2008). Self-reported exposure data in epidemiologic studies: measurement errors and missing values. (no. 616), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Parr, C. L., Hjartaker, A., Lund, E., & Veierod, M. B. (2013). Meat intake, cooking methods and risk of proximal colon, distal colon and rectal cancer: the Norwegian Women and Cancer (NOWAC) cohort study. *International Journal of Cancer*, 133(5), 1153-1163. doi:<https://dx.doi.org/10.1002/ijc.28101>
- Paulsen, T., Kaern, J., Kjaerheim, K., Haldorsen, T., & Trope, C. (2006). Influence of interval between primary surgery and chemotherapy on short-term survival of patients with advanced ovarian, tubal or peritoneal cancer. *Gynecologic Oncology*, 102(3), 447-452. doi:<https://dx.doi.org/10.1016/j.ygyno.2006.01.035>
- Paulsen, T., Kaern, J., Kjaerheim, K., Trope, C., & Tretli, S. (2005). Symptoms and referral of women with epithelial ovarian tumors. *International Journal of Gynaecology & Obstetrics*, 88(1), 31-37. doi:<https://dx.doi.org/10.1016/j.ijgo.2004.09.008>
- Paulsen, T., Kaern, J., & Trope, C. (2011). Improved 5-year disease-free survival for FIGO stage I epithelial ovarian cancer patients without tumor rupture during surgery. *Gynecologic Oncology*, 122(1), 83-88. doi:<https://dx.doi.org/10.1016/j.ygyno.2011.02.038>
- Porojnicu, A. C., Lagunova, Z., Robsahm, T. E., Berg, J. P., Dahlback, A., & Moan, J. (2007). Changes in risk of death from breast cancer with season and latitude: sun exposure and breast cancer survival in Norway. *Breast Cancer Research & Treatment*, 102(3), 323-328. doi:<https://dx.doi.org/10.1007/s10549-006-9331-8>
- Qureshi, S. A., Couto, E., Hilsen, M., Hofvind, S., Wu, A. H., & Ursin, G. (2011). Mammographic density and intake of selected nutrients and vitamins in Norwegian women. *Nutrition & Cancer*, 63(7), 1011-1020. doi:<https://dx.doi.org/10.1080/01635581.2011.605983>
- Qureshi, S. A., Couto, E., Hofvind, S., Wu, A. H., & Ursin, G. (2012). Alcohol intake and mammographic density in postmenopausal Norwegian women. *Breast Cancer Research & Treatment*, 131(3), 993-1002. doi:<https://dx.doi.org/10.1007/s10549-011-1812-8>
- Qureshi, S. A., Ellingjord-Dale, M., Hofvind, S., Wu, A. H., & Ursin, G. (2012). Physical activity and mammographic density in a cohort of postmenopausal Norwegian women; a cross-sectional study. *Springerplus*, 1(1), 75. doi:<https://dx.doi.org/10.1186/2193-1801-1-75>
- Rannestad, T., & Skjeldestad, F. E. (2007). Pain and quality of life among long-term gynecological cancer survivors: a population-based case-control study. *Acta Obstetrica et Gynecologica Scandinavica*, 86(12), 1510-1516. doi:<https://dx.doi.org/10.1080/00016340701743116>
- Rannestad, T., & Skjeldestad, F. E. (2012). Co-morbidity and pain sites in long-term gynecological cancer survivors and women in the general population. *Gynecologic Oncology*, 127(1), 168-171. doi:<https://dx.doi.org/10.1016/j.ygyno.2012.06.016>
- Rannestad, T., Skjeldestad, F. E., Platou, T. F., & Hagen, B. (2008). Quality of life among long-term gynaecological cancer survivors. *Scandinavian Journal of Caring Sciences*, 22(3), 472-477. doi:<https://dx.doi.org/10.1111/j.1471-6712.2007.00557.x>
- Reed, W., Bohler, P. J., Sandstad, B., & Nesland, J. M. (2004). Occult metastases in axillary lymph nodes as a predictor of survival in node-negative breast carcinoma with long-term follow-up. *Breast Journal*, 10(3), 174-180. doi:<https://dx.doi.org/10.1111/j.1075-122X.2004.21328.x>
- Reed, W., Hannisdal, E., Skovlund, E., Thoresen, S., Lilleng, P., & Nesland, J. M. (2003). Pregnancy and breast cancer: a population-based study. *Virchows Archiv*, 443(1), 44-50. doi:<https://dx.doi.org/10.1007/s00428-003-0817-z>
- Reidunsdatter, R. J., Albrektsen, G., Hjermsstad, M. J., Rannestad, T., Oldervoll, L. M., & Lundgren, S. (2013). One-year course of fatigue after post-operative radiotherapy in Norwegian breast cancer patients--comparison to general population. *Acta Oncologica*, 52(2), 239-248. doi:<https://dx.doi.org/10.3109/0284186X.2012.742563>
- Reidunsdatter, R. J., Rannestad, T., Frengen, J., Frykholm, G., & Lundgren, S. (2011). Early effects of contemporary breast radiation on health-related quality of life - predictors of radiotherapy-related fatigue. *Acta Oncologica*, 50(8), 1175-1182. doi:<https://dx.doi.org/10.3109/0284186X.2011.604345>

- Reigstad, M. M. (2016). Risk of cancer after fertility treatment in Norway: population-based studies on women treated with and children conceived by assisted reproduction. Institute of Clinical Medicine, Faculty of Medicine, University of Oslo, Oslo.
- Reigstad, M. M., Larsen, I. K., Myklebust, T. A., Robsahm, T. E., Oldereid, N. B., Omland, A. K., . . . Storeng, R. (2015). Cancer risk among parous women following assisted reproductive technology. *Human Reproduction*, 30(8), 1952-1963. doi:<https://dx.doi.org/10.1093/humrep/dev124>
- Reigstad, M. M., Larsen, I. K., Myklebust, T. A., Robsahm, T. E., Oldereid, N. B., Omland, A. K., . . . Storeng, R. (2015). Risk of breast cancer following fertility treatment--a registry based cohort study of parous women in Norway. *International Journal of Cancer*, 136(5), 1140-1148. doi:<https://dx.doi.org/10.1002/ijc.29069>
- Reigstad, M. M., Storeng, R., Myklebust, T. A., Oldereid, N. B., Omland, A. K., Robsahm, T. E., . . . Larsen, I. K. (2017). Cancer Risk in Women Treated with Fertility Drugs According to Parity status - A Registry-based Cohort Study. *Cancer Epidemiology, Biomarkers & Prevention*, 20, 20. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-16-0809>
- Riis, M. L., Luders, T., Nesbakken, A. J., Vollan, H. S., Kristensen, V., & Bukholm, I. R. (2010). Expression of BMI-1 and Mel-18 in breast tissue--a diagnostic marker in patients with breast cancer. *BMC Cancer*, 10, 686. doi:<https://dx.doi.org/10.1186/1471-2407-10-686>
- Robsahm, T. E., & Tretli, S. (2002). Breast cancer incidence in food- vs non-food-producing areas in Norway: possible beneficial effects of World War II. *British Journal of Cancer*, 86(3), 362-366. doi:<https://dx.doi.org/10.1038/sj.bjc.6600084>
- Robsahm, T. E., & Tretli, S. (2005). Weak associations between sociodemographic factors and breast cancer: possible effects of early detection. *European Journal of Cancer Prevention*, 14(1), 7-12.
- Robsahm, T. E., Tretli, S., Dahlback, A., & Moan, J. (2004). Vitamin D3 from sunlight may improve the prognosis of breast-, colon- and prostate cancer (Norway). *Cancer Causes & Control*, 15(2), 149-158. doi:<https://dx.doi.org/10.1023/B:CACO.0000019494.34403.09>
- Roman, M., Castells, X., Hofvind, S., & von Euler-Chelpin, M. (2016). Risk of breast cancer after false-positive results in mammographic screening. *Cancer Medicine*, 5(6), 1298-1306. doi:<https://dx.doi.org/10.1002/cam4.646>
- Roman, M., Graff-Iversen, S., Weiderpass, E., Vangen, S., Sakshaug, S., Hofvind, S., & Ursin, G. (2016). Postmenopausal Hormone Therapy and Breast Cancer Prognostic Characteristics: A Linkage between Nationwide Registries. *Cancer Epidemiology, Biomarkers & Prevention*, 25(11), 1464-1473. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-16-0240>
- Roman, M., Sakshaug, S., Graff-Iversen, S., Vangen, S., Weiderpass, E., Ursin, G., & Hofvind, S. (2016). Postmenopausal hormone therapy and the risk of breast cancer in Norway. *International Journal of Cancer*, 138(3), 584-593. doi:<https://dx.doi.org/10.1002/ijc.29810>
- Roman, M., Skaane, P., & Hofvind, S. (2014). The cumulative risk of false-positive screening results across screening centres in the Norwegian Breast Cancer Screening Program. *European Journal of Radiology*, 83(9), 1639-1644. doi:<https://dx.doi.org/10.1016/j.ejrad.2014.05.038>
- Romundstad, P. R., Vatten, L. J., Nilsen, T. I., Holmen, T. L., Hsieh, C. C., Trichopoulos, D., & Stuver, S. O. (2003). Birth size in relation to age at menarche and adolescent body size: implications for breast cancer risk. *International Journal of Cancer*, 105(3), 400-403. doi:<https://dx.doi.org/10.1002/ijc.11103>
- Romundstad, S., Melien, O., & Holmen, J. (2010). The G protein beta3 subunit C825T polymorphism is associated with microalbuminuria in hypertensive women and cardiovascular disease in hypertensive men. *American Journal of Hypertension*, 23(10), 1114-1120. doi:<https://dx.doi.org/10.1038/ajh.2010.131>
- Rosano, G. M., Lewis, B., Agewall, S., Wassmann, S., Vitale, C., Schmidt, H., . . . Tamargo, J. (2015). Gender differences in the effect of cardiovascular drugs: a position document of the Working Group on Pharmacology and Drug Therapy of the ESC. *European Heart Journal*, 36(40), 2677-2680. doi:<https://dx.doi.org/10.1093/eurheartj/ehv161>
- Rosvold, E. O., Hjartaker, A., Bjertness, E., & Lund, E. (2001). Breast self-examination and cervical cancer testing among Norwegian female physicians. A nation-wide comparative study. *Social Science & Medicine*, 52(2), 249-258.

- Saether, S., Bakken, K., & Lund, E. (2012). The risk of breast cancer linked to menopausal hormone therapy. *Tidsskrift for Den Norske Laegeforening*, 132(11), 1330-1334. doi:<https://dx.doi.org/10.4045/tidsskr.11.1055>
- Salamonsen, A., Kruse, T., & Eriksen, S. H. (2012). Modes of embodiment in breast cancer patients using complementary and alternative medicine. *Qualitative Health Research*, 22(11), 1497-1512. doi:<https://dx.doi.org/10.1177/1049732312457077>
- Salte Benth, J., Dahl, F. A., Luras, H., & Dahl, A. A. (2014). A controlled study of income development for breast cancer survivors in Norway. *Journal of Cancer Survivorship*, 8(2), 239-247. doi:<https://dx.doi.org/10.1007/s11764-013-0324-4>
- Salvesen, H. B., Gulluoglu, M. G., Stefansson, I., & Akslen, L. A. (2003). Significance of CD 105 expression for tumour angiogenesis and prognosis in endometrial carcinomas. *APMIS*, 111(11), 1011-1018.
- Sandaunet, A. G. (2008). A space for suffering? Communicating breast cancer in an online self-help context. *Qualitative Health Research*, 18(12), 1631-1641. doi:<https://dx.doi.org/10.1177/1049732308327076>
- Sandvei, M. S., Lagiou, P., Romundstad, P. R., Trichopoulos, D., & Vatten, L. J. (2015). Size at birth and risk of breast cancer: update from a prospective population-based study. *European Journal of Epidemiology*, 30(6), 485-492. doi:<https://dx.doi.org/10.1007/s10654-015-0045-2>
- Sardanelli, F., Aase, H. S., Alvarez, M., Azavedo, E., Baarslag, H. J., Balleyguier, C., . . . Forrai, G. (2016). Position paper on screening for breast cancer by the European Society of Breast Imaging (EUSOBI) and 30 national breast radiology bodies from Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Israel, Lithuania, Moldova, The Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Spain, Sweden, Switzerland and Turkey. *European Radiology*, 02, 02. doi:<https://dx.doi.org/10.1007/s00330-016-4612-z>
- Sauer, T., Myrvold, K., Lomo, J., Anderssen, K. Y., & Skaane, P. (2003). Fine-needle aspiration cytology in nonpalpable mammographic abnormalities in breast cancer screening: results from the breast cancer screening programme in Oslo 1996-2001. *Breast*, 12(5), 314-319.
- Sauer, T., & Suci, V. (2012). The role of preoperative axillary lymph node fine needle aspiration in locoregional staging of breast cancer. *Annales de Pathologie*, 32(6), e24-28, 410-414. doi:<https://dx.doi.org/10.1016/j.annpat.2012.09.229>
- Sauer, T., Young, K., & Thoresen, S. O. (2002). Fine needle aspiration cytology in the work-up of mammographic and ultrasonographic findings in breast cancer screening: an attempt at differentiating in situ and invasive carcinoma. *Cytopathology*, 13(2), 101-110.
- Schei, B., & Bakketeig, L. S. (2007). *Kvinner lider - menn dør: folkehelse i et kjønnsperspektiv*. Oslo: Gyldendal akademisk.
- Schei, B., Lukasse, M., Ryding, E. L., Campbell, J., Karro, H., Kristjansdottir, H., . . . Steingrimsdottir, T. (2014). A history of abuse and operative delivery--results from a European multi-country cohort study. *PLoS ONE [Electronic Resource]*, 9(1), e87579. doi:<https://dx.doi.org/10.1371/journal.pone.0087579>
- Scheistroen, M., Nesland, J. M., & Trope, C. (2002). Have patients with early squamous carcinoma of the vulva been overtreated in the past? The Norwegian experience 1977-1991. *European Journal of Gynaecological Oncology*, 23(2), 93-103.
- Schjolberg, T. K., Dodd, M., Henriksen, N., Asplund, K., Cvancarova Smastuen, M., & Rustoen, T. (2014). Effects of an educational intervention for managing fatigue in women with early stage breast cancer. *European Journal of Oncology Nursing*, 18(3), 286-294. doi:<https://dx.doi.org/10.1016/j.ejon.2014.01.008>
- Schjolberg, T. K., Dodd, M., Henriksen, N., & Rustoen, T. (2011). Factors affecting hope in a sample of fatigued breast cancer outpatients. *Palliative & Supportive Care*, 9(1), 63-72. doi:<https://dx.doi.org/10.1017/S1478951510000556>
- Schou Bredal, I., Karesen, R., Skaane, P., Engelstad, K. S., & Ekeberg, O. (2013). Recall mammography and psychological distress. *European Journal of Cancer*, 49(4), 805-811. doi:<https://dx.doi.org/10.1016/j.ejca.2012.09.001>

- Schou Bredal, I., Smeby, N. A., Ottesen, S., Warncke, T., & Schlichting, E. (2014). Chronic pain in breast cancer survivors: comparison of psychosocial, surgical, and medical characteristics between survivors with and without pain. *Journal of Pain & Symptom Management, 48*(5), 852-862.
doi:<https://dx.doi.org/10.1016/j.jpainsymman.2013.12.239>
- Schou, I., Ekeberg, O., Sandvik, L., Hjermstad, M. J., & Ruland, C. M. (2005). Multiple predictors of health-related quality of life in early stage breast cancer. Data from a year follow-up study compared with the general population. *Quality of Life Research, 14*(8), 1813-1823. doi:<https://dx.doi.org/10.1007/s11136-005-4344-z>
- Schou, I., Ekeberg, O., Sandvik, L., & Ruland, C. M. (2005). Stability in optimism-pessimism in relation to bad news: a study of women with breast cancer. *Journal of Personality Assessment, 84*(2), 148-154.
doi:https://dx.doi.org/10.1207/s15327752jpa8402_04
- Sekse, R. J., Gjengedal, E., & Raheim, M. (2013). Living in a changed female body after gynecological cancer. *Health Care for Women International, 34*(1), 14-33. doi:<https://dx.doi.org/10.1080/07399332.2011.645965>
- Sen, A., Opdahl, S., Strand, L. B., Vatten, L. J., Laugsand, L. E., & Janszky, I. (2016). Insomnia and the Risk of Breast Cancer: The HUNT Study. *Psychosomatic Medicine, 19*, 19.
doi:<https://dx.doi.org/10.1097/PSY.0000000000000417>
- Sheikh, M. A., Lund, E., & Braaten, T. (2014). The predictive effect of body mass index on type 2 diabetes in the Norwegian women and cancer study. *Lipids in Health & Disease, 13*, 164.
doi:<https://dx.doi.org/10.1186/1476-511X-13-164>
- Sigstad, E., Lie, A. K., Luostarinen, T., Dillner, J., Jellum, E., Lehtinen, M., . . . Abeler, V. (2002). A prospective study of the relationship between prediagnostic human papillomavirus seropositivity and HPV DNA in subsequent cervical carcinomas. *British Journal of Cancer, 87*(2), 175-180.
doi:<https://dx.doi.org/10.1038/sj.bjc.6600454>
- Sjoeborg, K. D., Trope, A., Lie, A. K., Jonassen, C. M., Steinbakk, M., Hansen, M., . . . Eskild, A. (2010). HPV genotype distribution according to severity of cervical neoplasia. *Gynecologic Oncology, 118*(1), 29-34.
doi:<https://dx.doi.org/10.1016/j.ygyno.2010.03.007>
- Skalleberg, J., Solheim, O., Fossa, S. D., Smastuen, M. C., Osnes, T., Gundersen, P. O., & Bunne, M. (2017). Long-term ototoxicity in women after cisplatin treatment for ovarian germ cell cancer. *Gynecologic Oncology, 145*(1), 148-153. doi:<https://dx.doi.org/10.1016/j.ygyno.2017.02.006>
- Skari, H., Malt, U. F., Bjornland, K., Egeland, T., Haugen, G., Skreden, M., . . . Emblem, R. (2006). Prenatal diagnosis of congenital malformations and parental psychological distress--a prospective longitudinal cohort study. *Prenatal Diagnosis, 26*(11), 1001-1009. doi:<https://dx.doi.org/10.1002/pd.1542>
- Skeie, G. (2009). Diet, dietary supplements and dietary change in cancer survivors and cancer-free persons : the Norwegian women and cancer study and the European prospective investigation into cancer and nutrition (Vol. nr. 105). Tromsø: Universitetet i Tromsø.
- Skeie, G., Hjartaker, A., Braaten, T., & Lund, E. (2009). Dietary change among breast and colorectal cancer survivors and cancer-free women in the Norwegian Women and Cancer cohort study. *Cancer Causes & Control, 20*(10), 1955-1966. doi:<https://dx.doi.org/10.1007/s10552-009-9390-3>
- Skeie, G., Hjartaker, A., & Lund, E. (2006). Diet among breast cancer survivors and healthy women. *The Norwegian Women and Cancer Study. European Journal of Clinical Nutrition, 60*(9), 1046-1054.
doi:<https://dx.doi.org/10.1038/sj.ejcn.1602416>
- Skjeldestad, F. E., Mehta, V., Sings, H. L., Ovreness, T., Turpin, J., Su, L., . . . Liaw, K. L. (2008). Seroprevalence and genital DNA prevalence of HPV types 6, 11, 16 and 18 in a cohort of young Norwegian women: study design and cohort characteristics. *Acta Obstetrica et Gynecologica Scandinavica, 87*(1), 81-88.
doi:<https://dx.doi.org/10.1080/00016340701714703>
- Skjeldestad, F. E., & Rannestad, T. (2009). Urinary incontinence and quality of life in long-term gynecological cancer survivors: a population-based cross-sectional study. *Acta Obstetrica et Gynecologica Scandinavica, 88*(2), 192-199. doi:<https://dx.doi.org/10.1080/00016340802582041>
- Skorstad, M., Kent, A., & Lieng, M. (2016). Preoperative evaluation in women with uterine leiomyosarcoma. A nationwide cohort study. *Acta Obstetrica et Gynecologica Scandinavica, 95*(11), 1228-1234.
doi:<https://dx.doi.org/10.1111/aogs.13008>

- Skorstad, M., Kent, A., & Lieng, M. (2016). Uterine leiomyosarcoma - incidence, treatment, and the impact of morcellation. A nationwide cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 95(9), 984-990. doi:<https://dx.doi.org/10.1111/aogs.12930>
- Solbjor, M., Forsmo, S., Skolbekken, J. A., & Saetnan, A. R. (2011). Experiences of recall after mammography screening--a qualitative study. *Health Care for Women International*, 32(11), 1009-1027. doi:<https://dx.doi.org/10.1080/07399332.2011.565530>
- Solbjor, M., Skolbekken, J. A., Osterlie, W., & Forsmo, S. (2015). Women's Experiences With Mammography Screening Through 6 Years of Participation--A Longitudinal Qualitative Study. *Health Care for Women International*, 36(5), 558-577. doi:<https://dx.doi.org/10.1080/07399332.2014.989438>
- Solbjor, M., Skolbekken, J. A., Saetnan, A. R., Hagen, A. I., & Forsmo, S. (2012). Could screening participation bias symptom interpretation? An interview study on women's interpretations of and responses to cancer symptoms between mammography screening rounds. *BMJ Open*, 2(6). doi:<https://dx.doi.org/10.1136/bmjopen-2012-001508>
- Solbjor, M., Skolbekken, J. A., Saetnan, A. R., Hagen, A. I., & Forsmo, S. (2012). Mammography screening and trust: the case of interval breast cancer. *Social Science & Medicine*, 75(10), 1746-1752. doi:<https://dx.doi.org/10.1016/j.socscimed.2012.07.029>
- Solbraekke, K. N., & Bondevik, H. (2015). Absent organs-Present selves: Exploring embodiment and gender identity in young Norwegian women's accounts of hysterectomy. *International Journal of Qualitative Studies on Health and Well-being*, 10(1), 26720. doi:<https://dx.doi.org/10.3402/qhw.v10.26720>
- Solbraekke, K. N., & Lorem, G. (2016). Breast-cancer-isation explored: Social experiences of gynaecological cancer in a Norwegian context. *Sociology of Health & Illness*, 38(8), 1258-1271. doi:<https://dx.doi.org/10.1111/1467-9566.12459>
- Solbraekke, K. N., Soiland, H., Lode, K., & Gripsrud, B. H. (2017). Our genes, our selves: hereditary breast cancer and biological citizenship in Norway. *Medicine, Health Care & Philosophy*, 20(1), 89-103. doi:[10.1007/s11019-016-9737-y](https://doi.org/10.1007/s11019-016-9737-y)
- Solheim, O., Kaern, J., Trope, C. G., Rokkones, E., Dahl, A. A., Nesland, J. M., & Fossa, S. D. (2013). Malignant ovarian germ cell tumors: presentation, survival and second cancer in a population based Norwegian cohort (1953-2009). *Gynecologic Oncology*, 131(2), 330-335. doi:<https://dx.doi.org/10.1016/j.ygyno.2013.08.028>
- Sorbye, S. W., Fismen, S., Gutteberg, T. J., Mortensen, E. S., & Skjeldestad, F. E. (2014). HPV mRNA is more specific than HPV DNA in triage of women with minor cervical lesions. *PLoS ONE [Electronic Resource]*, 9(11), e112934. doi:<https://dx.doi.org/10.1371/journal.pone.0112934>
- Sorbye, S. W., Fismen, S., Gutteberg, T. J., Mortensen, E. S., & Skjeldestad, F. E. (2016). Primary cervical cancer screening with an HPV mRNA test: a prospective cohort study. *BMJ Open*, 6(8), e011981. doi:<https://dx.doi.org/10.1136/bmjopen-2016-011981>
- Sorum, R., Hofvind, S., Skaane, P., & Haldorsen, T. (2010). Trends in incidence of ductal carcinoma in situ: the effect of a population-based screening programme. *Breast*, 19(6), 499-505. doi:<https://dx.doi.org/10.1016/j.breast.2010.05.014>
- Stalsberg, H., Adjei, E. K., & Owusu-Afriyie, O. (2015). No difference in the prevalence of benign breast changes between women from Ghana and Norway: an autopsy study. *Breast Cancer Research & Treatment*, 151(1), 177-182. doi:<https://dx.doi.org/10.1007/s10549-015-3384-5>
- Standahl Olsen, K., Rylander, C., Brustad, M., Aksnes, L., & Lund, E. (2013). Plasma 25 hydroxyvitamin D level and blood gene expression profiles: a cross-sectional study of the Norwegian Women and Cancer Post-genome Cohort. *European Journal of Clinical Nutrition*, 67(7), 773-778. doi:<https://dx.doi.org/10.1038/ejcn.2013.53>
- Stang, I., & Mittelmark, M. B. (2010). Intervention to enhance empowerment in breast cancer self-help groups. *Nursing Inquiry*, 17(1), 47-57. doi:<https://dx.doi.org/10.1111/j.1440-1800.2009.00465.x>
- Stefansson, I. M., Salvesen, H. B., & Akslen, L. A. (2004). Prognostic impact of alterations in P-cadherin expression and related cell adhesion markers in endometrial cancer. *Journal of Clinical Oncology*, 22(7), 1242-1252. doi:<https://dx.doi.org/10.1200/JCO.2004.09.034>

- Stensheim, H., Cvancarova, M., Moller, B., & Fossa, S. D. (2011). Pregnancy after adolescent and adult cancer: a population-based matched cohort study. *International Journal of Cancer*, 129(5), 1225-1236. doi:<https://dx.doi.org/10.1002/ijc.26045>
- Stensheim, H., Klungsoyr, K., Skjaerven, R., Grotmol, T., & Fossa, S. D. (2013). Birth outcomes among offspring of adult cancer survivors: a population-based study. *International Journal of Cancer*, 133(11), 2696-2705. doi:<https://dx.doi.org/10.1002/ijc.28292>
- Stensheim, H., Moller, B., van Dijk, T., & Fossa, S. D. (2009). Cause-specific survival for women diagnosed with cancer during pregnancy or lactation: a registry-based cohort study. *Journal of Clinical Oncology*, 27(1), 45-51. doi:<https://dx.doi.org/10.1200/JCO.2008.17.4110>
- Strand, B. H., Groholt, E. K., Steingrimsdottir, O. A., Blakely, T., Graff-Iversen, S., & Naess, O. (2010). Educational inequalities in mortality over four decades in Norway: prospective study of middle aged men and women followed for cause specific mortality, 1960-2000. [Erratum appears in *BMJ*. 2010;340:c1803]. *BMJ*, 340, c654. doi:<https://dx.doi.org/10.1136/bmj.c654>
- Strand, B. H., Kunst, A., Huisman, M., Menvielle, G., Glickman, M., Bopp, M., . . . Mackenbach, J. P. (2007). The reversed social gradient: higher breast cancer mortality in the higher educated compared to lower educated. A comparison of 11 European populations during the 1990s. *European Journal of Cancer*, 43(7), 1200-1207. doi:<https://dx.doi.org/10.1016/j.ejca.2007.01.021>
- Strand, B. H., Tverdal, A., Claussen, B., & Zahl, P. H. (2005). Is birth history the key to highly educated women's higher breast cancer mortality? A follow-up study of 500,000 women aged 35-54. *International Journal of Cancer*, 117(6), 1002-1006. doi:<https://dx.doi.org/10.1002/ijc.21239>
- Stuedal, A., Gram, I. T., Bremnes, Y., Adlercreutz, H., Veierod, M. B., & Ursin, G. (2005). Plasma levels of enterolactone and percentage mammographic density among postmenopausal women. *Cancer Epidemiology, Biomarkers & Prevention*, 14(9), 2154-2159. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-05-0116>
- Stuedal, A., Ma, H., Bjorndal, H., & Ursin, G. (2009). Postmenopausal hormone therapy with estradiol and norethisterone acetate and mammographic density: findings from a cross-sectional study among Norwegian women. *Climacteric*, 12(3), 248-258. doi:<https://dx.doi.org/10.1080/13697130802638458>
- Stuedal, A., Ursin, G., Veierod, M. B., Bremnes, Y., Reseland, J. E., Drevon, C. A., & Gram, I. T. (2006). Plasma levels of leptin and mammographic density among postmenopausal women: a cross-sectional study. *Breast Cancer Research*, 8(5), R55. doi:<https://dx.doi.org/10.1186/bcr1603>
- Suhrke, P., Maehlen, J., Schlichting, E., Jorgensen, K. J., Gotzsche, P. C., & Zahl, P. H. (2011). Effect of mammography screening on surgical treatment for breast cancer in Norway: comparative analysis of cancer registry data. *BMJ*, 343, d4692. doi:<https://dx.doi.org/10.1136/bmj.d4692>
- Suhrke, P., Maehlen, J., & Zahl, P. H. (2012). Hormone therapy use and breast cancer incidence by histological subtypes in Sweden and Norway. *Breast Journal*, 18(6), 549-556. doi:<https://dx.doi.org/10.1111/tbj.12001>
- Suhrke, P., & Zahl, P. H. (2015). Breast cancer incidence and menopausal hormone therapy in Norway from 2004 to 2009: a register-based cohort study. *Cancer Medicine*, 4(8), 1303-1308. doi:<https://dx.doi.org/10.1002/cam4.474>
- Svensson, E., Grotmol, T., Hoff, G., Langmark, F., Norstein, J., & Tretli, S. (2002). Trends in colorectal cancer incidence in Norway by gender and anatomic site: an age-period-cohort analysis. *European Journal of Cancer Prevention*, 11(5), 489-495.
- Synnestvedt, M., Borgen, E., Russnes, H. G., Kumar, N. T., Schlichting, E., Giercksky, K. E., . . . Naume, B. (2013). Combined analysis of vascular invasion, grade, HER2 and Ki67 expression identifies early breast cancer patients with questionable benefit of systemic adjuvant therapy. *Acta Oncologica*, 52(1), 91-101. doi:<https://dx.doi.org/10.3109/0284186X.2012.713508>
- Szczesny, W., Vistad, I., Kaern, J., Nakling, J., Trope, C., & Paulsen, T. (2016). Impact of hospital type and treatment on long-term survival among patients with FIGO Stage IIIC epithelial ovarian cancer: follow-up through two recurrences and three treatment lines in search for predictors for survival. *European Journal of Gynaecological Oncology*, 37(3), 305-311.

- Sørbye, S. W., Suhrke, P., Revå, B. W., Berland, J., Maurseth, R. J., & Al-Shibli, K. (2017). Accuracy of cervical cytology: comparison of diagnoses of 100 Pap smears read by four pathologists at three hospitals in Norway. *BMC Clinical Pathology*, 17(1), 18. doi:10.1186/s12907-017-0058-8
- Tanbo, T., Greggains, G., Storeng, R., Busund, B., Langebrekke, A., & Fedorcsak, P. (2015). Autotransplantation of cryopreserved ovarian tissue after treatment for malignant disease - the first Norwegian results. *Acta Obstetrica et Gynecologica Scandinavica*, 94(9), 937-941. doi:https://dx.doi.org/10.1111/aogs.12700
- Thogersen, H., Moller, B., Robsahm, T. E., Aaserud, S., Babigumira, R., & Larsen, I. K. (2017). Comparison of cancer stage distribution in the immigrant and host populations of Norway, 1990-2014. *International Journal of Cancer*, 141(1), 52-61. doi:10.1002/ijc.30713
- Thomsen, L. T., Nygard, M., Stensen, S., Terning Hansen, B., Arnheim Dahlstrom, L., Liaw, K. L., . . . Kjaer, S. K. (2017). Awareness of human papillomavirus after introduction of HPV vaccination: a large population-based survey of Scandinavian women. *European Journal of Cancer Prevention*, 26(2), 170-178. doi:https://dx.doi.org/10.1097/CEJ.0000000000000238
- Tingulstad, S., Skjeldestad, F. E., & Hagen, B. (2003). The effect of centralization of primary surgery on survival in ovarian cancer patients. *Obstetrics & Gynecology*, 102(3), 499-505.
- Tingulstad, S., Skjeldestad, F. E., Halvorsen, T. B., & Hagen, B. (2003). Survival and prognostic factors in patients with ovarian cancer. *Obstetrics & Gynecology*, 101(5 Pt 1), 885-891.
- Tjemsland, L., & Soreide, J. A. (2004). Operable breast cancer patients with diagnostic delay--oncological and emotional characteristics. *European Journal of Surgical Oncology*, 30(7), 721-727. doi:https://dx.doi.org/10.1016/j.ejso.2004.05.005
- Tjessem, K. H., Johansen, S., Malinen, E., Reinertsen, K. V., Danielsen, T., Fossa, S. D., & Fossa, A. (2013). Long-term cardiac mortality after hypofractionated radiation therapy in breast cancer. *International Journal of Radiation Oncology, Biology, Physics*, 87(2), 337-343. doi:https://dx.doi.org/10.1016/j.ijrobp.2013.05.038
- Trewin, C. B., Strand, B. H., Weedon-Fekjaer, H., & Ursin, G. (2017). Changing patterns of breast cancer incidence and mortality by education level over four decades in Norway, 1971-2009. *European Journal of Public Health*, 27(1), 160-166. doi:https://dx.doi.org/10.1093/eurpub/ckw148
- Trope, A., Sjoborg, K. D., Nygard, M., Roysland, K., Campbell, S., Alfsen, G. C., & Jonassen, C. M. (2012). Cytology and human papillomavirus testing 6 to 12 months after ASCUS or LSIL cytology in organized screening to predict high-grade cervical neoplasia between screening rounds. *Journal of Clinical Microbiology*, 50(6), 1927-1935. doi:https://dx.doi.org/10.1128/JCM.00265-12
- Trope, C. G., Elstrand, M. B., Sandstad, B., Davidson, B., & Oksefjell, H. (2012). Neoadjuvant chemotherapy, interval debulking surgery or primary surgery in ovarian carcinoma FIGO stage IV? *European Journal of Cancer*, 48(14), 2146-2154. doi:https://dx.doi.org/10.1016/j.ejca.2012.01.031
- Trovik, J., Mauland, K. K., Werner, H. M., Wik, E., Helland, H., & Salvesen, H. B. (2012). Improved survival related to changes in endometrial cancer treatment, a 30-year population based perspective. *Gynecologic Oncology*, 125(2), 381-387. doi:https://dx.doi.org/10.1016/j.ygyno.2012.01.050
- Tverdal, A., Hjellvik, V., & Selmer, R. (2011). Coffee intake and oral-oesophageal cancer: follow-up of 389,624 Norwegian men and women 40-45 years. *British Journal of Cancer*, 105(1), 157-161. doi:https://dx.doi.org/10.1038/bjc.2011.192
- Vaccarella, S., Franceschi, S., Engholm, G., Lonnberg, S., Khan, S., & Bray, F. (2014). 50 years of screening in the Nordic countries: quantifying the effects on cervical cancer incidence. *British Journal of Cancer*, 111(5), 965-969. doi:https://dx.doi.org/10.1038/bjc.2014.362
- Valla, M., Engstrom, M. J., Ytterhus, B., Hansen, A. K., Akslén, L. A., Vatten, L. J., . . . Bofin, A. M. (2017). FG5 amplification in breast cancer patients is associated with tumour proliferation and a poorer prognosis. *Breast Cancer Research & Treatment*, 162(2), 243-253. doi:https://dx.doi.org/10.1007/s10549-017-4125-8
- Valla, M., Vatten, L. J., Engstrom, M. J., Haugen, O. A., Akslén, L. A., Bjørngaard, J. H., . . . Opdahl, S. (2016). Molecular Subtypes of Breast Cancer: Long-term Incidence Trends and Prognostic Differences. *Cancer Epidemiology, Biomarkers & Prevention*, 25(12), 1625-1634. doi:https://dx.doi.org/10.1158/1055-9965.EPI-16-0427

- Van de Putte, G., Holm, R., Lie, A. K., Baekelandt, M., & Kristensen, G. B. (2005). Markers of apoptosis in stage IB squamous cervical carcinoma. *Journal of Clinical Pathology*, 58(6), 590-594.
doi:<https://dx.doi.org/10.1136/jcp.2004.021220>
- van Luijt, P. A., Heijnsdijk, E. A., van Ravesteyn, N. T., Hofvind, S., & de Koning, H. J. (2016). Breast cancer incidence trends in Norway and estimates of overdiagnosis. *Journal of Medical Screening*, 17, 17.
doi:<https://dx.doi.org/10.1177/0969141316668379>
- Vandraas, K. F., Grijbovski, A. M., Stoer, N. C., Troisi, R., Stephansson, O., Ording, A. G., . . . Vikanes, A. V. (2015). Hyperemesis gravidarum and maternal cancer risk, a Scandinavian nested case-control study. *International Journal of Cancer*, 137(5), 1209-1216. doi:<https://dx.doi.org/10.1002/ijc.29475>
- Vassbakk-Brovold, K., Berntsen, S., Fegran, L., Lian, H., Mjaland, O., Mjaland, S., . . . Kersten, C. (2015). Individualized Comprehensive Lifestyle Intervention in Patients Undergoing Chemotherapy with Curative or Palliative Intent: Who Participates? *PLoS ONE [Electronic Resource]*, 10(7), e0131355.
doi:<https://dx.doi.org/10.1371/journal.pone.0131355>
- Vatten, L. J., Forman, M. R., Nilsen, T. I., Barrett, J. C., & Romundstad, P. R. (2007). The negative association between pre-eclampsia and breast cancer risk may depend on the offspring's gender. *British Journal of Cancer*, 96(9), 1436-1438. doi:<https://dx.doi.org/10.1038/sj.bjc.6603688>
- Vatten, L. J., Holly, J. M., Gunnell, D., & Tretli, S. (2008). Nested case-control study of the association of circulating levels of serum insulin-like growth factor I and insulin-like growth factor binding protein 3 with breast cancer in young women in Norway. *Cancer Epidemiology, Biomarkers & Prevention*, 17(8), 2097-2100.
doi:<https://dx.doi.org/10.1158/1055-9965.EPI-08-0212>
- Vatten, L. J., Maehle, B. O., Lund Nilsen, T. I., Tretli, S., Hsieh, C. C., Trichopoulos, D., & Stuver, S. O. (2002). Birth weight as a predictor of breast cancer: a case-control study in Norway. *British Journal of Cancer*, 86(1), 89-91. doi:<https://dx.doi.org/10.1038/sj.bjc.6600011>
- Vatten, L. J., Nilsen, T. I., Tretli, S., Trichopoulos, D., & Romundstad, P. R. (2005). Size at birth and risk of breast cancer: prospective population-based study. *International Journal of Cancer*, 114(3), 461-464.
doi:<https://dx.doi.org/10.1002/ijc.20726>
- Vatten, L. J., Romundstad, P. R., Jenum, P. A., & Eskild, A. (2009). Angiogenic balance in pregnancy and subsequent breast cancer risk and survival: a population study. *Cancer Epidemiology, Biomarkers & Prevention*, 18(7), 2074-2078. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-09-0207>
- Vatten, L. J., Romundstad, P. R., Trichopoulos, D., & Skjaerven, R. (2002). Pre-eclampsia in pregnancy and subsequent risk for breast cancer. *British Journal of Cancer*, 87(9), 971-973.
doi:<https://dx.doi.org/10.1038/sj.bjc.6600581>
- Vatten, L. J., Romundstad, P. R., Trichopoulos, D., & Skjaerven, R. (2002). Pregnancy related protection against breast cancer depends on length of gestation. *British Journal of Cancer*, 87(3), 289-290.
doi:<https://dx.doi.org/10.1038/sj.bjc.6600453>
- Veierod, M. B., Smedby, K. E., Lund, E., Adami, H. O., & Weiderpass, E. (2010). Pigmentary characteristics, UV radiation exposure, and risk of non-Hodgkin lymphoma: a prospective study among Scandinavian women. *Cancer Epidemiology, Biomarkers & Prevention*, 19(6), 1569-1576.
doi:<https://dx.doi.org/10.1158/1055-9965.EPI-10-0115>
- Veierod, M. B., Weiderpass, E., Thorn, M., Hansson, J., Lund, E., Armstrong, B., & Adami, H. O. (2003). A prospective study of pigmentation, sun exposure, and risk of cutaneous malignant melanoma in women. *Journal of the National Cancer Institute*, 95(20), 1530-1538.
- Vigeland, E., Klaasen, H., Klingen, T. A., Hofvind, S., & Skaane, P. (2008). Full-field digital mammography compared to screen film mammography in the prevalent round of a population-based screening programme: the Vestfold County Study. *European Radiology*, 18(1), 183-191.
doi:<https://dx.doi.org/10.1007/s00330-007-0730-y>
- Vintermyr, O. K., Iversen, O., Thoresen, S., Quint, W., Molijn, A., de Souza, S., . . . Holl, K. (2014). Recurrent high-grade cervical lesion after primary conization is associated with persistent human papillomavirus infection in Norway. *Gynecologic Oncology*, 133(2), 159-166.
doi:<https://dx.doi.org/10.1016/j.ygyno.2014.03.004>

- Vistad, I., Cvancarova, M., Kristensen, G. B., & Fossa, S. D. (2011). A study of chronic pelvic pain after radiotherapy in survivors of locally advanced cervical cancer. *Journal of Cancer Survivorship*, 5(2), 208-216. doi:<https://dx.doi.org/10.1007/s11764-011-0172-z>
- Vistad, I., Fossa, S. D., Kristensen, G. B., & Dahl, A. A. (2007). Chronic fatigue and its correlates in long-term survivors of cervical cancer treated with radiotherapy. *BJOG: An International Journal of Obstetrics & Gynaecology*, 114(9), 1150-1158. doi:<https://dx.doi.org/10.1111/j.1471-0528.2007.01445.x>
- Vistad, I., Kristensen, G. B., Fossa, S. D., Dahl, A. A., & Morkrid, L. (2009). Intestinal malabsorption in long-term survivors of cervical cancer treated with radiotherapy. *International Journal of Radiation Oncology, Biology, Physics*, 73(4), 1141-1147. doi:<https://dx.doi.org/10.1016/j.ijrobp.2008.05.064>
- Waaseth, M. (2010). Hormone therapy use, sex hormone concentrations and gene expression : the Norwegian Women and Cancer study (NOWAC) ISM skriftserie (online), Vol. [109].
- Waaseth, M., & Bakken, K. (2015). "Women and cancer". ["Kvinner og kreft"]. *Norsk Farmaceutisk Tidsskrift*, 123(4), 14-17.
- Waaseth, M., Bakken, K., Dumeaux, V., Olsen, K. S., Rylander, C., Figenschau, Y., & Lund, E. (2008). Hormone replacement therapy use and plasma levels of sex hormones in the Norwegian Women and Cancer postgenome cohort - a cross-sectional analysis. *BMC Women's Health*, 8, 1. doi:<https://dx.doi.org/10.1186/1472-6874-8-1>
- Waaseth, M., Bakken, K., & Lund, E. (2009). Patterns of hormone therapy use in the Norwegian Women and Cancer study (NOWAC) 1996-2005. *Maturitas*, 63(3), 220-226. doi:<https://dx.doi.org/10.1016/j.maturitas.2009.03.017>
- Waaseth, M., Olsen, K. S., Rylander, C., Lund, E., & Dumeaux, V. (2011). Sex hormones and gene expression signatures in peripheral blood from postmenopausal women - the NOWAC postgenome study. *BMC Medical Genomics [Electronic Resource]*, 4, 29. doi:<https://dx.doi.org/10.1186/1755-8794-4-29>
- Wang, H., Bjurstam, N., Bjørndal, H., Braaten, A., Eriksen, L., Skaane, P., . . . Thoresen, S. O. (2001). Interval cancers in the Norwegian breast cancer screening program: frequency, characteristics and use of HRT. *International Journal of Cancer*, 94(4), 594-598.
- Wang, H., Jepsen, P. W., Karesen, R., & Thoresen, S. O. (2000). Ductal carcinoma in situ of the breast--a review of diagnosis, treatment and outcome in a hospital-based Norwegian series. *Acta Oncologica*, 39(2), 131-134.
- Wang, H., Karesen, R., Hervik, A., & Thoresen, S. O. (2001). Mammography screening in Norway: results from the first screening round in four counties and cost-effectiveness of a modeled nationwide screening. *Cancer Causes & Control*, 12(1), 39-45.
- Weedon-Fekjaer, H., Bakken, K., Vatten, L. J., & Tretli, S. (2012). Understanding recent trends in incidence of invasive breast cancer in Norway: age-period-cohort analysis based on registry data on mammography screening and hormone treatment use. *BMJ*, 344, e299. doi:<https://dx.doi.org/10.1136/bmj.e299>
- Weedon-Fekjaer, H., Lindqvist, B. H., Vatten, L. J., Aalen, O. O., & Tretli, S. (2008). Breast cancer tumor growth estimated through mammography screening data. *Breast Cancer Research*, 10(3), R41. doi:<https://dx.doi.org/10.1186/bcr2092>
- Weedon-Fekjaer, H., Lindqvist, B. H., Vatten, L. J., Aalen, O. O., & Tretli, S. (2008). Estimating mean sojourn time and screening sensitivity using questionnaire data on time since previous screening. *Journal of Medical Screening*, 15(2), 83-90. doi:<https://dx.doi.org/10.1258/jms.2008.007071>
- Weedon-Fekjaer, H., Romundstad, P. R., & Vatten, L. J. (2014). Modern mammography screening and breast cancer mortality: population study. *BMJ*, 348, g3701. doi:<https://dx.doi.org/10.1136/bmj.g3701>
- Weedon-Fekjaer, H., Vatten, L. J., Aalen, O. O., Lindqvist, B., & Tretli, S. (2005). Estimating mean sojourn time and screening test sensitivity in breast cancer mammography screening: new results. *Journal of Medical Screening*, 12(4), 172-178. doi:<https://dx.doi.org/10.1258/096914105775220732>
- Weiderpass, E., Margolis, K. L., Sandin, S., Braaten, T., Kumle, M., Adami, H. O., & Lund, E. (2006). Prospective study of physical activity in different periods of life and the risk of ovarian cancer. *International Journal of Cancer*, 118(12), 3153-3160. doi:<https://dx.doi.org/10.1002/ijc.21800>

- Wik, H. S., Jacobsen, A. F., Fagerland, M. W., Sandvik, L., & Sandset, P. M. (2013). Long-term mortality and incidence of cancer after pregnancy-related venous thrombosis: results of a population-based cohort study. *Thrombosis Research*, 131(6), 497-501. doi:<https://dx.doi.org/10.1016/j.thromres.2013.04.035>
- Wist, E. A., Sommer, H. H., Ostenstad, B., Risberg, T., & Fjaestad, K. (2004). Weekly one-hour paclitaxel as first-line chemotherapy for metastatic breast cancer. *Acta Oncologica*, 43(1), 11-14.
- Wu, D., Sullards, M. C., Oldham, C. D., Gelbaum, L., Lucrezi, J., Pullman, G. S., & May, S. W. (2012). Myo-inositol hexakisphosphate, isolated from female gametophyte tissue of loblolly pine, inhibits growth of early-stage somatic embryos. *New Phytologist*, 193(2), 313-326. doi:<https://dx.doi.org/10.1111/j.1469-8137.2011.03928.x>
- Wu, Q., Shi, H., Holm, R., Li, X., Trope, C., Nesland, J. M., & Suo, Z. (2014). Aldehyde dehydrogenase-1 predicts favorable prognosis in patients with vulvar squamous cell carcinoma. *Anticancer Research*, 34(2), 859-865.
- Zahl, P. H., Holme, O., & Loberg, M. (2016). Norwegian mammography screening - numerous self-contradictions in the evaluation. *Tidsskrift for Den Norske Laegeforening*, 136(19), 1616-1618. doi:<https://dx.doi.org/10.4045/tidsskr.16.0165>
- Zahl, P. H., Jorgensen, K. J., & Gotzsche, P. C. (2013). Overestimated lead times in cancer screening has led to substantial underestimation of overdiagnosis. *British Journal of Cancer*, 109(7), 2014-2019. doi:<https://dx.doi.org/10.1038/bjc.2013.427>
- Zahl, P. H., & Maehlen, J. (2015). Bias in Observational Studies of the Association between Menopausal Hormone Therapy and Breast Cancer. *PLoS ONE [Electronic Resource]*, 10(5), e0124076. doi:<https://dx.doi.org/10.1371/journal.pone.0124076>
- Zahl, P. H., Maehlen, J., & Welch, H. G. (2008). The natural history of invasive breast cancers detected by screening mammography. *Archives of Internal Medicine*, 168(21), 2311-2316. doi:<https://dx.doi.org/10.1001/archinte.168.21.2311>
- Zahl, P. H., Strand, B. H., & Maehlen, J. (2004). Incidence of breast cancer in Norway and Sweden during introduction of nationwide screening: prospective cohort study. *BMJ*, 328(7445), 921-924. doi:<https://dx.doi.org/10.1136/bmj.38044.666157.63>
- Zienolddiny, S., Haugen, A., Lie, J. A., Kjuus, H., Anmarkrud, K. H., & Kjaerheim, K. (2013). Analysis of polymorphisms in the circadian-related genes and breast cancer risk in Norwegian nurses working night shifts. *Breast Cancer Research*, 15(4), R53. doi:<https://dx.doi.org/10.1186/bcr3445>
- Åsli, L. A. (2016). Potato consumption and risk of colorectal and pancreatic cancer: The Norwegian Women and Cancer cohort and the HELGA cohort. (nr. 168), UiT, The Arctic University of Norway, Faculty of Health Sciences, Department of Community Medicine, Tromsø.

Muskel- og skjelettsmerter, langvarige smerte- og utmattelsestilstander

- Aegidius, K., Zwart, J. A., Hagen, K., & Stovner, L. (2009). The effect of pregnancy and parity on headache prevalence: the Head-HUNT study. *Headache*, 49(6), 851-859. doi:<https://dx.doi.org/10.1111/j.1526-4610.2009.01438.x>
- Aegidius, K. L., Zwart, J. A., Hagen, K., Dyb, G., Holmen, T. L., & Stovner, L. J. (2011). Increased headache prevalence in female adolescents and adult women with early menarche. *The Head-HUNT Studies. European Journal of Neurology*, 18(2), 321-328. doi:<https://dx.doi.org/10.1111/j.1468-1331.2010.03143.x>
- Aegidius, K. L., Zwart, J. A., Hagen, K., Schei, B., & Stovner, L. J. (2007). Hormone replacement therapy and headache prevalence in postmenopausal women. *The Head-HUNT study. European Journal of Neurology*, 14(1), 73-78. doi:<https://dx.doi.org/10.1111/j.1468-1331.2006.01557.x>
- Ahmed, L. A., Emaus, N., Berntsen, G. K., Bjornerem, A., Fonnebo, V., Jorgensen, L., . . . Joakimsen, R. M. (2010). Bone loss and the risk of non-vertebral fractures in women and men: the Tromso study. *Osteoporosis International*, 21(9), 1503-1511. doi:<https://dx.doi.org/10.1007/s00198-009-1102-z>
- Ahmed, L. A., Shigdel, R., Joakimsen, R. M., Eldevik, O. P., Eriksen, E. F., Ghasem-Zadeh, A., . . . Bjornerem, A. (2015). Measurement of cortical porosity of the proximal femur improves identification of women with nonvertebral fragility fractures. *Osteoporosis International*, 26(8), 2137-2146. doi:<https://dx.doi.org/10.1007/s00198-015-3118-x>
- Amundsen, S., Ovrebø, T. G., Amble, N. M., Poole, A. C., & Nordeng, H. (2016). Use of antimigraine medications and information needs during pregnancy and breastfeeding: a cross-sectional study among 401 Norwegian women. *European Journal of Clinical Pharmacology*, 72(12), 1525-1535. doi:<https://dx.doi.org/10.1007/s00228-016-2127-9>
- Andersen, O. F., Ahmed, L. A., Emaus, N., & Klouman, E. (2014). High prevalence of chronic musculoskeletal complaints among women in a Norwegian general population: the Tromso study. *BMC Research Notes*, 7, 506. doi:<https://dx.doi.org/10.1186/1756-0500-7-506>
- Augestad, L. B., Schei, B., Forsmo, S., Langhammer, A., & Flanders, W. D. (2004). The association between physical activity and forearm bone mineral density in healthy premenopausal women. *Journal of Women's Health*, 13(3), 301-313. doi:<https://dx.doi.org/10.1089/154099904323016464>
- Austad, C., Kvien, T. K., Olsen, I. C., & Uhlig, T. (2015). Health status has improved more in women than in men with rheumatoid arthritis from 1994 to 2009: results from the Oslo rheumatoid arthritis register. *Annals of the Rheumatic Diseases*, 74(1), 148-155. doi:<https://dx.doi.org/10.1136/annrheumdis-2013-204014>
- Bakken, I. J., Tveito, K., Gunnes, N., Ghaderi, S., Stoltenberg, C., Trogstad, L., . . . Magnus, P. (2014). Two age peaks in the incidence of chronic fatigue syndrome/myalgic encephalomyelitis: a population-based registry study from Norway 2008-2012. *BMC Medicine*, 12(1), 167.
- Batt-Rawden, K. B., & Tellnes, G. (2013). Social Factors of Sickness Absences and the Significance of the Nature-culture Interplay in Coping. *Materia Sociomedica*, 25(2), 127-130. doi:<https://dx.doi.org/10.5455/msm.2013.25.127-130>
- Bergland, A., & Wyller, T. B. (2004). Risk factors for serious fall related injury in elderly women living at home. *Injury Prevention*, 10(5), 308-313. doi:<https://dx.doi.org/10.1136/ip.2003.004721>
- Berntsen, G. K., Fonnebo, V., Tollan, A., Sogaard, A. J., & Magnus, J. H. (2001). Forearm bone mineral density by age in 7,620 men and women: the Tromso study, a population-based study. *American Journal of Epidemiology*, 153(5), 465-473.

- Bjornerem, A., Ahmed, L. A., Joakimsen, R. M., Berntsen, G. K., Fonnebo, V., Jorgensen, L., . . . Straume, B. (2007). A prospective study of sex steroids, sex hormone-binding globulin, and non-vertebral fractures in women and men: the Tromso Study.[Erratum appears in *Eur J Endocrinol*. 2011 Mar;164(3):445]. *European Journal of Endocrinology*, 157(1), 119-125. doi:<https://dx.doi.org/10.1530/EJE-07-0032>
- Bjornerem, A., Ahmed, L. A., Jorgensen, L., Stormer, J., & Joakimsen, R. M. (2011). Breastfeeding protects against hip fracture in postmenopausal women: the Tromso study. *Journal of Bone & Mineral Research*, 26(12), 2843-2850. doi:<https://dx.doi.org/10.1002/jbmr.496>
- Bratland-Sanda, S., Martinsen, E. W., & Sundgot-Borgen, J. (2012). Changes in physical fitness, bone mineral density and body composition during inpatient treatment of underweight and normal weight females with longstanding eating disorders. *International Journal of Environmental Research & Public Health [Electronic Resource]*, 9(1), 315-330. doi:10.3390/ijerph9010315
- Bratland-Sanda, S., Sundgot-Borgen, J., Rosenvinge, J. H., Ro, O., Hoffart, A., & Martinsen, E. W. (2010). Physical fitness, bone mineral density and associations with physical activity in females with longstanding eating disorders and non-clinical controls. *Journal of Sports Medicine & Physical Fitness*, 50(3), 303-310.
- Dahl, J., Myhr, K. M., Daltveit, A. K., & Gilhus, N. E. (2006). Planned vaginal births in women with multiple sclerosis: delivery and birth outcome. *Acta Neurologica Scandinavica. Supplementum*, 183, 51-54. doi:<https://dx.doi.org/10.1111/j.1600-0404.2006.00616.x>
- Dahl, J., Myhr, K. M., Daltveit, A. K., & Gilhus, N. E. (2008). Pregnancy, delivery and birth outcome in different stages of maternal multiple sclerosis. *Journal of Neurology*, 255(5), 623-627. doi:<https://dx.doi.org/10.1007/s00415-008-0757-2>
- Dahl, J., Myhr, K. M., Daltveit, A. K., Skjaerven, R., & Gilhus, N. E. (2007). Is smoking an extra hazard in pregnant MS women? Findings from a population-based registry in Norway. *European Journal of Neurology*, 14(10), 1113-1117. doi:<https://dx.doi.org/10.1111/j.1468-1331.2007.01913.x>
- Dahl, K., Ahmed, L. A., Joakimsen, R. M., Jorgensen, L., Eggen, A. E., Eriksen, E. F., & Bjornerem, A. (2015). High-sensitivity C-reactive protein is an independent risk factor for non-vertebral fractures in women and men: The Tromso Study. *Bone*, 72, 65-70. doi:<https://dx.doi.org/10.1016/j.bone.2014.11.012>
- Darvish, B., Gupta, A., Alahuhta, S., Dahl, V., Helbo-Hansen, S., Thorsteinsson, A., . . . Dahlgren, G. (2011). Management of accidental dural puncture and post-dural puncture headache after labour: a Nordic survey. *Acta Anaesthesiologica Scandinavica*, 55(1), 46-53. doi:<https://dx.doi.org/10.1111/j.1399-6576.2010.02335.x>
- Dessein, P. H., Solomon, A., & Hollan, I. (2016). Metabolic abnormalities in patients with inflammatory rheumatic diseases. *Best Pract Res Clin Rheumatol*, 30(5), 901-915. doi:10.1016/j.berh.2016.10.001
- Dhainaut, A., Rohde, G., Hoff, M., Syversen, U., & Haugeberg, G. (2011). Phalangeal densitometry compared with dual energy X-ray absorptiometry for assessment of bone mineral density in elderly women. *Journal of Women's Health*, 20(12), 1789-1795. doi:<https://dx.doi.org/10.1089/jwh.2010.2682>
- Diamantopoulos, A. P., Rohde, G., Johnsrud, I., Skoie, I. M., Johnsen, V., Hochberg, M., & Haugeberg, G. (2012). Incidence rates of fragility hip fracture in middle-aged and elderly men and women in southern Norway. *Age & Ageing*, 41(1), 86-92. doi:<https://dx.doi.org/10.1093/ageing/afr114>
- Diaz, E., Poblador-Pou, B., Gimeno-Feliu, L.-A., Calderón-Larrañaga, A., Kumar, B. N., & Prados-Torres, A. (2015). Multimorbidity and Its Patterns according to Immigrant Origin. A Nationwide Register-Based Study in Norway. *PLoS ONE [Electronic Resource]*, 10(12), e0145233. doi:10.1371/journal.pone.0145233
- Duarte Sosa, D., Vilaplana, L., Guerri, R., Nogues, X., Wang-Fagerland, M., Diez-Perez, A., & Eriksen, E. F. (2015). Are the High Hip Fracture Rates Among Norwegian Women Explained by Impaired Bone Material Properties? *Journal of Bone & Mineral Research*, 30(10), 1784-1789. doi:<https://dx.doi.org/10.1002/jbmr.2537>
- Dueland, A. N., Leira, R., Burke, T. A., Hillyer, E. V., & Bolge, S. (2004). The impact of migraine on work, family, and leisure among young women -- a multinational study. *Current Medical Research & Opinion*, 20(10), 1595-1604. doi:<https://dx.doi.org/10.1185/030079904X3357>
- Dueland, A. N., Leira, R., & Cabelli, S. T. (2005). The impact of migraine on psychological well-being of young women and their communication with physicians about migraine: a multinational study. *Current Medical Research & Opinion*, 21(8), 1297-1305. doi:<https://dx.doi.org/10.1185/030079905X56394>

- Dybvik, E., Furnes, O., Fossa, S. D., Trovik, C., & Lie, S. A. (2014). Pelvic irradiation does not increase the risk of hip replacement in patients with gynecological cancer. A cohort study based on 8,507 patients. *Acta Orthopaedica*, 85(6), 652-656. doi:<https://dx.doi.org/10.3109/17453674.2014.963784>
- Edgardh, K. (2005). Experiences with a special vulvar clinic in Oslo. [Erfarenheter med særskilt vulvamottagning i Oslo]. *Tidsskrift for Den Norske Laegeforening*, 125(8), 1026-1027.
- Edgardh, K., & Abdelnoor, M. (2007). Vulvar vestibulitis and risk factors: a population-based case-control study in Oslo. *Acta Dermato-Venereologica*, 87(4), 350-354. doi:<https://dx.doi.org/10.2340/00015555-0250>
- Emaus, N., Berntsen, G. K., Joakimsen, R., & Fonnebo, V. (2006). Longitudinal changes in forearm bone mineral density in women and men aged 45-84 years: the Tromso Study, a population-based study. *American Journal of Epidemiology*, 163(5), 441-449. doi:<https://dx.doi.org/10.1093/aje/kwj055>
- Emaus, N., Gjesdal, C. G., Almas, B., Christensen, M., Grimsgaard, A. S., Berntsen, G. K., . . . Fonnebo, V. (2010). Vitamin K2 supplementation does not influence bone loss in early menopausal women: a randomised double-blind placebo-controlled trial. *Osteoporosis International*, 21(10), 1731-1740. doi:<https://dx.doi.org/10.1007/s00198-009-1126-4>
- Emaus, N., Nguyen, N. D., Almaas, B., Berntsen, G. K., Center, J. R., Christensen, M., . . . Fonnebo, V. M. (2013). Serum level of under-carboxylated osteocalcin and bone mineral density in early menopausal Norwegian women. *European Journal of Nutrition*, 52(1), 49-55. doi:<https://dx.doi.org/10.1007/s00394-011-0285-1>
- Emaus, N., Omsland, T. K., Ahmed, L. A., Grimnes, G., Sneve, M., & Berntsen, G. K. (2009). Bone mineral density at the hip in Norwegian women and men--prevalence of osteoporosis depends on chosen references: the Tromso Study. *European Journal of Epidemiology*, 24(6), 321-328. doi:<https://dx.doi.org/10.1007/s10654-009-9333-z>
- Falch, J. A., & Steihaug, S. (2000). Vitamin D deficiency in Pakistani premenopausal women living in Norway is not associated with evidence of reduced skeletal strength. *Scandinavian Journal of Clinical & Laboratory Investigation*, 60(2), 103-109.
- Finnes, T. E., Lofthus, C. M., Meyer, H. E., Eriksen, E. F., Apalset, E. M., Tell, G. S., . . . Holvik, K. (2014). Procollagen type 1 amino-terminal propeptide (P1NP) and risk of hip fractures in elderly Norwegian men and women. A NOREPOS study. *Bone*, 64, 1-7. doi:<https://dx.doi.org/10.1016/j.bone.2014.03.010>
- Finset, A., & Östlie, I. L. (2004). "One's self-confidence is challenged!" A phenomenologic pilot study of three women with rheumatic disease and their daily life experiences of stress and support. ["Det går på selvfølelsen løs!" En fenomenologisk studie av tre kvinner med revmatisk sykdom og dered opplevelser av påkjenninger og sosial støtte i dagliglivet]. *Vård i Norden*, 24(1), 9-13.
- Fluge, Ø., Mella, O., Bruland, O., Risa, K., Dyrstad, S. E., Alme, K., . . . Tronstad, K. J. (2017). Metabolic profiling indicates impaired pyruvate dehydrogenase function in myalgic encephalopathy/chronic fatigue syndrome. *JCI Insight*, 1(21). doi:10.1172/jci.insight.89376
- Fluge, Ø., Risa, K., Lunde, S., Alme, K., Rekeland, I. G., Sapkota, D., . . . Mella, O. (2015). B-Lymphocyte Depletion in Myalgic Encephalopathy/ Chronic Fatigue Syndrome. An Open-Label Phase II Study with Rituximab Maintenance Treatment. *PLoS ONE [Electronic Resource]*, 10(7), e0129898. doi:10.1371/journal.pone.0129898
- Forseth, K. Ø. (2000). Musculoskeletal pain and fibromyalgia: prevalence, incidence, natural history and predictors : a 5.5 year prospective study of women living in a small Norwegian coastal town (Arendal). Center for Rheumatic Diseases, the National Hospital Faculty of Medicine, University of Oslo, Oslo.
- Forsmo, S., Aaen, J., Schei, B., & Langhammer, A. (2006). What is the influence of weight change on forearm bone mineral density in peri- and postmenopausal women? The health study of Nord-Trøndelag, Norway. *American Journal of Epidemiology*, 164(9), 890-897. doi:<https://dx.doi.org/10.1093/aje/kwj268>
- Forsmo, S., Fjeldbo, S. K., & Langhammer, A. (2008). Childhood cod liver oil consumption and bone mineral density in a population-based cohort of peri- and postmenopausal women: the Nord-Trøndelag Health Study. *American Journal of Epidemiology*, 167(4), 406-411. doi:<https://dx.doi.org/10.1093/aje/kwm320>

Muskel- og skjelettsmerter, langvarige smerte- og utmattelsestilstander

- Forsmo, S., Hvam, H. M., Rea, M. L., Lilleeng, S. E., Schei, B., & Langhammer, A. (2007). Height loss, forearm bone density and bone loss in menopausal women: a 15-year prospective study. *The Nord-Trøndelag Health Study, Norway. Osteoporosis International*, 18(9), 1261-1269. doi:<https://dx.doi.org/10.1007/s00198-007-0369-1>
- Forsmo, S., Langhammer, A., Forsen, L., & Schei, B. (2005). Forearm bone mineral density in an unselected population of 2,779 men and women--the HUNT Study, Norway. *Osteoporosis International*, 16(5), 562-567. doi:<https://dx.doi.org/10.1007/s00198-004-1726-y>
- Forsmo, S., Langhammer, A., & Schei, B. (2009). Past and current weight change and forearm bone loss in middle-aged women: the Nord-Trøndelag Health Study, Norway. *Menopause*, 16(6), 1197-1204. doi:<https://dx.doi.org/10.1097/gme.0b013e3181a6cbb1>
- Forsmo, S., Schei, B., Langhammer, A., & Forsen, L. (2001). How do reproductive and lifestyle factors influence bone density in distal and ultradistal radius of early postmenopausal women? *The Nord-Trøndelag Health Survey, Norway. Osteoporosis International*, 12(3), 222-229. doi:<https://dx.doi.org/10.1007/s001980170133>
- Fyrand, L., Moum, T., Wichstrom, L., Finset, A., & Glennas, A. (2000). Social network size of female patients with rheumatoid arthritis compared to healthy controls. *Scandinavian Journal of Rheumatology*, 29(1), 38-43.
- Gjesdal, S. (2009). Gender differences in transition from long-term sickness absence to permanent disability pension, 1997-2002. [Kjønnforskjeller i overgang fra langtidssykmelding til uførepensjon i 1997-2002]. *Norsk Epidemiologi*, 19(2), 193-202.
- Gjesdal, S., Bratberg, E., & Maeland, J. G. (2011). Gender differences in disability after sickness absence with musculoskeletal disorders: five-year prospective study of 37,942 women and 26,307 men. *BMC Musculoskeletal Disorders*, 12, 37. doi:<https://dx.doi.org/10.1186/1471-2474-12-37>
- Grape, H. E., Solbraekke, K. N., Kirkevold, M., & Mengshoel, A. M. (2015). Staying healthy from fibromyalgia is ongoing hard work. *Qualitative Health Research*, 25(5), 679-688. doi:<https://dx.doi.org/10.1177/1049732314557333>
- Grape, H. E., Solbraekke, K. N., Kirkevold, M., & Mengshoel, A. M. (2017). Tiredness and fatigue during processes of illness and recovery: A qualitative study of women recovered from fibromyalgia syndrome. *Physiotherapy Theory & Practice*, 33(1), 31-40. doi:<https://dx.doi.org/10.1080/09593985.2016.1247933>
- Grimnes, G., Emaus, N., Joakimsen, R. M., Figenschau, Y., & Jorde, R. (2008). The relationship between serum TSH and bone mineral density in men and postmenopausal women: the Tromso study. *Thyroid*, 18(11), 1147-1155. doi:<https://dx.doi.org/10.1089/thy.2008.0158>
- Gronskag, A. B., Romundstad, P., Forsmo, S., Langhammer, A., & Schei, B. (2012). Excess mortality after hip fracture among elderly women in Norway. *The HUNT study. Osteoporosis International*, 23(6), 1807-1811. doi:<https://dx.doi.org/10.1007/s00198-011-1811-y>
- Groven, K. S. (2016). "Then I Can Become Very Ill": Women's Experiences of Living With Irreversible Changes in Their Viscera. *Health Care for Women International*, 37(6), 599-619. doi:<https://dx.doi.org/10.1080/07399332.2014.942906>
- Groven, K. S., & Engelsrud, G. (2010). Dilemmas in the process of weight reduction: Exploring how women experience training as a means of losing weight. *International Journal of Qualitative Studies on Health and Well being*, 5, 22. doi:<https://dx.doi.org/10.3402/qhw.v5i2.5125>
- Groven, K. S., Raheim, M., & Engelsrud, G. (2010). "My quality of life is worse compared to my earlier life": Living with chronic problems after weight loss surgery. *International Journal of Qualitative Studies on Health and Well being*, 5(4), 18. doi:<https://dx.doi.org/10.3402/qhw.v5i4.5553>
- Groven, K. S., Raheim, M., Hakonsen, E., & Haugstad, G. K. (2016). "Will I ever be a true woman?" An exploration of the experiences of women with vestibulodynia. *Health Care for Women International*, 37(8), 818-835. doi:<https://dx.doi.org/10.1080/07399332.2015.1103739>
- Hagen, K., Bjoro, T., Zwart, J. A., Vatten, L., Stovner, L. J., & Bovim, G. (2001). Low headache prevalence amongst women with high TSH values. *European Journal of Neurology*, 8(6), 693-699.

Muskel- og skjelettsmerter, langvarige smerte- og utmattelsestilstander

- Hagen, K., Stovner, L. J., Asberg, A., Thorstensen, K., Bjerve, K. S., & Hveem, K. (2002). High headache prevalence among women with hemochromatosis: the Nord-Trøndelag health study. *Annals of Neurology*, 51(6), 786-789. doi:<https://dx.doi.org/10.1002/ana.10209>
- Hansen, A. H., & Lian, O. S. (2016). Experiences of general practitioner continuity among women with chronic fatigue syndrome/myalgic encephalomyelitis: a cross-sectional study. *BMC Health Services Research*, 16(1), 650. doi:<https://dx.doi.org/10.1186/s12913-016-1909-1>
- Hansen, A. H., & Lian, O. S. (2016). How do women with chronic fatigue syndrome/myalgic encephalomyelitis rate quality and coordination of healthcare services? A cross-sectional study. *BMJ Open*, 6(4), e010277. doi:<https://dx.doi.org/10.1136/bmjopen-2015-010277>
- Haugeberg, G., Uhlig, T., Falch, J. A., Halse, J. I., & Kvien, T. K. (2000). Bone mineral density and frequency of osteoporosis in female patients with rheumatoid arthritis: results from 394 patients in the Oslo County Rheumatoid Arthritis register. *Arthritis & Rheumatism*, 43(3), 522-530. doi:[https://dx.doi.org/10.1002/1529-0131\(200003\)43:3<522::AID-ANR7>3.0.CO;2-Y](https://dx.doi.org/10.1002/1529-0131(200003)43:3<522::AID-ANR7>3.0.CO;2-Y)
- Hoff, J. M., Daltveit, A. K., & Gilhus, N. E. (2003). Myasthenia gravis: consequences for pregnancy, delivery, and the newborn. *Neurology*, 61(10), 1362-1366.
- Hoff, J. M., Daltveit, A. K., & Gilhus, N. E. (2004). Asymptomatic myasthenia gravis influences pregnancy and birth. *European Journal of Neurology*, 11(8), 559-562. doi:<https://dx.doi.org/10.1111/j.1468-1331.2004.00900.x>
- Hoff, J. M., Daltveit, A. K., & Gilhus, N. E. (2007). Myasthenia gravis in pregnancy and birth: identifying risk factors, optimising care. *European Journal of Neurology*, 14(1), 38-43. doi:<https://dx.doi.org/10.1111/j.1468-1331.2006.01538.x>
- Hoftun, G. B., Romundstad, P. R., Zwart, J.-A., & Rygg, M. (2011). Chronic idiopathic pain in adolescence – high prevalence and disability: The young HUNT study 2008. *PAIN®*, 152(10), 2259-2266. doi:<https://doi.org/10.1016/j.pain.2011.05.007>
- Jelin, E., Granum, V., & Eide, H. (2012). Experiences of a web-based nursing intervention--interviews with women with chronic musculoskeletal pain. *Pain Management Nursing*, 13(1), 2-10. doi:<https://dx.doi.org/10.1016/j.pmn.2011.08.008>
- Joakimsen, R. M., Berntsen, G. K., & Fønnebø, V. (2001). Vertebral fractures - a big health problem for elderly women? [Brudd i ryggen - et stort helseproblem for eldre kvinner?]. *Tidsskrift for Den Norske Laegeforening*, 121(5), 598-602.
- Jorgensen, L., Engstad, T., & Jacobsen, B. K. (2001). Bone mineral density in acute stroke patients: low bone mineral density may predict first stroke in women. *Stroke*, 32(1), 47-51.
- Jorgensen, L., Joakimsen, O., Mathiesen, E. B., Ahmed, L., Berntsen, G. K., Fønnebo, V., . . . Jacobsen, B. K. (2006). Carotid plaque echogenicity and risk of nonvertebral fractures in women: a longitudinal population-based study. [Erratum appears in *Calcif Tissue Int.* 2009 Jul;85(1):84]. *Calcified Tissue International*, 79(4), 207-213. doi:<https://dx.doi.org/10.1007/s00223-006-0071-x>
- Jorgensen, L., Joakimsen, R., Ahmed, L., Stormer, J., & Jacobsen, B. K. (2011). Smoking is a strong risk factor for non-vertebral fractures in women with diabetes: the Tromsø Study. *Osteoporosis International*, 22(4), 1247-1253. doi:<https://dx.doi.org/10.1007/s00198-010-1340-0>
- Kolle, E., Torstveit, M. K., & Sundgot-Borgen, J. (2005). Bone mineral density in Norwegian premenopausal women. *Osteoporosis International*, 16(8), 914-920. doi:<https://dx.doi.org/10.1007/s00198-004-1783-2>
- Kumlin, M., & Lerdal, A. (2015). Older women's experience of osteoporotic fractures in the spine. [Eldre kvinners erfaringer med osteoporotiske brudd i ryggen]. *Sykepleien Forskning*, 10(3), 238-246.
- Kurtze, N., & Svebak, S. (2001). Fatigue and patterns of pain in fibromyalgia: correlations with anxiety, depression and co-morbidity in a female county sample. *British Journal of Medical Psychology*, 74(Pt 4), 523-537.
- Kvalheim, S., Sandvik, L., Winsvold, B., Hagen, K., & Zwart, J. A. (2016). Early menarche and chronic widespread musculoskeletal complaints--Results from the HUNT study. *European Journal of Pain*, 20(3), 458-464. doi:<https://dx.doi.org/10.1002/ejp.747>
- Lerang, K., Gilboe, I., Garen, T., Thelle, D. S., & Gran, J. T. (2012). High incidence and prevalence of systemic lupus erythematosus in Norway. *Lupus*, 21(12), 1362-1369. doi:10.1177/0961203312458168

- Lian, O. S., & Hansen, A. H. (2016). Factors facilitating patient satisfaction among women with medically unexplained long-term fatigue: A relational perspective. *Health: an Interdisciplinary Journal for the Social Study of Health, Illness & Medicine*, 20(3), 308-326. doi:<https://dx.doi.org/10.1177/1363459315583158>
- Lilleaas, U.-B., & Ellingsen, D. (2003). *Kvinnekroppens kår*. Bergen: Fagbokforl.
- Lillefjell, M. (2006). Gender differences in psychosocial influence and rehabilitation outcomes for work-disabled individuals with chronic musculoskeletal pain. *Journal of Occupational Rehabilitation*, 16(4), 659-674. doi:<https://dx.doi.org/10.1007/s10926-006-9056-x>
- Lyngstad-Brechán, M. A., Tauboll, E., Nakken, K. O., Gjerstad, L., Godang, K., Jemtland, R., & Bollerslev, J. (2008). Reduced bone mass and increased bone turnover in postmenopausal women with epilepsy using antiepileptic drug monotherapy. *Scandinavian Journal of Clinical & Laboratory Investigation*, 68(8), 759-766. doi:<https://dx.doi.org/10.1080/00365510802233442>
- Malterud, K. (2001). *Kvinnerens ubestemte helseplager*. Oslo: Pax.
- Midtby, M., Magnus, J. H., & Joakimsen, R. M. (2001). The Tromso Study: a population-based study on the variation in bone formation markers with age, gender, anthropometry and season in both men and women. *Osteoporosis International*, 12(10), 835-843. doi:<https://dx.doi.org/10.1007/s001980170034>
- Moen, M. H. (2002). Endometriosis - modern treatment. [Endometriose - moderne behandling]. *Medicinsk Årbog*, 71-78.
- Mork, P. J., & Nilsen, T. I. (2012). Sleep problems and risk of fibromyalgia: longitudinal data on an adult female population in Norway. *Arthritis & Rheumatism*, 64(1), 281-284. doi:<https://dx.doi.org/10.1002/art.33346>
- Morseth, B., Ahmed, L. A., Bjornerem, A., Emaus, N., Jacobsen, B. K., Joakimsen, R., . . . Jorgensen, L. (2012). Leisure time physical activity and risk of non-vertebral fracture in men and women aged 55 years and older: the Tromso Study. *European Journal of Epidemiology*, 27(6), 463-471. doi:<https://dx.doi.org/10.1007/s10654-012-9665-y>
- Omland, L. M., Tell, G. S., Ofjord, S., & Skag, A. (2000). Risk factors for low bone mineral density among a large group of Norwegian women with fractures. *European Journal of Epidemiology*, 16(3), 223-229.
- Omsland, T. K., Ahmed, L. A., Gronskag, A., Schei, B., Emaus, N., Langhammer, A., . . . Meyer, H. E. (2011). More forearm fractures among urban than rural women: the NOREPOS study based on the Tromso study and the HUNT study. *Journal of Bone & Mineral Research*, 26(4), 850-856. doi:<https://dx.doi.org/10.1002/jbmr.280>
- Omsland, T. K., Emaus, N., Tell, G. S., Magnus, J. H., Ahmed, L. A., Holvik, K., . . . Meyer, H. E. (2014). Mortality following the first hip fracture in Norwegian women and men (1999-2008). A NOREPOS study. *Bone*, 63, 81-86. doi:<https://dx.doi.org/10.1016/j.bone.2014.02.016>
- Omsland, T. K., Holvik, K., Meyer, H. E., Center, J. R., Emaus, N., Tell, G. S., . . . Sjøgaard, A. J. (2012). Hip fractures in Norway 1999-2008: time trends in total incidence and second hip fracture rates. A NOREPOS study. *European Journal of Epidemiology*, 27(10), 807-814. doi:[10.1007/s10654-012-9711-9](https://dx.doi.org/10.1007/s10654-012-9711-9)
- Omsland, T. K., Schei, B., Gronskag, A. B., Langhammer, A., Forsen, L., Gjesdal, C. G., & Meyer, H. E. (2009). Weight loss and distal forearm fractures in postmenopausal women: the Nord-Trøndelag health study, Norway. *Osteoporosis International*, 20(12), 2009-2016. doi:<https://dx.doi.org/10.1007/s00198-009-0894-1>
- Osima, M., Kral, R., Borgen, T. T., Hogestol, I. K., Joakimsen, R. M., Eriksen, E. F., & Bjornerem, A. (2017). Women with type 2 diabetes mellitus have lower cortical porosity of the proximal femoral shaft using low-resolution CT than nondiabetic women, and increasing glucose is associated with reduced cortical porosity. *Bone*, 97, 252-260. doi:<https://dx.doi.org/10.1016/j.bone.2017.01.037>
- Osnes, E. K. (2004). *Consequences of hip fracture : epidemiological studies of men and women in Oslo, Norway (Vol. no. 198)*. Oslo: Faculty of Medicine, University of Oslo Unipub.
- Owe, K. M., Bjelland, E. K., Stuge, B., Orsini, N., Eberhard-Gran, M., & Vangen, S. (2016). Exercise level before pregnancy and engaging in high-impact sports reduce the risk of pelvic girdle pain: a population-based cohort study of 39 184 women. *British Journal of Sports Medicine*, 50(13), 817-822. doi:<https://dx.doi.org/10.1136/bjsports-2015-094921>

- Oyen, J., Diamantopoulos, A. P., & Haugeberg, G. (2014). Mortality after distal radius fracture in men and women aged 50 years and older in southern Norway. *PLoS ONE [Electronic Resource]*, 9(11), e112098. doi:<https://dx.doi.org/10.1371/journal.pone.0112098>
- Oyen, J., Gjesdal, C. G., Brudvik, C., Hove, L. M., Apalset, E. M., Gulseth, H. C., & Haugeberg, G. (2010). Low-energy distal radius fractures in middle-aged and elderly men and women--the burden of osteoporosis and fracture risk: A study of 1794 consecutive patients. *Osteoporosis International*, 21(7), 1257-1267. doi:<https://dx.doi.org/10.1007/s00198-009-1068-x>
- Oyen, J., Rohde, G. E., Hochberg, M., Johnsen, V., & Haugeberg, G. (2010). Low-energy distal radius fractures in middle-aged and elderly women--seasonal variations, prevalence of osteoporosis, and associates with fractures. *Osteoporosis International*, 21(7), 1247-1255. doi:<https://dx.doi.org/10.1007/s00198-009-1065-0>
- Palm, O., & Purinszky, E. (2005). Women with early rheumatoid arthritis are referred later than men. *Annals of the Rheumatic Diseases*, 64(8), 1227-1228. doi:<https://dx.doi.org/10.1136/ard.2004.031716>
- Rannestad, T., & Skjeldestad, F. E. (2012). Socioeconomic conditions and number of pain sites in women. *BMC Women's Health*, 12, 7. doi:<https://dx.doi.org/10.1186/1472-6874-12-7>
- Rustoen, T., Wahl, A. K., Hanestad, B. R., Lerdal, A., Paul, S., & Miaskowski, C. (2004). Gender differences in chronic pain--findings from a population-based study of Norwegian adults. *Pain Management Nursing*, 5(3), 105-117. doi:<https://dx.doi.org/10.1016/j.pmn.2004.01.004>
- Råheim, M. (2001). Kvinners kroppserfaring og livssammenheng: en fenomenologisk-hermeneutisk studie av friske kvinner og kvinner med kroniske muskelsmerter. Institutt for klinisk psykologi, Det psykologiske fakultet, Universitetet i Bergen, Bergen.
- Semb, A. G., Ikdahl, E., Hisdal, J., Olsen, I. C., & Rollefstad, S. (2016). Exploring cardiovascular disease risk evaluation in patients with inflammatory joint diseases. *International Journal of Cardiology*, 223, 331-336. doi:[10.1016/j.ijcard.2016.08.129](https://dx.doi.org/10.1016/j.ijcard.2016.08.129)
- Semb, A. G., Rollefstad, S., van Riel, P., Kitaz, G. D., Matteson, E. L., & Gabriel, S. E. (2014). Cardiovascular disease assessment in rheumatoid arthritis: a guide to translating knowledge of cardiovascular risk into clinical practice. *Annals of the Rheumatic Diseases*, 73(7), 1284-1288. doi:[10.1136/annrheumdis-2013-204792](https://dx.doi.org/10.1136/annrheumdis-2013-204792)
- Shigdel, R., Osima, M., Lukic, M., Ahmed, L. A., Joakimsen, R. M., Eriksen, E. F., & Bjornerem, A. (2016). Determinants of Transitional Zone Area and Porosity of the Proximal Femur Quantified In Vivo in Postmenopausal Women. *Journal of Bone & Mineral Research*, 31(4), 758-766. doi:<https://dx.doi.org/10.1002/jbmr.2751>
- Skolbekken, J. A., Osterlie, W., & Forsmo, S. (2008). Brittle bones, pain and fractures--lay constructions of osteoporosis among Norwegian women attending the Nord-Trøndelag Health Study (HUNT). *Social Science & Medicine*, 66(12), 2562-2572. doi:<https://dx.doi.org/10.1016/j.socscimed.2008.02.022>
- Skomsvoll, J. F. (2003). Reproductive outcome in women with rheumatic disease : a population registry based study of the effects of inflammatory rheumatic disease and connective tissue disease on reproductive outcome in Norwegian women in 1967-1995. (219), Department of Rheumatology, St. Olavs Hospital, University Hospital of Trondheim. Faculty of Medicine, Norwegian University of Science and Technology, Trondheim.
- Skomsvoll, J. F., Aasarød, K., Salvesen, K. Å., Hoff, M., Wallenius, M., Rødevand, E., . . . Nossent, H. C. (2007). Systemisk lupus erythematosus og svangerskap. *Tidsskrift for Den norske legeförening*(7), 725-729.
- Skomsvoll, J. F., Ostensen, M., & Schei, B. (2000). Reproduction in women reporting chronic musculoskeletal disorders. *Scandinavian Journal of Rheumatology*, 29(2), 103-107.
- Smedslund, G., Eide, H., Kristjansdottir, O. B., Nes, A. A., Sexton, H., & Fors, E. A. (2014). Do weather changes influence pain levels in women with fibromyalgia, and can psychosocial variables moderate these influences? *International Journal of Biometeorology*, 58(7), 1451-1457. doi:<https://dx.doi.org/10.1007/s00484-013-0747-7>
- Soderlund, A., & Malterud, K. (2005). Why did I get chronic fatigue syndrome? A qualitative interview study of causal attributions in women patients. *Scandinavian Journal of Primary Health Care*, 23(4), 242-247. doi:<https://dx.doi.org/10.1080/02813430500254034>

Muskel- og skjelettsmerter, langvarige smerte- og utmattelsestilstander

- Sogaard, A. J., Holvik, K., Omsland, T. K., Tell, G. S., Dahl, C., Schei, B., . . . Meyer, H. E. (2015). Abdominal obesity increases the risk of hip fracture. A population-based study of 43,000 women and men aged 60-79 years followed for 8 years. Cohort of Norway. *Journal of Internal Medicine*, 277(3), 306-317. doi:<https://dx.doi.org/10.1111/joim.12230>
- Sogaard, A. J., Holvik, K., Omsland, T. K., Tell, G. S., Dahl, C., Schei, B., & Meyer, H. E. (2016). Age and Sex Differences in Body Mass Index as a Predictor of Hip Fracture: A NOREPOS Study. *American Journal of Epidemiology*, 184(7), 510-519. doi:<https://dx.doi.org/10.1093/aje/kww011>
- Stakkestad, J. A., Benevolenskaya, L. I., Stepan, J. J., Skag, A., Nordby, A., Oefjord, E., . . . Mahoney, P. (2003). Intravenous ibandronate injections given every three months: a new treatment option to prevent bone loss in postmenopausal women. *Annals of the Rheumatic Diseases*, 62(10), 969-975.
- Steihaug, S. (2002). Fra trening og undervisning til bevegelse og samhandling: anerkjennelse av kvinner med kroniske muskelsmerter. (49), Universitetet i Oslo, Institutt for allmenn- og samfunnsmedisin og Senter for kvinne- og kjønnsforskning Unipub, Oslo.
- Steihaug, S. (2005). How can women with chronic muscular pain change their bodily habits? [Hvordan kan kvinner med kroniske muskelsmerter endre sine kroppslige vaner?]. *Tidsskrift for Den Norske Laegeforening*, 125(20), 2804-2806.
- Steihaug, S., & Malterud, K. (2002). Recognition and reciprocity in encounters with women with chronic muscular pain. *Scandinavian Journal of Primary Health Care*, 20(3), 151-156.
- Taksdal, A., & Malterud, K. (2000). Et felles refleksjonsrom: hypoteser om betingelser, begrensninger og utfordringer for gyldiggjøring av kvinners symptomer som medisinsk kunnskapskilde (Vol. 6-2000). Bergen: Senter for samfunnsforskning.
- Tollefsen, E., Midgren, B., Bakke, P., & Fondenes, O. (2010). Amyotrophic lateral sclerosis: gender differences in the use of mechanical ventilation. *European Journal of Neurology*, 17(11), 1352-1357. doi:<https://dx.doi.org/10.1111/j.1468-1331.2010.03036.x>
- Torstveit, M. K., & Sundgot-Borgen, J. (2005). The female athlete triad exists in both elite athletes and controls. *Medicine & Science in Sports & Exercise*, 37(9), 1449-1459.
- Torstveit, M. K., & Sundgot-Borgen, J. (2005). Low bone mineral density is two to three times more prevalent in non-athletic premenopausal women than in elite athletes: a comprehensive controlled study. *British Journal of Sports Medicine*, 39(5), 282-287; discussion 282-287. doi:<https://dx.doi.org/10.1136/bjism.2004.012781>
- Viktil, K. K., Engeland, A., & Furu, K. (2009). Use of antirheumatic drugs in mothers and fathers before and during pregnancy-a population-based cohort study. *Pharmacoepidemiology & Drug Safety*, 18(8), 737-742. doi:<https://dx.doi.org/10.1002/pds.1775>
- Vis, M., Haavardsholm, E. A., Boyesen, P., Haugeberg, G., Uhlig, T., Hoff, M., . . . Kvien, T. K. (2011). High incidence of vertebral and non-vertebral fractures in the OSTRAL cohort study: a 5-year follow-up study in postmenopausal women with rheumatoid arthritis. *Osteoporosis International*, 22(9), 2413-2419. doi:<https://dx.doi.org/10.1007/s00198-010-1517-6>
- Vistad, I., Cvanarova, M., Kristensen, G. B., & Fossa, S. D. (2011). A study of chronic pelvic pain after radiotherapy in survivors of locally advanced cervical cancer. *Journal of Cancer Survivorship*, 5(2), 208-216. doi:<https://dx.doi.org/10.1007/s11764-011-0172-z>
- Vistad, I., Fossa, S. D., Kristensen, G. B., & Dahl, A. A. (2007). Chronic fatigue and its correlates in long-term survivors of cervical cancer treated with radiotherapy. *BJOG: An International Journal of Obstetrics & Gynaecology*, 114(9), 1150-1158. doi:<https://dx.doi.org/10.1111/j.1471-0528.2007.01445.x>
- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2014). Rheumatoid arthritis and outcomes in first and subsequent births based on data from a national birth registry. *Acta Obstetrica et Gynecologica Scandinavica*, 93(3), 302-307. doi:<https://dx.doi.org/10.1111/aogs.12324>
- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2014). Systemic lupus erythematosus and outcomes in first and subsequent births based on data from a national birth registry. *Arthritis care & research*, 66(11), 1718-1724. doi:<https://dx.doi.org/10.1002/acr.22373>

- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2015). Miscarriage and Stillbirth in Women with Rheumatoid Arthritis. *Journal of Rheumatology*, 42(9), 1570-1572. doi:<https://dx.doi.org/10.3899/jrheum.141553>
- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2015). Secular trends of pregnancies in women with inflammatory connective tissue disease. *Acta Obstetrica et Gynecologica Scandinavica*, 94(11), 1195-1202. doi:<https://dx.doi.org/10.1111/aogs.12722>
- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2016). Reproductive trends in females with inflammatory joint disease. *BMC Pregnancy & Childbirth*, 16(1), 123. doi:<https://dx.doi.org/10.1186/s12884-016-0919-7>
- Wallenius, M., Skomsvoll, J. F., Irgens, L. M., Salvesen, K. A., Koldingsnes, W., Mikkelsen, K., . . . Kvien, T. K. (2010). Postpartum onset of rheumatoid arthritis and other chronic arthritides: results from a patient register linked to a medical birth registry. *Annals of the Rheumatic Diseases*, 69(2), 332-336. doi:<https://dx.doi.org/10.1136/ard.2009.115964>
- Wallenius, M., Skomsvoll, J. F., Irgens, L. M., Salvesen, K. A., Nordvag, B. Y., Koldingsnes, W., . . . Kvien, T. K. (2011). Fertility in women with chronic inflammatory arthritides. *Rheumatology*, 50(6), 1162-1167. doi:<https://dx.doi.org/10.1093/rheumatology/keq458>
- Wallenius, M., Skomsvoll, J. F., Irgens, L. M., Salvesen, K. A., Nordvag, B. Y., Koldingsnes, W., . . . Kvien, T. K. (2011). Pregnancy and delivery in women with chronic inflammatory arthritides with a specific focus on first birth. *Arthritis & Rheumatism*, 63(6), 1534-1542. doi:<https://dx.doi.org/10.1002/art.30210>
- Wallenius, M., Skomsvoll, J. F., Koldingsnes, W., Rodevand, E., Mikkelsen, K., Kaufmann, C., & Kvien, T. K. (2009). Comparison of work disability and health-related quality of life between males and females with rheumatoid arthritis below the age of 45 years. *Scandinavian Journal of Rheumatology*, 38(3), 178-183. doi:10.1080/03009740802400594
- Wallenius, M., Skomsvoll, J. F., Koldingsnes, W., Rodevand, E., Mikkelsen, K., Kaufmann, C., & Kvien, T. K. (2009). Work disability and health-related quality of life in males and females with psoriatic arthritis. *Annals of the Rheumatic Diseases*, 68(5), 685-689. doi:10.1136/ard.2008.092049
- Wanvik, A. K. (2011). Connection between life experiences and development of long-term muscle complaints and fibromyalgia: a phenomenologic study of 5 women's life experiences in the years before they were diagnosed with fibromyalgia. [Sammenhengen mellom livserfaringer og utvikling av langvarige muskelpager og fibromyalgi; en fenomenologisk livsverdenstudie av 5 kvinners livserfaringer i årene før de fikk diagnosen fibromyalgi]. *Nordisk Tidsskrift for Helseforskning*, 7(1), 33-47.
- Waterloo, S., Ahmed, L. A., Center, J. R., Eisman, J. A., Morseth, B., Nguyen, N. D., . . . Emaus, N. (2012). Prevalence of vertebral fractures in women and men in the population-based Tromso Study. *BMC Musculoskeletal Disorders*, 13, 3. doi:<https://dx.doi.org/10.1186/1471-2474-13-3>
- Waterloo, S., Sogaard, A. J., Ahmed, L. A., Damsgard, E., Morseth, B., & Emaus, N. (2013). Vertebral fractures and self-perceived health in elderly women and men in a population-based cross-sectional study: the Tromso Study 2007-08. *BMC Geriatrics*, 13, 102. doi:<https://dx.doi.org/10.1186/1471-2318-13-102>
- Werner, A. (2005). Kampen for (tro)verdighet: kvinner med "ubestemte" helseplager i møtet med legen og dagliglivet. (no. 249), Det medisinske fakultet, Universitetet i Oslo Unipub, Oslo.
- Werner, A., & Malterud, K. (2003). It is hard work behaving as a credible patient: encounters between women with chronic pain and their doctors. *Social Science & Medicine*, 57(8), 1409-1419.
- Werner, A., Steihaug, S., & Malterud, K. (2003). Encountering the continuing challenges for women with chronic pain: recovery through recognition. *Qualitative Health Research*, 13(4), 491-509. doi:<https://dx.doi.org/10.1177/1049732302250755>
- Westgaard, R. H., Vasseljen, O., & Holte, K. A. (2001). Trapezius muscle activity as a risk indicator for shoulder and neck pain in female service workers with low biomechanical exposure. *Ergonomics*, 44(3), 339-353. doi:<https://dx.doi.org/10.1080/00140130119649>
- Wilsgaard, T., Emaus, N., Ahmed, L. A., Grimnes, G., Joakimsen, R. M., Omsland, T. K., & Berntsen, G. R. (2009). Lifestyle impact on lifetime bone loss in women and men: the Tromso Study. *American Journal of Epidemiology*, 169(7), 877-886. doi:<https://dx.doi.org/10.1093/aje/kwn407>

Muskel- og skjelettsmerter, langvarige smerte- og utmattelsestilstander

- Ægidius, K. L. (2010). The prevalence of headache and migraine in relation to sex hormone status in women : the HUNT 2 study. (439), Norwegian University of Science and Technology, Faculty of Medicine, Department of Neuroscience, Trondheim.
- Øverlie, I. (2003). Menopause, sex hormones and subjective complaints among a sample of Norwegian women. (no. 131), Faculty of Medicine, University of Oslo Unipub, Oslo.

Reproduktiv helse, fødsler, overgangsalder og aldring

- Aas, K. K., Tambs, K., Kise, M. S., Magnus, P., & Ronningen, K. S. (2010). Genetic testing of newborns for type 1 diabetes susceptibility: a prospective cohort study on effects on maternal mental health. *BMC Medical Genetics*, 11, 112. doi:<https://dx.doi.org/10.1186/1471-2350-11-112>
- Aasen, H. S. (2008). *Menneskerettslige aspekter knyttet til kjønnslemlestelse og helseundersøkelser* (Vol. nr. 5/2008). Oslo: Institutt for offentlig rett, Universitetet i Oslo Unipub.
- Aaseth, J., Thomassen, Y., Ellingsen, D. G., & Stoa-Birketvedt, G. (2001). Prophylactic iron supplementation in pregnant women in Norway. *Journal of Trace Elements in Medicine & Biology*, 15(2-3), 167-174. doi:[https://dx.doi.org/10.1016/S0946-672X\(01\)80062-6](https://dx.doi.org/10.1016/S0946-672X(01)80062-6)
- Aasheim, V., Waldenstrom, U., Hjelmstedt, A., Rasmussen, S., Pettersson, H., & Schytt, E. (2012). Associations between advanced maternal age and psychological distress in primiparous women, from early pregnancy to 18 months postpartum. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(9), 1108-1116. doi:<https://dx.doi.org/10.1111/j.1471-0528.2012.03411.x>
- Aasheim, V., Waldenstrom, U., Rasmussen, S., Espehaug, B., & Schytt, E. (2014). Satisfaction with life during pregnancy and early motherhood in first-time mothers of advanced age: a population-based longitudinal study. *BMC Pregnancy & Childbirth*, 14, 86. doi:<https://dx.doi.org/10.1186/1471-2393-14-86>
- Aasheim, V., Waldenstrom, U., Rasmussen, S., & Schytt, E. (2013). Experience of childbirth in first-time mothers of advanced age - a Norwegian population-based study. *BMC Pregnancy & Childbirth*, 13, 53. doi:<https://dx.doi.org/10.1186/1471-2393-13-53>
- Abebe, D. S., Von Soest, T., Von Holle, A., Zerwas, S. C., Torgersen, L., & Bulik, C. M. (2015). Developmental trajectories of postpartum weight 3 years after birth: Norwegian Mother And Child Cohort study. *Maternal & Child Health Journal*, 19(4), 917-925. doi:<https://dx.doi.org/10.1007/s10995-014-1593-x>
- Acharya, G., Kjeldberg, I., Hansen, S. M., Sorheim, N., Jacobsen, B. K., & Maltau, J. M. (2005). Pregnancy outcome after loop electrosurgical excision procedure for the management of cervical intraepithelial neoplasia. *Archives of Gynecology & Obstetrics*, 272(2), 109-112. doi:<https://dx.doi.org/10.1007/s00404-005-0727-1>
- Adams, S. S., Eberhard-Gran, M., & Eskild, A. (2012). Fear of childbirth and duration of labour: a study of 2206 women with intended vaginal delivery. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(10), 1238-1246. doi:<https://dx.doi.org/10.1111/j.1471-0528.2012.03433.x>
- Adams, S. S., Eberhard-Gran, M., Sandvik, A. R., & Eskild, A. (2012). Mode of delivery and postpartum emotional distress: a cohort study of 55,814 women. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(3), 298-305. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.03188.x>
- Aegidius, K., Zwart, J. A., Hagen, K., & Stovner, L. (2009). The effect of pregnancy and parity on headache prevalence: the Head-HUNT study. *Headache*, 49(6), 851-859. doi:<https://dx.doi.org/10.1111/j.1526-4610.2009.01438.x>
- Aegidius, K. L., Zwart, J. A., Hagen, K., Dyb, G., Holmen, T. L., & Stovner, L. J. (2011). Increased headache prevalence in female adolescents and adult women with early menarche. The Head-HUNT Studies. *European Journal of Neurology*, 18(2), 321-328. doi:<https://dx.doi.org/10.1111/j.1468-1331.2010.03143.x>
- Aegidius, K. L., Zwart, J. A., Hagen, K., Schei, B., & Stovner, L. J. (2007). Hormone replacement therapy and headache prevalence in postmenopausal women. The Head-HUNT study. *European Journal of Neurology*, 14(1), 73-78. doi:<https://dx.doi.org/10.1111/j.1468-1331.2006.01557.x>
- Albrechtsen, S., Rasmussen, S., Thoresen, S., Irgens, L. M., & Iversen, O. E. (2008). Pregnancy outcome in women before and after cervical conisation: population based cohort study. *BMJ*, 337, a1343. doi:<https://dx.doi.org/10.1136/bmj.a1343>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Albrektsen, G., Heuch, I., Hansen, S., & Kvale, G. (2005). Breast cancer risk by age at birth, time since birth and time intervals between births: exploring interaction effects. *British Journal of Cancer*, 92(1), 167-175. doi:<https://dx.doi.org/10.1038/sj.bjc.6602302>
- Albrektsen, G., Heuch, I., Thoresen, S., & Kvale, G. (2006). Clinical stage of breast cancer by parity, age at birth, and time since birth: a progressive effect of pregnancy hormones? *Cancer Epidemiology, Biomarkers & Prevention*, 15(1), 65-69. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-05-0634>
- Albrektsen, G., Heuch, I., Thoresen, S., & Kvale, G. (2006). Family history of breast cancer and short-term effects of childbirths on breast cancer risk. *International Journal of Cancer*, 119(6), 1468-1474. doi:<https://dx.doi.org/10.1002/ijc.22003>
- Albrektsen, G., Heuch, I., Thoresen, S., & Kvale, G. (2007). Twin births, sex of children and maternal risk of ovarian cancer: a cohort study in Norway. *British Journal of Cancer*, 96(9), 1433-1435. doi:<https://dx.doi.org/10.1038/sj.bjc.6603687>
- Albrektsen, G., Heuch, I., Thoresen, S., & Kvale, G. (2008). Twin births, sex of children and maternal risk of endometrial cancer: a cohort study in Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 87(11), 1123-1128. doi:<https://dx.doi.org/10.1080/00016340802443780>
- Albrektsen, G., Heuch, I., & Thoresen, S. O. (2010). Histological type and grade of breast cancer tumors by parity, age at birth, and time since birth: a register-based study in Norway. *BMC Cancer*, 10, 226. doi:<https://dx.doi.org/10.1186/1471-2407-10-226>
- Albrektsen, G., Heuch, I., Wik, E., & Salvesen, H. B. (2009). Parity and time interval since childbirth influence survival in endometrial cancer patients. *International Journal of Gynecological Cancer*, 19(4), 665-669. doi:<https://dx.doi.org/10.1111/IGC.0b013e3181a3e1bf>
- Albrektsen, G., Heuch, I., Wik, E., & Salvesen, H. B. (2009). Prognostic impact of parity in 493 uterine sarcoma patients. *International Journal of Gynecological Cancer*, 19(6), 1062-1067. doi:<https://dx.doi.org/10.1111/IGC.0b013e3181aaa950>
- Alsaker, M. D., Janszky, I., Opdahl, S., Vatten, L. J., & Romundstad, P. R. (2013). Weight change in adulthood and risk of postmenopausal breast cancer: the HUNT study of Norway. *British Journal of Cancer*, 109(5), 1310-1317. doi:<https://dx.doi.org/10.1038/bjc.2013.403>
- Alsaker, M. D., Opdahl, S., Romundstad, P. R., & Vatten, L. J. (2013). Association of time since last birth, age at first birth and parity with breast cancer survival among parous women: a register-based study from Norway. *International Journal of Cancer*, 132(1), 174-181. doi:<https://dx.doi.org/10.1002/ijc.27593>
- Alsaker, M. D. K. (2014). Life-course epidemiology in breast cancer: importance of weight change through life and reproductive history to risk for and survival from breast cancer : prospective studies of Norwegian women. (2014:78), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Alstveit, M., Severinsson, E., & Karlsen, B. (2010). Living on the edge of being overstretched--a Norwegian qualitative study of employed pregnant women. *Health Care for Women International*, 31(6), 533-551. doi:<https://dx.doi.org/10.1080/07399331003611459>
- Alstveit, M., Severinsson, E., & Karlsen, B. (2010). Obtaining confirmation through social relationships: Norwegian first-time mothers' experiences while on maternity leave. *Nursing & Health Sciences*, 12(1), 113-118. doi:<https://dx.doi.org/10.1111/j.1442-2018.2009.00508.x>
- Alstveit, M., Severinsson, E., & Karlsen, B. (2011). Maternity care professionals' perceptions of supporting employed women in Norway. *Nursing & Health Sciences*, 13(3), 316-322. doi:<https://dx.doi.org/10.1111/j.1442-2018.2011.00620.x>
- Alstveit, M., Severinsson, E., & Karlsen, B. (2011). Readjusting one's life in the tension inherent in work and motherhood. *Journal of Advanced Nursing*, 67(10), 2151-2160. doi:<https://dx.doi.org/10.1111/j.1365-2648.2011.05660.x>
- Alstveit, M., Severinsson, E., & Karlsen, B. (2015). Health Resources and Strategies among Employed Women in Norway during Pregnancy and Early Motherhood. *Nursing Research and Practice*, 2015, 705892. doi:<https://dx.doi.org/10.1155/2015/705892>

- Alvik, A. (2007). Alcohol use before, during and after pregnancy: a population based study in Oslo, Norway. (no. 501), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Amundsen, S., Ovrebo, T. G., Amble, N. M., Poole, A. C., & Nordeng, H. (2016). Use of antimigraine medications and information needs during pregnancy and breastfeeding: a cross-sectional study among 401 Norwegian women. *European Journal of Clinical Pharmacology*, 72(12), 1525-1535. doi:<https://dx.doi.org/10.1007/s00228-016-2127-9>
- Ananth, C. V., Keyes, K. M., Hamilton, A., Gissler, M., Wu, C., Liu, S., . . . Cnattingius, S. (2015). An international contrast of rates of placental abruption: an age-period-cohort analysis. *PLoS ONE [Electronic Resource]*, 10(5), e0125246. doi:<https://dx.doi.org/10.1371/journal.pone.0125246>
- Ananth, C. V., Skjaerven, R., & Klunsoyr, K. (2015). Change in paternity, risk of placental abruption and confounding by birth interval: a population-based prospective cohort study in Norway, 1967-2009. *BMJ Open*, 5(2), e007023. doi:<https://dx.doi.org/10.1136/bmjopen-2014-007023>
- Andersgaard, A. B., Acharya, G., Mathiesen, E. B., Johnsen, S. H., Straume, B., & Oian, P. (2012). Recurrence and long-term maternal health risks of hypertensive disorders of pregnancy: a population-based study. *American Journal of Obstetrics & Gynecology*, 206(2), 143.e141-148. doi:<https://dx.doi.org/10.1016/j.ajog.2011.09.032>
- Andersgaard, A. B., Herbst, A., Johansen, M., Borgstrom, A., Bille, A. G., & Oian, P. (2009). Follow-up interviews after eclampsia. *Gynecologic & Obstetric Investigation*, 67(1), 49-52. doi:<https://dx.doi.org/10.1159/000161569>
- Andersgaard, A. B., Langhoff-Roos, J., & Oian, P. (2008). Direct maternal deaths in Norway 1976-1995. *Acta Obstetrica et Gynecologica Scandinavica*, 87(8), 856-861. doi:<https://dx.doi.org/10.1080/00016340802237067>
- Antal, E. A., Hogasen, H. R., Sandvik, L., & Maehlen, J. (2007). Listeriosis in Norway 1977-2003. *Scandinavian Journal of Infectious Diseases*, 39(5), 398-404. doi:<https://dx.doi.org/10.1080/00365540601087574>
- Asvold, B. O., Eskild, A., & Vatten, L. J. (2014). Human chorionic gonadotropin, angiogenic factors, and preeclampsia risk: a nested case-control study. *Acta Obstetrica et Gynecologica Scandinavica*, 93(5), 454-462. doi:<https://dx.doi.org/10.1111/aogs.12363>
- Asvold, B. O., Vatten, L. J., Tanbo, T. G., & Eskild, A. (2014). Concentrations of human chorionic gonadotrophin in very early pregnancy and subsequent pre-eclampsia: a cohort study. *Human Reproduction*, 29(6), 1153-1160. doi:<https://dx.doi.org/10.1093/humrep/deu068>
- Aune, B., Vartun, A., Oian, P., & Sager, G. (2000). Evidence of dysfunctional beta2-adrenoceptor signal system in pre-eclampsia. *BJOG: An International Journal of Obstetrics & Gynaecology*, 107(1), 116-121.
- Aune, I., Amundsen, H. H., & Skaget Aas, L. C. (2014). Is a midwife's continuous presence during childbirth a matter of course? Midwives' experiences and thoughts about factors that may influence their continuous support of women during labour. *Midwifery*, 30(1), 89-95. doi:<https://dx.doi.org/10.1016/j.midw.2013.02.001>
- Aune, I., Dahlberg Msc, U., & Ingebrigtsen, O. (2012). Parents' experiences of midwifery students providing continuity of care. *Midwifery*, 28(4), 372-378. doi:<https://dx.doi.org/10.1016/j.midw.2011.06.006>
- Aune, I., Hoston, M. A., Kolshus, N. J., & Larsen, C. E. G. (2017). Nature works best when allowed to run its course. The experience of midwives promoting normal births in a home birth setting. *Midwifery*, 50, 21-26. doi:<https://dx.doi.org/10.1016/j.midw.2017.03.020>
- Aune, I., Marit Torvik, H., Selboe, S. T., Skogas, A. K., Persen, J., & Dahlberg, U. (2015). Promoting a normal birth and a positive birth experience - Norwegian women's perspectives. *Midwifery*, 31(7), 721-727. doi:<https://dx.doi.org/10.1016/j.midw.2015.03.016>
- Aune, I., & Olufsen, V. (2014). From fragmented to interdisciplinary understanding of integrated antenatal and postnatal care'-an interprofessional project between public health nursing students and midwifery students. *Midwifery*, 30(3), 353-358. doi:<https://dx.doi.org/10.1016/j.midw.2013.03.007>
- Austveg, B. (2006). *Kvinner helse på spill: et historisk og globalt perspektiv på fødsel og abort*. Oslo: Universitetsforl.

- Austveg, B. (2013). Unwanted pregnancies continue to be a major problem for women's health. [Uønskede graviditeter er fortsatt et stort kvinnehelseproblem]. *Tidsskrift for Den Norske Lægeforening*, 133(23-24), 2444.
- Bacelis, J., Juodakis, J., Sengpiel, V., Zhang, G., Myhre, R., Muglia, L. J., . . . Jacobsson, B. (2016). Literature-Informed Analysis of a Genome-Wide Association Study of Gestational Age in Norwegian Women and Children Suggests Involvement of Inflammatory Pathways. [Erratum appears in PLoS One. 2016 Oct 19;11(10):e0165328; PMID: 27760235]. *PLoS ONE [Electronic Resource]*, 11(8), e0160335. doi:<https://dx.doi.org/10.1371/journal.pone.0160335>
- Backe, B. (2001). Overutilization of antenatal care in Norway. *Scandinavian Journal of Public Health*, 29(2), 129-132.
- Backe, B., & Hunskaar, S. (2001). Increased acceptance of HRT and improved level of information: a change in Norwegian women's opinion from 1990 to 1997. *Acta Obstetrica et Gynecologica Scandinavica*, 80(7), 623-627.
- Baghestan, E., Irgens, L. M., Bordahl, P. E., & Rasmussen, S. (2010). Trends in risk factors for obstetric anal sphincter injuries in Norway. *Obstetrics & Gynecology*, 116(1), 25-34. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181e2f50b>
- Baghestan, E., Irgens, L. M., Bordahl, P. E., & Rasmussen, S. (2012). Risk of recurrence and subsequent delivery after obstetric anal sphincter injuries. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(1), 62-69. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.03150.x>
- Baghestan, E., Irgens, L. M., Bordahl, P. E., & Rasmussen, S. (2013). Familial risk of obstetric anal sphincter injuries: registry-based cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 120(7), 831-837. doi:<https://dx.doi.org/10.1111/1471-0528.12220>
- Bakken, I. J., & Ghaderi, S. (2009). Incidence of pelvic inflammatory disease in a large cohort of women tested for Chlamydia trachomatis: a historical follow-up study. *BMC Infectious Diseases*, 9, 130. doi:<https://dx.doi.org/10.1186/1471-2334-9-130>
- Bakken, I. J., Nordbo, S. A., & Skjeldestad, F. E. (2006). Chlamydia trachomatis testing patterns and prevalence of genital chlamydial infection among young men and women in central Norway 1990-2003: a population-based registry study. *Sexually Transmitted Diseases*, 33(1), 26-30.
- Bakken, I. J., & Skjeldestad, F. E. (2006). Time trends in ectopic pregnancies in a Norwegian county 1970-2004--a population-based study. *Human Reproduction*, 21(12), 3132-3136. doi:<https://dx.doi.org/10.1093/humrep/del289>
- Bakken, I. J., Skjeldestad, F. E., Lydersen, S., & Nordbo, S. A. (2007). Births and ectopic pregnancies in a large cohort of women tested for Chlamydia trachomatis. *Sexually Transmitted Diseases*, 34(10), 739-743. doi:<https://dx.doi.org/10.1097/01.olq.0000261326.65503.f6>
- Bakken, I. J., Skjeldestad, F. E., Schoyen, U., & Husby, M. G. (2007). Strong decline in female sterilization rates in Norway after the introduction of a new copayment system: a registry based study. *BMC Women's Health*, 7, 12. doi:<https://dx.doi.org/10.1186/1472-6874-7-12>
- Bakken, K. (2004). Patterns of use and medical consequences of hormone replacement therapy: the Norwegian Women and Cancer (NOWAC) study. Department of Pharmacy, Faculty of Medicine, University of Tromsø, Tromsø.
- Bakken, K., Alsaker, E., Eggen, A. E., & Lund, E. (2004). Hormone replacement therapy and incidence of hormone-dependent cancers in the Norwegian Women and Cancer study. *International Journal of Cancer*, 112(1), 130-134. doi:<https://dx.doi.org/10.1002/ijc.20389>
- Bakken, K., Eggen, A. E., & Lund, E. (2001). Hormone replacement therapy in Norwegian women, 1996-1997. *Maturitas*, 40(2), 131-141.
- Bakken, K., Eggen, A. E., & Lund, E. (2004). Side-effects of hormone replacement therapy and influence on pattern of use among women aged 45-64 years. The Norwegian Women and Cancer (NOWAC) study 1997. *Acta Obstetrica et Gynecologica Scandinavica*, 83(9), 850-856. doi:<https://dx.doi.org/10.1111/j.0001-6349.2004.00560.x>

- Bakken, K., Fournier, A., Lund, E., Waaseth, M., Dumeaux, V., Clavel-Chapelon, F., . . . Berrino, F. (2011). Menopausal hormone therapy and breast cancer risk: impact of different treatments. *The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer*, 128(1), 144-156. doi:<https://dx.doi.org/10.1002/ijc.25314>
- Bakken, K. S., Skjeldal, O. H., & Stray-Pedersen, B. (2015). Higher risk for adverse obstetric outcomes among immigrants of African and Asian descent: a comparison study at a low-risk maternity hospital in Norway. *Birth*, 42(2), 132-140. doi:<https://dx.doi.org/10.1111/birt.12165>
- Bakken, K. S., Skjeldal, O. H., & Stray-Pedersen, B. (2015). Immigrants from conflict-zone countries: an observational comparison study of obstetric outcomes in a low-risk maternity ward in Norway. *BMC Pregnancy & Childbirth*, 15, 163. doi:<https://dx.doi.org/10.1186/s12884-015-0603-3>
- Bakken, K. S., Skjeldal, O. H., & Stray-Pedersen, B. (2017). Obstetric Outcomes of First- and Second-Generation Pakistani Immigrants: A Comparison Study at a Low-Risk Maternity Ward in Norway. *Journal of Immigrant & Minority Health*, 19(1), 33-40. doi:<https://dx.doi.org/10.1007/s10903-015-0329-3>
- Barlinn, R., Vainio, K., Samdal, H. H., Nordbo, S. A., Nokleby, H., & Dudman, S. G. (2014). Susceptibility to cytomegalovirus, parvovirus B19 and age-dependent differences in levels of rubella antibodies among pregnant women. *Journal of Medical Virology*, 86(5), 820-826. doi:<https://dx.doi.org/10.1002/jmv.23757>
- Barrett, E. S., Thune, I., Lipson, S. F., Furberg, A. S., & Ellison, P. T. (2013). A factor analysis approach to examining relationships among ovarian steroid concentrations, gonadotrophin concentrations and menstrual cycle length characteristics in healthy, cycling women. *Human Reproduction*, 28(3), 801-811. doi:<https://dx.doi.org/10.1093/humrep/des429>
- Baste, V., Moen, B. E., Riise, T., Hollund, B. E., & Oyen, N. (2008). Infertility and spontaneous abortion among female hairdressers: the Hordaland Health Study. *Journal of Occupational & Environmental Medicine*, 50(12), 1371-1377. doi:<https://dx.doi.org/10.1097/JOM.0b013e3181858723>
- Baste, V., Oftedal, G., Mollerlokken, O. J., Mild, K. H., & Moen, B. E. (2015). Prospective study of pregnancy outcomes after parental cell phone exposure: the Norwegian Mother and Child Cohort Study. *Epidemiology*, 26(4), 613-621. doi:<https://dx.doi.org/10.1097/EDE.0000000000000293>
- Belfrage, P., & Gjessing, L. (2002). The term breech presentation. A retrospective study with regard to the planned mode of delivery. *Acta Obstetrica et Gynecologica Scandinavica*, 81(6), 544-550.
- Berg, R. C., Underland, V., Odgaard-Jensen, J., Fretheim, A., & Vist, G. E. (2014). Effects of female genital cutting on physical health outcomes: a systematic review and meta-analysis. *BMJ Open*, 4(11), e006316. doi:<https://dx.doi.org/10.1136/bmjopen-2014-006316>
- Berg, S. F. (2012). Is early ultrasonography good for everyone? [Er tidlig ultralydundersøkelse for alle et gode?]. *Tidsskrift for Den Norske Laegeforening*, 132(14), 1588-1589.
- Berg, V. (2015). Concentrations and predictors of persistent organic pollutants in pregnant women and associations with maternal and infant thyroid homeostasis: The Norway Mother-and Child Contaminant Cohort Study. (nr. 162), UiT the Arctic University of Norway, Faculty of Health Sciences, Department of Community Medicine, Tromsø.
- Berg, V., Nost, T. H., Hansen, S., Elverland, A., Veyhe, A. S., Jorde, R., . . . Sandanger, T. M. (2015). Assessing the relationship between perfluoroalkyl substances, thyroid hormones and binding proteins in pregnant women; a longitudinal mixed effects approach. *Environment International*, 77, 63-69. doi:<https://dx.doi.org/10.1016/j.envint.2015.01.007>
- Bergland, A., Jorgensen, L., Emaus, N., & Strand, B. H. (2017). Mobility as a predictor of all-cause mortality in older men and women: 11.8 year follow-up in the Tromso study. *BMC Health Services Research*, 17(1), 22. doi:<https://dx.doi.org/10.1186/s12913-016-1950-0>
- Bergland, A., & Wyller, T. B. (2004). Risk factors for serious fall related injury in elderly women living at home. *Injury Prevention*, 10(5), 308-313. doi:<https://dx.doi.org/10.1136/ip.2003.004721>
- Bergrem, A., Jacobsen, E. M., Skjeldestad, F. E., Jacobsen, A. F., Skogstad, M., & Sandset, P. M. (2010). The association of antiphospholipid antibodies with pregnancy-related first time venous thrombosis--a population-based case-control study. *Thrombosis Research*, 125(5), e222-227. doi:<https://dx.doi.org/10.1016/j.thromres.2009.12.006>

- Berner, E., Qvigstad, E., Myrvold, A. K., & Lieng, M. (2015). Pain reduction after total laparoscopic hysterectomy and laparoscopic supracervical hysterectomy among women with dysmenorrhoea: a randomised controlled trial. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(8), 1102-1111. doi:<https://dx.doi.org/10.1111/1471-0528.13362>
- Bernitz, S., Aas, E., & Oian, P. (2012). Economic evaluation of birth care in low-risk women. A comparison between a midwife-led birth unit and a standard obstetric unit within the same hospital in Norway. A randomised controlled trial. *Midwifery*, 28(5), 591-599. doi:<https://dx.doi.org/10.1016/j.midw.2012.06.001>
- Bernitz, S., Oian, P., Rolland, R., Sandvik, L., & Blix, E. (2014). Oxytocin and dystocia as risk factors for adverse birth outcomes: a cohort of low-risk nulliparous women. *Midwifery*, 30(3), 364-370. doi:<https://dx.doi.org/10.1016/j.midw.2013.03.010>
- Bernitz, S., Rolland, R., Blix, E., Jacobsen, M., Sjoborg, K., & Oian, P. (2011). Is the operative delivery rate in low-risk women dependent on the level of birth care? A randomised controlled trial. [Erratum appears in *BJOG*. 2011 Dec;118(13):1688]. *BJOG: An International Journal of Obstetrics & Gynaecology*, 118(11), 1357-1364. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.03043.x>
- Berntsen, G. K., Fonnebo, V., Tollan, A., Sogaard, A. J., & Magnus, J. H. (2001). Forearm bone mineral density by age in 7,620 men and women: the Tromso study, a population-based study. *American Journal of Epidemiology*, 153(5), 465-473.
- Berntsen, K. N. (2011). Trends in total and cause-specific mortality by marital status among elderly Norwegian men and women. *BMC Public Health*, 11, 537. doi:<https://dx.doi.org/10.1186/1471-2458-11-537>
- Berntsen, S., Richardsen, K. R., Morkrid, K., Sletner, L., Birkeland, K. I., & Jennum, A. K. (2014). Objectively recorded physical activity in early pregnancy: a multiethnic population-based study. *Scandinavian Journal of Medicine & Science in Sports*, 24(3), 594-601. doi:<https://dx.doi.org/10.1111/sms.12034>
- Biong, M., Gram, I. T., Brill, I., Johansen, F., Solvang, H. K., Alnaes, G. I., . . . Kristensen, V. N. (2010). Genotypes and haplotypes in the insulin-like growth factors, their receptors and binding proteins in relation to plasma metabolic levels and mammographic density. *BMC Medical Genomics [Electronic Resource]*, 3, 9. doi:<https://dx.doi.org/10.1186/1755-8794-3-9>
- Biringer, E., Howard, L. M., Kessler, U., Stewart, R., & Mykletun, A. (2015). Is infertility really associated with higher levels of mental distress in the female population? Results from the North-Trøndelag Health Study and the Medical Birth Registry of Norway. *Journal of Psychosomatic Obstetrics & Gynecology*, 36(2), 38-45. doi:<https://dx.doi.org/10.3109/0167482X.2014.992411>
- Birkeflet, O., Laake, P., & Vollestad, N. (2011). Low inter-rater reliability in traditional Chinese medicine for female infertility. *Acupuncture in Medicine*, 29(1), 51-57. doi:<https://dx.doi.org/10.1136/aim.2010.003186>
- Bjelland, E. K., Eberhard-Gran, M., Nielsen, C. S., & Eskild, A. (2011). Age at menarche and pelvic girdle syndrome in pregnancy: a population study of 74 973 women. *BJOG: An International Journal of Obstetrics & Gynaecology*, 118(13), 1646-1652. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.03099.x>
- Bjelland, E. K., Eskild, A., Johansen, R., & Eberhard-Gran, M. (2010). Pelvic girdle pain in pregnancy: the impact of parity. *American Journal of Obstetrics & Gynecology*, 203(2), 146.e141-146. doi:<https://dx.doi.org/10.1016/j.ajog.2010.03.040>
- Bjelland, E. K., Kristiansson, P., Nordeng, H., Vangen, S., & Eberhard-Gran, M. (2013). Hormonal contraception and pelvic girdle pain during pregnancy: a population study of 91,721 pregnancies in the Norwegian Mother and Child Cohort. *Human Reproduction*, 28(11), 3134-3140. doi:<https://dx.doi.org/10.1093/humrep/det301>
- Bjelland, E. K., Owe, K. M., Pingel, R., Kristiansson, P., Vangen, S., & Eberhard-Gran, M. (2016). Pelvic pain after childbirth: a longitudinal population study. *Pain*, 157(3), 710-716. doi:<https://dx.doi.org/10.1097/j.pain.0000000000000427>
- Bjelland, E. K., Stuge, B., Engdahl, B., & Eberhard-Gran, M. (2013). The effect of emotional distress on persistent pelvic girdle pain after delivery: a longitudinal population study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 120(1), 32-40. doi:<https://dx.doi.org/10.1111/1471-0528.12029>

- Bjelland, E. K., Stuge, B., Vangen, S., Stray-Pedersen, B., & Eberhard-Gran, M. (2013). Mode of delivery and persistence of pelvic girdle syndrome 6 months postpartum. *American Journal of Obstetrics & Gynecology*, 208(4), 298.e291-297. doi:<https://dx.doi.org/10.1016/j.ajog.2012.12.002>
- Bjercke, S., Dale, P. O., Tanbo, T., Storeng, R., Ertzeid, G., & Abyholm, T. (2002). Impact of insulin resistance on pregnancy complications and outcome in women with polycystic ovary syndrome. *Gynecologic & Obstetric Investigation*, 54(2), 94-98. doi:<https://dx.doi.org/67719>
- Bjerkaas, E., Parajuli, R., Engeland, A., Maskarinec, G., Weiderpass, E., & Gram, I. T. (2015). Social inequalities and smoking-associated breast cancer - Results from a prospective cohort study. *Preventive Medicine*, 73, 125-129. doi:<https://dx.doi.org/10.1016/j.yjmed.2015.01.004>
- Bjerkaas, E., Parajuli, R., Weiderpass, E., Engeland, A., Maskarinec, G., Selmer, R., & Gram, I. T. (2013). Smoking duration before first childbirth: an emerging risk factor for breast cancer? Results from 302,865 Norwegian women. *Cancer Causes & Control*, 24(7), 1347-1356. doi:<https://dx.doi.org/10.1007/s10552-013-0213-1>
- Bjerke, S. E., Holter, E., Vangen, S., & Stray-Pedersen, B. (2010). Sexually transmitted infections among Pakistani pregnant women and their husbands in Norway. *International Journal of Women's Health*, 2, 303-309. doi:<https://dx.doi.org/10.2147/IJWH.S13018>
- Bjerke, S. E., Vangen, S., Holter, E., & Stray-Pedersen, B. (2011). Infectious immune status in an obstetric population of Pakistani immigrants in Norway. *Scandinavian Journal of Public Health*, 39(5), 464-470. doi:<https://dx.doi.org/10.1177/1403494811399653>
- Bjerke, S. E., Vangen, S., Nordhagen, R., Ytterdahl, T., Magnus, P., & Stray-Pedersen, B. (2008). Postpartum depression among Pakistani women in Norway: prevalence and risk factors. *Journal of Maternal-Fetal & Neonatal Medicine*, 21(12), 889-894. doi:<https://dx.doi.org/10.1080/14767050802320340>
- Bjorge, L., Johnsen, S. L., Midboe, G., Augestad, G., Okland, I., Helland, H., . . . Iversen, O. E. (2001). Early pregnancy termination with mifepristone and misoprostol in Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 80(11), 1056-1061.
- Bjorge, T., Cnattingius, S., Engeland, A., Tretli, S., Lie, R. T., & Lukanova, A. (2009). Fetal Down syndrome and the risk of maternal breast cancer. *Epidemiology*, 20(4), 584-589. doi:<https://dx.doi.org/10.1097/EDE.0b013e3181a66457>
- Bjorge, T., Gissler, M., Ording, A. G., Engeland, A., Glimelius, I., Leinonen, M., . . . Grotmol, T. (2016). Reproductive history and risk of colorectal adenocarcinoma in parous women: a Nordic population-based case-control study. *British Journal of Cancer*, 115(11), 1416-1420. doi:<https://dx.doi.org/10.1038/bjc.2016.315>
- Bjorge, T., Lukanova, A., Jonsson, H., Tretli, S., Ulmer, H., Manjer, J., . . . Engeland, A. (2010). Metabolic syndrome and breast cancer in the me-can (metabolic syndrome and cancer) project. *Cancer Epidemiology, Biomarkers & Prevention*, 19(7), 1737-1745. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-10-0230>
- Bjorge, T., Lukanova, A., Tretli, S., Manjer, J., Ulmer, H., Stocks, T., . . . Engeland, A. (2011). Metabolic risk factors and ovarian cancer in the Metabolic Syndrome and Cancer project. *International Journal of Epidemiology*, 40(6), 1667-1677. doi:<https://dx.doi.org/10.1093/ije/dyr130>
- Bjorge, T., Skare, G. B., Bjorge, L., Trope, A., & Lonnberg, S. (2016). Adverse Pregnancy Outcomes After Treatment for Cervical Intraepithelial Neoplasia. *Obstetrics & Gynecology*, 128(6), 1265-1273. doi:<https://dx.doi.org/10.1097/AOG.0000000000001777>
- Bjork, M. H., Veiby, G., Reiter, S. C., Berle, J. O., Daltveit, A. K., Spigset, O., . . . Gilhus, N. E. (2015). Depression and anxiety in women with epilepsy during pregnancy and after delivery: a prospective population-based cohort study on frequency, risk factors, medication, and prognosis. *Epilepsia*, 56(1), 28-39. doi:<https://dx.doi.org/10.1111/epi.12884>
- Bjorke-Monsen, A. L., Roth, C., Magnus, P., Midttun, O., Nilsen, R. M., Reichborn-Kjennerud, T., . . . Ueland, P. M. (2013). Maternal B vitamin status in pregnancy week 18 according to reported use of folic acid supplements. *Molecular Nutrition & Food Research*, 57(4), 645-652. doi:<https://dx.doi.org/10.1002/mnfr.201200114>

- Bjorke-Monsen, A. L., Ulvik, A., Nilsen, R. M., Midttun, O., Roth, C., Magnus, P., . . . Ueland, P. M. (2016). Impact of Pre-Pregnancy BMI on B Vitamin and Inflammatory Status in Early Pregnancy: An Observational Cohort Study. *Nutrients*, 8(12), 30. doi:<https://dx.doi.org/10.3390/nu8120776>
- Bjornerem, A., Ahmed, L. A., Joakimsen, R. M., Berntsen, G. K., Fonnebo, V., Jorgensen, L., . . . Straume, B. (2007). A prospective study of sex steroids, sex hormone-binding globulin, and non-vertebral fractures in women and men: the Tromso Study. [Erratum appears in *Eur J Endocrinol.* 2011 Mar;164(3):445]. *European Journal of Endocrinology*, 157(1), 119-125. doi:<https://dx.doi.org/10.1530/EJE-07-0032>
- Bjornerem, A., Ahmed, L. A., Jorgensen, L., Stormer, J., & Joakimsen, R. M. (2011). Breastfeeding protects against hip fracture in postmenopausal women: the Tromso study. *Journal of Bone & Mineral Research*, 26(12), 2843-2850. doi:<https://dx.doi.org/10.1002/jbmr.496>
- Bjornerem, A., Straume, B., Oian, P., & Berntsen, G. K. (2006). Seasonal variation of estradiol, follicle stimulating hormone, and dehydroepiandrosterone sulfate in women and men. *Journal of Clinical Endocrinology & Metabolism*, 91(10), 3798-3802. doi:<https://dx.doi.org/10.1210/jc.2006-0866>
- Bjornestad, E., Iversen, O. E., & Raeder, J. (2004). The impact of increasing the use of regional anaesthesia for emergency caesarean section. *European Journal of Anaesthesiology*, 21(10), 776-780.
- Bjorstad, A. R., Irgens-Hansen, K., Daltveit, A. K., & Irgens, L. M. (2010). Macrosomia: mode of delivery and pregnancy outcome. *Acta Obstetrica et Gynecologica Scandinavica*, 89(5), 664-669. doi:<https://dx.doi.org/10.3109/00016341003686099>
- Blaaka, G., & Schauer Eri, T. (2008). Doing midwifery between different belief systems. *Midwifery*, 24(3), 344-352. doi:<https://dx.doi.org/10.1016/j.midw.2006.10.005>
- Blix, E. (2011). Avoiding disturbance: midwifery practice in home birth settings in Norway. *Midwifery*, 27(5), 687-692. doi:<https://dx.doi.org/10.1016/j.midw.2009.09.008>
- Blix, E., Huitfeldt, A. S., Oian, P., Straume, B., & Kumle, M. (2012). Outcomes of planned home births and planned hospital births in low-risk women in Norway between 1990 and 2007: a retrospective cohort study. *Sexual & reproductive healthcare: official journal of the Swedish Association of Midwives*, 3(4), 147-153. doi:<https://dx.doi.org/10.1016/j.srhc.2012.10.001>
- Blix, E., Kumle, M. H., Ingversen, K., Huitfeldt, A. S., Hegaard, H. K., Olafsdottir, O. A., . . . Lindgren, H. (2016). Transfers to hospital in planned home birth in four Nordic countries - a prospective cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 95(4), 420-428. doi:<https://dx.doi.org/10.1111/aogs.12858>
- Bo, K., & Backe-Hansen, K. L. (2007). Do elite athletes experience low back, pelvic girdle and pelvic floor complaints during and after pregnancy? *Scandinavian Journal of Medicine & Science in Sports*, 17(5), 480-487. doi:<https://dx.doi.org/10.1111/j.1600-0838.2006.00599.x>
- Bo, K., Fleten, C., & Nystad, W. (2009). Effect of antenatal pelvic floor muscle training on labor and birth. *Obstetrics & Gynecology*, 113(6), 1279-1284. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181a66f40>
- Bo, K., L, A. H. H., & Voldner, N. (2007). Do pregnant women exercise their pelvic floor muscles? *International Urogynecology Journal*, 18(7), 733-736. doi:<https://dx.doi.org/10.1007/s00192-006-0235-2>
- Bo, K., Owe, K. M., & Nystad, W. (2007). Which women do pelvic floor muscle exercises six months' postpartum? *American Journal of Obstetrics & Gynecology*, 197(1), 49.e41-45. doi:<https://dx.doi.org/10.1016/j.ajog.2007.02.014>
- Bo, K., Pauck Oglund, G., Sletner, L., Morkrid, K., & Jenum, A. K. (2012). The prevalence of urinary incontinence in pregnancy among a multi-ethnic population resident in Norway. [Erratum appears in *BJOG.* 2012 Nov;119(12):1553]. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(11), 1354-1360. doi:<https://dx.doi.org/10.1111/j.1471-0528.2012.03435.x>
- Bo, K., & Sundgot-Borgen, J. (2010). Are former female elite athletes more likely to experience urinary incontinence later in life than non-athletes? *Scandinavian Journal of Medicine & Science in Sports*, 20(1), 100-104. doi:10.1111/j.1600-0838.2008.00871.x
- Bo, K., Talseth, T., & Vinsnes, A. (2000). Randomized controlled trial on the effect of pelvic floor muscle training on quality of life and sexual problems in genuine stress incontinent women. *Acta Obstetrica et Gynecologica Scandinavica*, 79(7), 598-603.
- Bondevik, H., & Lie, A. K. (2012). *Rødt og hvitt: om blod og melk i fortid og samtid*. Oslo: Unipub.

- Borgen, I., Aamodt, G., Harsem, N., Haugen, M., Meltzer, H. M., & Brantsaeter, A. L. (2012). Maternal sugar consumption and risk of preeclampsia in nulliparous Norwegian women. *European Journal of Clinical Nutrition*, 66(8), 920-925. doi:<https://dx.doi.org/10.1038/ejcn.2012.61>
- Borgen, I., Garnweidner-Holme, L. M., Jacobsen, A. F., Bjerkan, K., Fayyad, S., Joranger, P., . . . Lukasse, M. (2017). Smartphone application for women with gestational diabetes mellitus: a study protocol for a multicentre randomised controlled trial. *BMJ Open*, 7(3), e013117. doi:<https://dx.doi.org/10.1136/bmjopen-2016-013117>
- Borthen, I., Eide, M. G., Daltveit, A. K., & Gilhus, N. E. (2010). Delivery outcome of women with epilepsy: a population-based cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 117(12), 1537-1543. doi:<https://dx.doi.org/10.1111/j.1471-0528.2010.02694.x>
- Borthen, I., Eide, M. G., Daltveit, A. K., & Gilhus, N. E. (2011). Obstetric outcome in women with epilepsy: a hospital-based, retrospective study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 118(8), 956-965. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.03004.x>
- Borthen, I., Eide, M. G., Veiby, G., Daltveit, A. K., & Gilhus, N. E. (2009). Complications during pregnancy in women with epilepsy: population-based cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 116(13), 1736-1742. doi:<https://dx.doi.org/10.1111/j.1471-0528.2009.02354.x>
- Borud, E. K., Alraek, T., White, A., Fonnebo, V., & Grimsgaard, S. (2007). The effect of TCM acupuncture on hot flushes among menopausal women (ACUFLASH) study: a study protocol of an ongoing multi-centre randomised controlled clinical trial. *BMC Complementary & Alternative Medicine*, 7, 6. doi:<https://dx.doi.org/10.1186/1472-6882-7-6>
- Borud, E. K., Alraek, T., White, A., & Grimsgaard, S. (2009). The acupuncture treatment for postmenopausal hot flushes (Acuflysh) study: traditional Chinese medicine diagnoses and acupuncture points used, and their relation to the treatment response. *Acupuncture in Medicine*, 27(3), 101-108. doi:<https://dx.doi.org/10.1136/aim.2009.000612>
- Braekke, K., & Staff, A. C. (2003). Periconceptional use of folic acid supplements in Oslo. *Acta Obstetrica et Gynecologica Scandinavica*, 82(7), 620-627.
- Braekken, I. H., Majida, M., Ellstrom Engh, M., Holme, I. M., & Bo, K. (2009). Pelvic floor function is independently associated with pelvic organ prolapse. *BJOG: An International Journal of Obstetrics & Gynaecology*, 116(13), 1706-1714. doi:<https://dx.doi.org/10.1111/j.1471-0528.2009.02379.x>
- Brandhagen, M., Lissner, L., Brantsaeter, A. L., Meltzer, H. M., Haggkvist, A. P., Haugen, M., & Winkvist, A. (2014). Breast-feeding in relation to weight retention up to 36 months postpartum in the Norwegian Mother and Child Cohort Study: modification by socio-economic status? *Public Health Nutrition*, 17(7), 1514-1523. doi:<https://dx.doi.org/10.1017/S1368980013001869>
- Brantsaeter, A. L., Abel, M. H., Haugen, M., & Meltzer, H. M. (2013). Risk of suboptimal iodine intake in pregnant Norwegian women. *Nutrients*, 5(2), 424-440. doi:<https://dx.doi.org/10.3390/nu5020424>
- Brantsaeter, A. L., Haugen, M., Samuelsen, S. O., Torjusen, H., Trogstad, L., Alexander, J., . . . Meltzer, H. M. (2009). A dietary pattern characterized by high intake of vegetables, fruits, and vegetable oils is associated with reduced risk of preeclampsia in nulliparous pregnant Norwegian women. *Journal of Nutrition*, 139(6), 1162-1168. doi:<https://dx.doi.org/10.3945/jn.109.104968>
- Brantsaeter, A. L., Myhre, R., Haugen, M., Myking, S., Sengpiel, V., Magnus, P., . . . Meltzer, H. M. (2011). Intake of probiotic food and risk of preeclampsia in primiparous women: the Norwegian Mother and Child Cohort Study. *American Journal of Epidemiology*, 174(7), 807-815. doi:<https://dx.doi.org/10.1093/aje/kwr168>
- Brantsaeter, A. L., Whitworth, K. W., Ydersbond, T. A., Haug, L. S., Haugen, M., Knutsen, H. K., . . . Longnecker, M. P. (2013). Determinants of plasma concentrations of perfluoroalkyl substances in pregnant Norwegian women. *Environment International*, 54, 74-84. doi:<https://dx.doi.org/10.1016/j.envint.2012.12.014>
- Bratlie, M., Aarvold, T., Skarn, E. S., Lundekvam, J. A., Nesheim, B. I., & Askevold, E. T. (2014). Long-acting reversible contraception for adolescents and young adults - a cross-sectional study of women and general practitioners in Oslo, Norway. *European Journal of Contraception & Reproductive Health Care*, 19(3), 194-202. doi:<https://dx.doi.org/10.3109/13625187.2014.903237>

- Brekke, I., Berg, J. E., Sletner, L., & Jennum, A. K. (2013). Doctor-certified sickness absence in first and second trimesters of pregnancy among native and immigrant women in Norway. *Scandinavian Journal of Public Health*, 41(2), 166-173. doi:<https://dx.doi.org/10.1177/1403494812472005>
- Bremnes, Y. (2007). Hormones, smoking and mammographic density in postmenopausal Norwegian women: the Tromsø Mammography and Breast Cancer Study. (Nr. 94), Institute of Community Medicine, University of Tromsø ; Norske Kvinners Sanitetsforening, Tromsø.
- Bremnes, Y., Ursin, G., Bjurstam, N., & Gram, I. T. (2007). Different measures of smoking exposure and mammographic density in postmenopausal Norwegian women: a cross-sectional study. *Breast Cancer Research*, 9(5), R73. doi:<https://dx.doi.org/10.1186/bcr1782>
- Bremnes, Y., Ursin, G., Bjurstam, N., Lund, E., & Gram, I. T. (2007). Different types of postmenopausal hormone therapy and mammographic density in Norwegian women. *International Journal of Cancer*, 120(4), 880-884. doi:<https://dx.doi.org/10.1002/ijc.22437>
- Bremnes, Y., Ursin, G., Bjurstam, N., Rinaldi, S., Kaaks, R., & Gram, I. T. (2007). Endogenous sex hormones, prolactin and mammographic density in postmenopausal Norwegian women. *International Journal of Cancer*, 121(11), 2506-2511. doi:<https://dx.doi.org/10.1002/ijc.22971>
- Bremnes, Y., Ursin, G., Bjurstam, N., Rinaldi, S., Kaaks, R., & Gram, I. T. (2007). Insulin-like growth factor and mammographic density in postmenopausal Norwegian women. *Cancer Epidemiology, Biomarkers & Prevention*, 16(1), 57-62. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-06-0788>
- Brigtsen, A. K., Dedi, L., Melby, K. K., Holberg-Petersen, M., Radtke, A., Lyng, R. V., . . . Whitelaw, A. (2015). Comparison of PCR and serotyping of Group B Streptococcus in pregnant women: the Oslo GBS-study. *Journal of Microbiological Methods*, 108, 31-35. doi:<https://dx.doi.org/10.1016/j.mimet.2014.11.001>
- Brigtsen, A. K., Jacobsen, A. F., Dedi, L., Melby, K. K., Fugelseth, D., & Whitelaw, A. (2015). Maternal Colonization with Group B Streptococcus Is Associated with an Increased Rate of Infants Transferred to the Neonatal Intensive Care Unit. *Neonatology*, 108(3), 157-163. doi:<https://dx.doi.org/10.1159/000434716>
- Brinchmann, B. S. (2004). Ethical reflections around ultrasound screening of pregnant women during the first trimester. [Ethiske refleksjoner rundt ultralyddiagnostikk av gravide i første trimester]. *Norsk Tidsskrift for Sykepleieforskning*, 6(2), 14-23.
- Brochmann, N., Dahl, E. S., & Tegnehanne. (2017). *Gleden med skjeden: alt du trenger å vite om underlivet*. Oslo: Aschehoug.
- Brodtkorb, E., & Reimers, A. (2008). Seizure control and pharmacokinetics of antiepileptic drugs in pregnant women with epilepsy. *Seizure*, 17(2), 160-165. doi:<https://dx.doi.org/10.1016/j.seizure.2007.11.015>
- Brodwall, K., Leirgul, E., Greve, G., Vollset, S. E., Holmstrom, H., Tell, G. S., & Oyen, N. (2016). Possible Common Aetiology behind Maternal Preeclampsia and Congenital Heart Defects in the Child: a Cardiovascular Diseases in Norway Project Study. *Paediatric and Perinatal Epidemiology*, 30(1), 76-85. doi:<https://dx.doi.org/10.1111/ppe.12252>
- Broen, A. N. (2006). Women's emotional life after miscarriage and induced abortion: a longitudinal, five-year follow-up study in Norway. (no. 365), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Broen, A. N., Moum, T., Bodtker, A. S., & Ekeberg, O. (2004). Psychological impact on women of miscarriage versus induced abortion: a 2-year follow-up study. *Psychosomatic Medicine*, 66(2), 265-271.
- Broen, A. N., Moum, T., Bodtker, A. S., & Ekeberg, O. (2005). The course of mental health after miscarriage and induced abortion: a longitudinal, five-year follow-up study. *BMC Medicine*, 3, 18. doi:<https://dx.doi.org/10.1186/1741-7015-3-18>
- Bulik, C. M., Hoffman, E. R., Von Holle, A., Torgersen, L., Stoltenberg, C., & Reichborn-Kjennerud, T. (2010). Unplanned pregnancy in women with anorexia nervosa. *Obstetrics & Gynecology*, 116(5), 1136-1140. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181f7efdc>
- Bulik, C. M., Holle, A. V., Gendall, K., Lie, K. K., Hoffman, E., Mo, X., . . . Reichborn-Kjennerud, T. (2008). Maternal eating disorders influence sex ratio at birth. *Acta Obstetrica et Gynecologica Scandinavica*, 87(9), 979-981. doi:<https://dx.doi.org/10.1080/00016340802334385>

- Bulik, C. M., Von Holle, A., Hamer, R., Knoph Berg, C., Torgersen, L., Magnus, P., . . . Reichborn-Kjennerud, T. (2007). Patterns of remission, continuation and incidence of broadly defined eating disorders during early pregnancy in the Norwegian Mother and Child Cohort Study (MoBa). [Erratum appears in *Psychol Med*. 2012 Apr;42(4):893]. *Psychological Medicine*, 37(8), 1109-1118. doi:<https://dx.doi.org/10.1017/S0033291707000724>
- Bulik, C. M., Von Holle, A., Siega-Riz, A. M., Torgersen, L., Lie, K. K., Hamer, R. M., . . . Reichborn-Kjennerud, T. (2009). Birth outcomes in women with eating disorders in the Norwegian Mother and Child cohort study (MoBa). *International Journal of Eating Disorders*, 42(1), 9-18. doi:<https://dx.doi.org/10.1002/eat.20578>
- Bull, T. (2009). Work life and mental well-being: single and coupled employed mothers in Southern Europe and Scandinavia. *Global Health Promotion*, 16(3), 6-16. doi:<https://dx.doi.org/10.1177/1757975909339764>
- Bull, T., & Mittelmark, M. B. (2009). Work life and mental wellbeing of single and non-single working mothers in Scandinavia. *Scandinavian Journal of Public Health*, 37(6), 562-568. doi:<https://dx.doi.org/10.1177/1403494809340494>
- Cappelen, I., & Hånes, H. (2006). Women live longer, but are sicker. [Kvinner lever lenger, men er sykere]. *Michael Quarterly*, 3(suppl 3), 26-31.
- Carlsen, S. M., & Heimstad, R. (2012). Androgen levels are associated with blood pressure in pregnant women after term. *Acta Obstetrica et Gynecologica Scandinavica*, 91(2), 232-236. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01280.x>
- Carlsen, S. M., Jacobsen, G., & Bjerve, K. S. (2003). Androgen levels in pregnant women decrease with increasing maternal age. *Scandinavian Journal of Clinical & Laboratory Investigation*, 63(1), 23-26.
- Carlsen, S. M., Jacobsen, G., & Vanky, E. (2010). Mid-pregnancy androgen levels are negatively associated with breastfeeding. *Acta Obstetrica et Gynecologica Scandinavica*, 89(1), 87-94. doi:<https://dx.doi.org/10.3109/00016340903318006>
- Carlsen, S. M., Romundstad, P., & Jacobsen, G. (2005). Early second-trimester maternal hyperandrogenemia and subsequent preeclampsia: a prospective study. *Acta Obstetrica et Gynecologica Scandinavica*, 84(2), 117-121. doi:<https://dx.doi.org/10.1111/j.0001-6349.2005.00493.x>
- Caspersen, I. H., Kvaem, H. E., Haugen, M., Brantsaeter, A. L., Meltzer, H. M., Alexander, J., . . . Knutsen, H. K. (2016). Determinants of plasma PCB, brominated flame retardants, and organochlorine pesticides in pregnant women and 3 year old children in The Norwegian Mother and Child Cohort Study. *Environmental Research*, 146, 136-144. doi:<https://dx.doi.org/10.1016/j.envres.2015.12.020>
- Chan, J. L., Kar, S., Vanky, E., Morin-Papunen, L., Piltonen, T., Puurunen, J., . . . Dokras, A. (2017). Racial and Ethnic Differences in the Prevalence of Metabolic Syndrome and its Components of Metabolic Syndrome in Women with Polycystic Ovary Syndrome (PCOS): A Regional Cross-Sectional Study. *American Journal of Obstetrics & Gynecology*, 08, 08. doi:<https://dx.doi.org/10.1016/j.ajog.2017.04.007>
- Charlton, R., Garne, E., Wang, H., Klungsoyr, K., Jordan, S., Neville, A., . . . de Jong-van den Berg, L. (2015). Antiepileptic drug prescribing before, during and after pregnancy: a study in seven European regions. *Pharmacoepidemiology & Drug Safety*, 24(11), 1144-1154. doi:<https://dx.doi.org/10.1002/pds.3847>
- Charlton, R. A., Klungsoyr, K., Neville, A. J., Jordan, S., Pierini, A., de Jong-van den Berg, L. T., . . . Garne, E. (2016). Prescribing of Antidiabetic Medicines before, during and after Pregnancy: A Study in Seven European Regions. *PLoS ONE [Electronic Resource]*, 11(5), e0155737. doi:<https://dx.doi.org/10.1371/journal.pone.0155737>
- Charlton, R. A., Pierini, A., Klungsoyr, K., Neville, A. J., Jordan, S., de Jong-van den Berg, L. T., . . . Garne, E. (2016). Asthma medication prescribing before, during and after pregnancy: a study in seven European regions. *BMJ Open*, 6(1), e009237. doi:<https://dx.doi.org/10.1136/bmjopen-2015-009237>
- Chen, K. T., Eskild, A., Bresnahan, M., Stray-Pedersen, B., Sher, A., & Jenum, P. A. (2005). Previous maternal infection with *Toxoplasma gondii* and the risk of fetal death. *American Journal of Obstetrics & Gynecology*, 193(2), 443-449. doi:<https://dx.doi.org/10.1016/j.ajog.2004.12.016>

- Chortatos, A., Haugen, M., Iversen, P. O., Vikanes, A., Eberhard-Gran, M., Bjelland, E. K., . . . Veierod, M. B. (2015). Erratum: Pregnancy complications and birth outcomes among women experiencing nausea only or nausea and vomiting during pregnancy in the Norwegian Mother and Child Cohort Study. [Erratum for BMC Pregnancy Childbirth. 2015;15:138; PMID: 26100060]. BMC Pregnancy & Childbirth, 15, 167. doi:<https://dx.doi.org/10.1186/s12884-015-0596-y>
- Chortatos, A., Haugen, M., Iversen, P. O., Vikanes, A., Eberhard-Gran, M., Bjelland, E. K., . . . Veierod, M. B. (2015). Pregnancy complications and birth outcomes among women experiencing nausea only or nausea and vomiting during pregnancy in the Norwegian Mother and Child Cohort Study. [Erratum appears in BMC Pregnancy Childbirth. 2015;15:167; PMID: 26268704]. BMC Pregnancy & Childbirth, 15, 138. doi:<https://dx.doi.org/10.1186/s12884-015-0580-6>
- Chortatos, A., Haugen, M., Iversen, P. O., Vikanes, A., Magnus, P., & Veierod, M. B. (2013). Nausea and vomiting in pregnancy: associations with maternal gestational diet and lifestyle factors in the Norwegian Mother and Child Cohort Study. BJOG: An International Journal of Obstetrics & Gynaecology, 120(13), 1642-1653. doi:<https://dx.doi.org/10.1111/1471-0528.12406>
- Christensen, B. (2001). Use of antibiotics to treat bacteriuria of pregnancy in the Nordic countries. Which antibiotics are appropriate to treat bacteriuria of pregnancy? International Journal of Antimicrobial Agents, 17(4), 283-285.
- Clausen, T., Djurovic, S., & Henriksen, T. (2001). Dyslipidemia in early second trimester is mainly a feature of women with early onset pre-eclampsia. BJOG: An International Journal of Obstetrics & Gynaecology, 108(10), 1081-1087.
- Clausen, T., Oyen, N., & Henriksen, T. (2006). Pregnancy complications by overweight and residential area. A prospective study of an urban Norwegian cohort. Acta Obstetrica et Gynecologica Scandinavica, 85(5), 526-533. doi:<https://dx.doi.org/10.1080/00016340500523644>
- Couto, E., Qureshi, S. A., Hofvind, S., Hilsen, M., Aase, H., Skaane, P., . . . Ursin, G. (2012). Hormone therapy use and mammographic density in postmenopausal Norwegian women. Breast Cancer Research & Treatment, 132(1), 297-305. doi:<https://dx.doi.org/10.1007/s10549-011-1810-x>
- Cupul-Uicab, L. A., Skjaerven, R., Haug, K., Melve, K. K., Engel, S. M., & Longnecker, M. P. (2012). In utero exposure to maternal tobacco smoke and subsequent obesity, hypertension, and gestational diabetes among women in the MoBa cohort. Environmental Health Perspectives, 120(3), 355-360. doi:<https://dx.doi.org/10.1289/ehp.1103789>
- Cupul-Uicab, L. A., Skjaerven, R., Haug, K., Travlos, G. S., Wilson, R. E., Eggesbo, M., . . . Longnecker, M. P. (2012). Exposure to tobacco smoke in utero and subsequent plasma lipids, ApoB, and CRP among adult women in the MoBa cohort. Environmental Health Perspectives, 120(11), 1532-1537. doi:<https://dx.doi.org/10.1289/ehp.1104563>
- Dahl, J., Myhr, K. M., Daltveit, A. K., & Gilhus, N. E. (2006). Planned vaginal births in women with multiple sclerosis: delivery and birth outcome. Acta Neurologica Scandinavica. Supplementum, 183, 51-54. doi:<https://dx.doi.org/10.1111/j.1600-0404.2006.00616.x>
- Dahl, J., Myhr, K. M., Daltveit, A. K., & Gilhus, N. E. (2008). Pregnancy, delivery and birth outcome in different stages of maternal multiple sclerosis. Journal of Neurology, 255(5), 623-627. doi:<https://dx.doi.org/10.1007/s00415-008-0757-2>
- Dahl, J., Myhr, K. M., Daltveit, A. K., Hoff, J. M., & Gilhus, N. E. (2005). Pregnancy, delivery, and birth outcome in women with multiple sclerosis. Neurology, 65(12), 1961-1963. doi:<https://dx.doi.org/10.1212/01.wnl.0000188898.02018.95>
- Dahl, J., Myhr, K. M., Daltveit, A. K., Skjaerven, R., & Gilhus, N. E. (2007). Is smoking an extra hazard in pregnant MS women? Findings from a population-based registry in Norway. European Journal of Neurology, 14(10), 1113-1117. doi:<https://dx.doi.org/10.1111/j.1468-1331.2007.01913.x>
- Dahl, K., Ahmed, L. A., Joakimsen, R. M., Jorgensen, L., Eggen, A. E., Eriksen, E. F., & Bjornerem, A. (2015). High-sensitivity C-reactive protein is an independent risk factor for non-vertebral fractures in women and men: The Tromso Study. Bone, 72, 65-70. doi:<https://dx.doi.org/10.1016/j.bone.2014.11.012>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Dahlberg, U., & Aune, I. (2013). The woman's birth experience---the effect of interpersonal relationships and continuity of care. *Midwifery*, 29(4), 407-415. doi:<https://dx.doi.org/10.1016/j.midw.2012.09.006>
- Dahlberg, U., Persen, J., Skogas, A. K., Selboe, S. T., Torvik, H. M., & Aune, I. (2016). How can midwives promote a normal birth and a positive birth experience? The experience of first-time Norwegian mothers. *Sexual & reproductive healthcare: official journal of the Swedish Association of Midwives*, 7, 2-7. doi:<https://dx.doi.org/10.1016/j.srhc.2015.08.001>
- Dahlstrom, B., Romundstad, P., Oian, P., Vatten, L. J., & Eskild, A. (2008). Placenta weight in pre-eclampsia. *Acta Obstetrica et Gynecologica Scandinavica*, 87(6), 608-611. doi:<https://dx.doi.org/10.1080/00016340802056178>
- Dahlstrom, B. L., Engh, M. E., Bukholm, G., & Oian, P. (2006). Changes in the prevalence of pre-eclampsia in Akershus County and the rest of Norway during the past 35 years. *Acta Obstetrica et Gynecologica Scandinavica*, 85(8), 916-921. doi:<https://dx.doi.org/10.1080/00016340500442449>
- Dahm, A. E., Tiscia, G., Holmgren, A., Jacobsen, A. F., Skretting, G., Grandone, E., & Sandset, P. M. (2015). Genetic variations in the annexin A5 gene and the risk of pregnancy-related venous thrombosis. *Journal of Thrombosis & Haemostasis*, 13(3), 409-413. doi:<https://dx.doi.org/10.1111/jth.12817>
- Dale, M. T., Bakketeig, L. S., & Magnus, P. (2016). Alcohol consumption among first-time mothers and the risk of preterm birth: a cohort study. *Annals of Epidemiology*, 26(4), 275-282. doi:<https://dx.doi.org/10.1016/j.annepidem.2015.08.013>
- Dale, M. T., Solberg, O., Holmstrom, H., Landolt, M. A., Eskedal, L. T., & Vollrath, M. E. (2012). Mothers of infants with congenital heart defects: well-being from pregnancy through the child's first six months. *Quality of Life Research*, 21(1), 115-122. doi:<https://dx.doi.org/10.1007/s11136-011-9920-9>
- Dale, M. T., Solberg, O., Holmstrom, H., Landolt, M. A., Eskedal, L. T., & Vollrath, M. E. (2013). Relationship satisfaction among mothers of children with congenital heart defects: a prospective case-cohort study. *Journal of Pediatric Psychology*, 38(8), 915-926. doi:<https://dx.doi.org/10.1093/jpepsy/jst038>
- Daltveit, A. K., Tollanes, M. C., Pihlstrom, H., & Irgens, L. M. (2008). Cesarean delivery and subsequent pregnancies. *Obstetrics & Gynecology*, 111(6), 1327-1334. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181744110>
- Daltveit, A. K., Vollset, S. E., Lande, B., & Oien, H. (2004). Changes in knowledge and attitudes of folate, and use of dietary supplements among women of reproductive age in Norway 1998-2000. *Scandinavian Journal of Public Health*, 32(4), 264-271. doi:<https://dx.doi.org/10.1080/14034940310019515>
- Darvish, B., Gupta, A., Alahuhta, S., Dahl, V., Helbo-Hansen, S., Thorsteinsson, A., . . . Dahlgren, G. (2011). Management of accidental dural puncture and post-dural puncture headache after labour: a Nordic survey. *Acta Anaesthesiologica Scandinavica*, 55(1), 46-53. doi:<https://dx.doi.org/10.1111/j.1399-6576.2010.02335.x>
- Dellava, J. E., Von Holle, A., Torgersen, L., Reichborn-Kjennerud, T., Haugen, M., Meltzer, H. M., & Bulik, C. M. (2011). Dietary supplement use immediately before and during pregnancy in Norwegian women with eating disorders. *International Journal of Eating Disorders*, 44(4), 325-332. doi:<https://dx.doi.org/10.1002/eat.20831>
- DeRoo, L., Skjaerven, R., Wilcox, A., Klungsoyr, K., Wikstrom, A. K., Morken, N. H., & Cnattingius, S. (2016). Placental abruption and long-term maternal cardiovascular disease mortality: a population-based registry study in Norway and Sweden. *European Journal of Epidemiology*, 31(5), 501-511. doi:<https://dx.doi.org/10.1007/s10654-015-0067-9>
- Diaz, E., Kumar, B. N., & Engedal, K. (2015). Immigrant patients with dementia and memory impairment in primary health care in Norway: a national registry study. *Dement Geriatr Cogn Disord*, 39(5-6), 321-331. doi:10.1159/000375526
- Djesa, R. I. (2016). Kulturell kommunikasjon og forståelse som redskap i forebygging av kvinnelig omskjæring. UiT Norges arktiske universitet, Fakultet for humaniora, samfunnsvitenskap og lærerutdanning, Tromsø.
- Djurovic, S., Clausen, T., Wergeland, R., Brosstad, F., Berg, K., & Henriksen, T. (2002). Absence of enhanced systemic inflammatory response at 18 weeks of gestation in women with subsequent pre-eclampsia. *BJOG: An International Journal of Obstetrics & Gynaecology*, 109(7), 759-764.

- Dogl, M., Vanky, E., & Heimstad, R. (2016). Changes in induction methods have not influenced cesarean section rates among women with induced labor. *Acta Obstetrica et Gynecologica Scandinavica*, 95(1), 112-115. doi:<https://dx.doi.org/10.1111/aogs.12809>
- Dorheim, S. K., Bjorvatn, B., & Eberhard-Gran, M. (2012). Insomnia and depressive symptoms in late pregnancy: a population-based study. *Behavioral Sleep Medicine*, 10(3), 152-166. doi:<https://dx.doi.org/10.1080/15402002.2012.660588>
- Dorheim, S. K., Bjorvatn, B., & Eberhard-Gran, M. (2013). Sick leave during pregnancy: a longitudinal study of rates and risk factors in a Norwegian population. *BJOG: An International Journal of Obstetrics & Gynaecology*, 120(5), 521-530. doi:<https://dx.doi.org/10.1111/1471-0528.12035>
- Dorheim, S. K., Bjorvatn, B., & Eberhard-Gran, M. (2014). Can insomnia in pregnancy predict postpartum depression? A longitudinal, population-based study. *PLoS ONE [Electronic Resource]*, 9(4), e94674. doi:<https://dx.doi.org/10.1371/journal.pone.0094674>
- Dorheim, S. K., Bondevik, G. T., Eberhard-Gran, M., & Bjorvatn, B. (2009). Sleep and depression in postpartum women: a population-based study. *Sleep*, 32(7), 847-855.
- Dorheim, S. K., Bondevik, G. T., Eberhard-Gran, M., & Bjorvatn, B. (2009). Subjective and objective sleep among depressed and non-depressed postnatal women. *Acta Psychiatrica Scandinavica*, 119(2), 128-136. doi:<https://dx.doi.org/10.1111/j.1600-0447.2008.01272.x>
- Dorheim, S. K., Garthus-Niegel, S., Bjorvatn, B., & Eberhard-Gran, M. (2016). Personality and Perinatal Maternal Insomnia: A Study Across Childbirth. *Behavioral Sleep Medicine*, 14(1), 34-48. doi:<https://dx.doi.org/10.1080/15402002.2014.941063>
- Dormaenen, A., Heimdal, M. R., Wang, C. E., & Grimsgaard, A. S. (2011). Depression in postmenopause: a study on a subsample of the Acupuncture on Hot Flushes Among Menopausal Women (ACUFLASH) study. *Menopause*, 18(5), 525-530. doi:<https://dx.doi.org/10.1097/gme.0b013e3181f9f89f>
- Dorum, A., Blom, G. P., Ekerhovd, E., & Granberg, S. (2005). Prevalence and histologic diagnosis of adnexal cysts in postmenopausal women: an autopsy study. *American Journal of Obstetrics & Gynecology*, 192(1), 48-54. doi:<https://dx.doi.org/10.1016/j.ajog.2004.07.038>
- Dorum, A., Tonstad, S., Liavaag, A. H., Michelsen, T. M., Hildrum, B., & Dahl, A. A. (2008). Bilateral oophorectomy before 50 years of age is significantly associated with the metabolic syndrome and Framingham risk score: a controlled, population-based study (HUNT-2). *Gynecologic Oncology*, 109(3), 377-383. doi:<https://dx.doi.org/10.1016/j.ygyno.2008.02.025>
- Drozd, F., Haga, S. M., Brendryen, H., & Slinning, K. (2015). An Internet-Based Intervention (Mamma Mia) for Postpartum Depression: Mapping the Development from Theory to Practice. *JMIR Research Protocols*, 4(4), e120. doi:10.2196/resprot.4858
- Dumeaux, V., Alsaker, E., & Lund, E. (2003). Breast cancer and specific types of oral contraceptives: a large Norwegian cohort study. *International Journal of Cancer*, 105(6), 844-850. doi:<https://dx.doi.org/10.1002/ijc.11167>
- Dumeaux, V., Johansen, J., Borresen-Dale, A. L., & Lund, E. (2006). Gene expression profiling of whole-blood samples from women exposed to hormone replacement therapy. *Molecular Cancer Therapeutics*, 5(4), 868-876. doi:<https://dx.doi.org/10.1158/1535-7163.MCT-05-0329>
- Dumeaux, V., Lund, E., & Hjartaker, A. (2004). Use of oral contraceptives, alcohol, and risk for invasive breast cancer. *Cancer Epidemiology, Biomarkers & Prevention*, 13(8), 1302-1307.
- Dypvik, J., Strom-Roum, E. M., Haavaldsen, C., Vatten, L. J., & Eskild, A. (2016). Preeclampsia in pregnancies with and without diabetes: the associations with placental weight. A population study of 655 842 pregnancies. *Acta Obstetrica et Gynecologica Scandinavica*, 95(2), 217-224. doi:<https://dx.doi.org/10.1111/aogs.12795>
- Dyrkorn, O. A., Kristoffersen, M., & Walberg, M. (2012). Reducing post-caesarean surgical wound infection rate: an improvement project in a Norwegian maternity clinic. *BMJ Quality & Safety*, 21(3), 206-210. doi:<https://dx.doi.org/10.1136/bmjqs-2011-000316>
- Ebbesen, M. H., Hannestad, Y. S., Midthjell, K., & Hunskaar, S. (2009). Diabetes related risk factors did not explain the increased risk for urinary incontinence among women with diabetes. The Norwegian HUNT/EPINCONT study. *BMC Urology*, 9, 11. doi:<https://dx.doi.org/10.1186/1471-2490-9-11>

- Ebbesen, M. H., Hunskaar, S., Rortveit, G., & Hannestad, Y. S. (2013). Prevalence, incidence and remission of urinary incontinence in women: longitudinal data from the Norwegian HUNT study (EPINCONT). *BMC Urology*, 13, 27. doi:<https://dx.doi.org/10.1186/1471-2490-13-27>
- Ebbing, C., Johnsen, S. L., Albrechtsen, S., Sunde, I. D., Vekseth, C., & Rasmussen, S. (2017). Velamentous or marginal cord insertion and the risk of spontaneous preterm birth, prelabor rupture of the membranes, and anomalous cord length, a population-based study. *Acta Obstetrica et Gynecologica Scandinavica*, 96(1), 78-85. doi:<https://dx.doi.org/10.1111/aogs.13035>
- Ebbing, C., Kiserud, T., Johnsen, S. L., Albrechtsen, S., & Rasmussen, S. (2013). Prevalence, risk factors and outcomes of velamentous and marginal cord insertions: a population-based study of 634,741 pregnancies. *PLoS ONE [Electronic Resource]*, 8(7), e70380. doi:<https://dx.doi.org/10.1371/journal.pone.0070380>
- Ebbing, C., Kiserud, T., Johnsen, S. L., Albrechtsen, S., & Rasmussen, S. (2015). Third stage of labor risks in velamentous and marginal cord insertion: a population-based study. *Acta Obstetrica et Gynecologica Scandinavica*, 94(8), 878-883. doi:<https://dx.doi.org/10.1111/aogs.12666>
- Ebbing, C., Rasmussen, S., Skjaerven, R., & Irgens, L. M. (2017). Risk factors for recurrence of hypertensive disorders of pregnancy, a population-based cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 96(2), 243-250. doi:<https://dx.doi.org/10.1111/aogs.13066>
- Eberhard-Gran, M., & Eskild, A. (2008). Diabetes mellitus and pelvic girdle syndrome in pregnancy--is there an association? *Acta Obstetrica et Gynecologica Scandinavica*, 87(10), 1015-1019. doi:<https://dx.doi.org/10.1080/00016340802345944>
- Eberhard-Gran, M., Eskild, A., Tambs, K., Samuelsen, S. O., & Opjordsmoen, S. (2002). Depression in postpartum and non-postpartum women: prevalence and risk factors. *Acta Psychiatrica Scandinavica*, 106(6), 426-433.
- Eberhard-Gran, M., Slinning, K., & Eskild, A. (2008). Fear during labor: the impact of sexual abuse in adult life. *Journal of Psychosomatic Obstetrics & Gynecology*, 29(4), 258-261. doi:<https://dx.doi.org/10.1080/01674820802075998>
- Eberhard-Gran, M., Slinning, K., & Rognerud, M. (2014). Screening for barseldepresjon – en kunnskapsoppsummering. *Tidsskrift for Den norske legeförening*(3), 134:297-301. doi:10.4045/tidsskr.13.0068
- Eberhard-Gran, M., Tambs, K., Opjordsmoen, S., Skrandal, A., & Eskild, A. (2003). A comparison of anxiety and depressive symptomatology in postpartum and non-postpartum mothers. *Social Psychiatry & Psychiatric Epidemiology*, 38(10), 551-556. doi:<https://dx.doi.org/10.1007/s00127-003-0679-3>
- Eberhard-Gran, M., Tambs, K., Opjordsmoen, S., Skrandal, A., & Eskild, A. (2004). Depression during pregnancy and after delivery: a repeated measurement study. *Journal of Psychosomatic Obstetrics & Gynecology*, 25(1), 15-21.
- Edgardh, K. (2005). Experiences with a special vulvar clinic in Oslo. [Erfarenheter med särskilt vulvamottagning i Oslo]. *Tidsskrift for Den Norske Laegeforening*, 125(8), 1026-1027.
- Edgardh, K., & Abdelnoor, M. (2007). Vulvar vestibulitis and risk factors: a population-based case-control study in Oslo. *Acta Dermato-Venereologica*, 87(4), 350-354. doi:<https://dx.doi.org/10.2340/00015555-0250>
- Egeland, G. M., Skjaerven, R., & Irgens, L. (2002). The reproductive health of daughters of pregestational diabetic women: Medical Birth Registry of Norway. *Paediatric and Perinatal Epidemiology*, 16(4), 290-296.
- Egenberg, S., Puntervoll, S. A., & Oian, P. (2011). Prehospital maternity care in Norway. *Tidsskrift for Den Norske Laegeforening*, 131(23), 2347-2352. doi:<https://dx.doi.org/10.4045/tidsskr.11.0301>
- Eggebo, T. M., Hassan, W. A., Salvesen, K. A., Lindtjorn, E., & Lees, C. C. (2014). Sonographic prediction of vaginal delivery in prolonged labor: a two-center study. *Ultrasound in Obstetrics & Gynecology*, 43(2), 195-201. doi:<https://dx.doi.org/10.1002/uog.13210>
- Eggebo, T. M., Hassan, W. A., Salvesen, K. A., Torkildsen, E. A., Ostborg, T. B., & Lees, C. C. (2015). Prediction of delivery mode by ultrasound-assessed fetal position in nulliparous women with prolonged first stage of labor. *Ultrasound in Obstetrics & Gynecology*, 46(5), 606-610. doi:<https://dx.doi.org/10.1002/uog.14773>
- Eggemoen, A. R., Falk, R. S., Knutsen, K. V., Lagerlov, P., Sletner, L., Birkeland, K. I., & Jennum, A. K. (2016). Vitamin D deficiency and supplementation in pregnancy in a multiethnic population-based cohort. *BMC Pregnancy & Childbirth*, 16, 7. doi:<https://dx.doi.org/10.1186/s12884-016-0796-0>

- Eggen, M. H., Stuge, B., Mowinckel, P., Jensen, K. S., & Hagen, K. B. (2012). Can supervised group exercises including ergonomic advice reduce the prevalence and severity of low back pain and pelvic girdle pain in pregnancy? A randomized controlled trial. *Physical Therapy*, 92(6), 781-790. doi:<https://dx.doi.org/10.2522/ptj.20110119>
- Eide, B. I., Nilsen, A. B., & Rasmussen, S. (2009). Births in two different delivery units in the same clinic--a prospective study of healthy primiparous women. *BMC Pregnancy & Childbirth*, 9, 25. doi:<https://dx.doi.org/10.1186/1471-2393-9-25>
- Eide, J., Hovengen, R., & Nordhagen, R. (2010). Childhood abuse and later worries about the baby's health in pregnancy. *Acta Obstetrica et Gynecologica Scandinavica*, 89(12), 1523-1531. doi:<https://dx.doi.org/10.3109/00016349.2010.526180>
- Eidem, I. (2014). Pregnancy outcomes in women with type 1 diabetes in Norway. (no. 1803), Faculty of Medicine, University of Oslo, Oslo.
- Eidem, I., Vangen, S., Hanssen, K. F., Vollset, S. E., Henriksen, T., Joner, G., & Stene, L. C. (2011). Perinatal and infant mortality in term and preterm births among women with type 1 diabetes. *Diabetologia*, 54(11), 2771-2778. doi:<https://dx.doi.org/10.1007/s00125-011-2281-7>
- Eidem, I., Vangen, S., Henriksen, T., Vollset, S. E., Hanssen, K. F., Joner, G., & Stene, L. C. (2014). Discrepancy in term calculation from second trimester ultrasound scan versus last menstrual period in women with type 1 diabetes. *Acta Obstetrica et Gynecologica Scandinavica*, 93(8), 809-816. doi:<https://dx.doi.org/10.1111/aogs.12422>
- Eilertsen, T. B., Vanky, E., & Carlsen, S. M. (2012). Increased prevalence of diabetes and polycystic ovary syndrome in women with a history of preterm birth: a case-control study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(3), 266-275. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.03206.x>
- El-Khairi, L., Vollset, S. E., Refsum, H., & Ueland, P. M. (2003). Plasma total cysteine, pregnancy complications, and adverse pregnancy outcomes: the Hordaland Homocysteine Study. *American Journal of Clinical Nutrition*, 77(2), 467-472.
- Ellingjord-Dale, M., dos-Santos-Silva, I., Grotmol, T., Sakhi, A. K., Hofvind, S., Qureshi, S., . . . Ursin, G. (2015). Vitamin D intake, month the mammogram was taken and mammographic density in Norwegian women aged 50-69. *PLoS ONE [Electronic Resource]*, 10(5), e0123754. doi:<https://dx.doi.org/10.1371/journal.pone.0123754>
- Ellingjord-Dale, M., Grotmol, T., Lee, E., Van Den Berg, D. J., Hofvind, S., Couto, E., . . . Ursin, G. (2014). Breast cancer susceptibility variants and mammographic density phenotypes in norwegian postmenopausal women. *Cancer Epidemiology, Biomarkers & Prevention*, 23(9), 1752-1763. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-13-1212>
- Ellingjord-Dale, M., Lee, E., Couto, E., Ozhand, A., Qureshi, S., Hofvind, S., . . . Ursin, G. (2012). Polymorphisms in hormone metabolism and growth factor genes and mammographic density in Norwegian postmenopausal hormone therapy users and non-users. *Breast Cancer Research*, 14(5), R135. doi:<https://dx.doi.org/10.1186/bcr3337>
- Ellingjord-Dale, M., Vos, L., Tretli, S., Hofvind, S., Dos-Santos-Silva, I., & Ursin, G. (2017). Parity, hormones and breast cancer subtypes - results from a large nested case-control study in a national screening program. *Breast Cancer Research*, 19(1), 10. doi:<https://dx.doi.org/10.1186/s13058-016-0798-x>
- Emaus, A., Espetvedt, S., Veierod, M. B., Ballard-Barbash, R., Furberg, A. S., Ellison, P. T., . . . Thune, I. (2008). 17-beta-estradiol in relation to age at menarche and adult obesity in premenopausal women. *Human Reproduction*, 23(4), 919-927. doi:<https://dx.doi.org/10.1093/humrep/dem432>
- Emaus, N., Berntsen, G. K., Joakimsen, R., & Fonnebo, V. (2006). Longitudinal changes in forearm bone mineral density in women and men aged 45-84 years: the Tromso Study, a population-based study. *American Journal of Epidemiology*, 163(5), 441-449. doi:<https://dx.doi.org/10.1093/aje/kwj055>
- Emaus, N., Berntsen, G. K., Joakimsen, R. M., & Fonnebo, V. (2005). Longitudinal changes in forearm bone mineral density in women and men aged 25-44 years: the Tromso study: a population-based study. *American Journal of Epidemiology*, 162(7), 633-643. doi:<https://dx.doi.org/10.1093/aje/kwi258>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Emaus, N., Gjesdal, C. G., Almas, B., Christensen, M., Grimsgaard, A. S., Berntsen, G. K., . . . Fonnebo, V. (2010). Vitamin K2 supplementation does not influence bone loss in early menopausal women: a randomised double-blind placebo-controlled trial. *Osteoporosis International*, 21(10), 1731-1740. doi:<https://dx.doi.org/10.1007/s00198-009-1126-4>
- Emaus, N., Nguyen, N. D., Almaas, B., Berntsen, G. K., Center, J. R., Christensen, M., . . . Fonnebo, V. M. (2013). Serum level of under-carboxylated osteocalcin and bone mineral density in early menopausal Norwegian women. *European Journal of Nutrition*, 52(1), 49-55. doi:<https://dx.doi.org/10.1007/s00394-011-0285-1>
- Emaus, N., Omsland, T. K., Ahmed, L. A., Grimnes, G., Sneve, M., & Berntsen, G. K. (2009). Bone mineral density at the hip in Norwegian women and men--prevalence of osteoporosis depends on chosen references: the Tromso Study. *European Journal of Epidemiology*, 24(6), 321-328. doi:<https://dx.doi.org/10.1007/s10654-009-9333-z>
- Engel, S. M., Scher, E., Wallenstein, S., Savitz, D. A., Alsaker, E. R., Trogstad, L., & Magnus, P. (2013). Maternal active and passive smoking and hypertensive disorders of pregnancy: risk with trimester-specific exposures. *Epidemiology*, 24(3), 379-386. doi:<https://dx.doi.org/10.1097/EDE.0b013e3182873a73>
- Engeland, A., Bjorge, T., Daltveit, A. K., Skurtveit, S., Vangen, S., Vollset, S. E., & Furu, K. (2011). Risk of diabetes after gestational diabetes and preeclampsia. A registry-based study of 230,000 women in Norway. *European Journal of Epidemiology*, 26(2), 157-163. doi:<https://dx.doi.org/10.1007/s10654-010-9527-4>
- Engeland, A., Bjorge, T., Klungsoyr, K., Skjaerven, R., Skurtveit, S., & Furu, K. (2015). Preeclampsia in pregnancy and later use of antihypertensive drugs. *European Journal of Epidemiology*, 30(6), 501-508. doi:<https://dx.doi.org/10.1007/s10654-015-0018-5>
- Engeland, A., Bjorge, T., Klungsoyr, K., Skurtveit, S., & Furu, K. (2017). Preterm births and use of medication in early adulthood: a population-based registry study. *Pharmacoepidemiology & Drug Safety*, 07, 07. doi:<https://dx.doi.org/10.1002/pds.4174>
- Engeland, A., Bramness, J. G., Daltveit, A. K., Ronning, M., Skurtveit, S., & Furu, K. (2008). Prescription drug use among fathers and mothers before and during pregnancy. A population-based cohort study of 106,000 pregnancies in Norway 2004-2006. *British Journal of Clinical Pharmacology*, 65(5), 653-660. doi:<https://dx.doi.org/10.1111/j.1365-2125.2008.03102.x>
- Engelsen, I. B., Albrechtsen, S., & Iversen, O. E. (2001). Peripartum hysterectomy-incidence and maternal morbidity. *Acta Obstetrica et Gynecologica Scandinavica*, 80(5), 409-412.
- Engeset, J., Stuge, B., & Fegran, L. (2014). Pelvic girdle pain affects the whole life--a qualitative interview study in Norway on women's experiences with pelvic girdle pain after delivery. *BMC Research Notes*, 7, 686. doi:<https://dx.doi.org/10.1186/1756-0500-7-686>
- Engjom, H. M., Morken, N. H., Hoydahl, E., Norheim, O. F., & Klungsoyr, K. (2017). Increased risk of peripartum perinatal mortality in unplanned births outside institution - a retrospective population-based study. *American Journal of Obstetrics & Gynecology*, 06, 06. doi:<https://dx.doi.org/10.1016/j.ajog.2017.03.033>
- Engnes, K., Liden, E., & Lundgren, I. (2012). Experiences of being exposed to intimate partner violence during pregnancy. *International Journal of Qualitative Studies on Health and Well being*, 7. doi:<https://dx.doi.org/10.3402/qhw.v7i0.11199>
- Engnes, K., Liden, E., & Lundgren, I. (2013). Women's experiences of important others in a pregnancy dominated by intimate partner violence. *Scandinavian Journal of Caring Sciences*, 27(3), 643-650. doi:<https://dx.doi.org/10.1111/j.1471-6712.2012.01073.x>
- Eri, T. S. (2004). Pregnancy and limits - about overweight women's experience of the body. [Graviditet og grenser - om overvektige kvinners opplevelse av kroppen]. *Tidsskrift for Jordmødre*, 110(4), 14-17.
- Eri, T. S., Blystad, A., Gjengedal, E., & Blaaka, G. (2010). The waiting mode': first-time mothers' experiences of waiting for labour onset. *Sexual & reproductive healthcare: official journal of the Swedish Association of Midwives*, 1(4), 169-173. doi:<https://dx.doi.org/10.1016/j.srhc.2010.07.003>
- Erichsen, M. M., Husebye, E. S., Michelsen, T. M., Dahl, A. A., & Lovas, K. (2010). Sexuality and fertility in women with Addison's disease. *Journal of Clinical Endocrinology & Metabolism*, 95(9), 4354-4360. doi:<https://dx.doi.org/10.1210/jc.2010-0445>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Erke, M. G., Bertelsen, G., Peto, T., Sjolie, A. K., Lindekleiv, H., & Njolstad, I. (2013). Lactation, female hormones and age-related macular degeneration: the Tromso Study. *British Journal of Ophthalmology*, 97(8), 1036-1039. doi:<https://dx.doi.org/10.1136/bjophthalmol-2012-302461>
- Eskild, A., Bruu, A. L., Stray-Pedersen, B., & Jenum, P. (2005). Epstein-Barr virus infection during pregnancy and the risk of adverse pregnancy outcome. *BJOG: An International Journal of Obstetrics & Gynaecology*, 112(12), 1620-1624. doi:<https://dx.doi.org/10.1111/j.1471-0528.2005.00764.x>
- Eskild, A., Fallas Dahl, G., Melby, K. K., & Nesheim, B. I. (2003). Testing for toxoplasmosis in pregnancy: a study of the routines in primary antenatal care. *Journal of Medical Screening*, 10(4), 172-175. doi:<https://dx.doi.org/10.1258/096914103771773258>
- Eskild, A., Fedorcsak, P., Morkrid, L., & Tanbo, T. G. (2012). Maternal body mass index and serum concentrations of human chorionic gonadotropin in very early pregnancy. *Fertility & Sterility*, 98(4), 905-910. doi:<https://dx.doi.org/10.1016/j.fertnstert.2012.06.011>
- Eskild, A., Jeansson, S., Hagen, J. A., Jenum, P. A., & Skrondal, A. (2000). Herpes simplex virus type-2 antibodies in pregnant women: the impact of the stage of pregnancy. *Epidemiology & Infection*, 125(3), 685-692.
- Eskild, A., Jeansson, S., Stray-Pedersen, B., & Jenum, P. A. (2002). Herpes simplex virus type-2 infection in pregnancy: no risk of fetal death: results from a nested case-control study within 35,940 women. *BJOG: An International Journal of Obstetrics & Gynaecology*, 109(9), 1030-1035.
- Eskild, A., Nesheim, B. I., Busund, B., Vatten, L., & Vangen, S. (2007). Childbearing or induced abortion: the impact of education and ethnic background. Population study of Norwegian and Pakistani women in Oslo, Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 86(3), 298-303. doi:<https://dx.doi.org/10.1080/00016340601133780>
- Eskild, A., & Vatten, L. J. (2009). Abnormal bleeding associated with preeclampsia: a population study of 315,085 pregnancies. *Acta Obstetrica et Gynecologica Scandinavica*, 88(2), 154-158. doi:<https://dx.doi.org/10.1080/00016340802613242>
- Eskild, A., & Vatten, L. J. (2010). Do pregnancies with pre-eclampsia have smaller placentas? A population study of 317 688 pregnancies with and without growth restriction in the offspring. *BJOG: An International Journal of Obstetrics & Gynaecology*, 117(12), 1521-1526. doi:<https://dx.doi.org/10.1111/j.1471-0528.2010.02701.x>
- Eskild, A., & Vatten, L. J. (2011). Placental weight and excess postpartum haemorrhage: a population study of 308,717 pregnancies. *BJOG: An International Journal of Obstetrics & Gynaecology*, 118(9), 1120-1125. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.02954.x>
- Espen Gjelsvik, B., Straand, J., Hunskaar, S., Dalen, I., & Rosvold, E. O. (2014). Use and discontinued use of menopausal hormone therapy by healthy women in Norway: the Hordaland Women's Cohort study. *Menopause*, 21(5), 459-468. doi:<https://dx.doi.org/10.1097/GME.0b013e3182a11f2d>
- Farmen, A. H., Grundt, J. H., Tomson, T., Nakken, K. O., Nakling, J., Mowinchel, P., . . . Lossius, M. I. (2016). Age-specific birth rates in women with epilepsy: a population-based study. *Brain and Behavior*, 6(8), e00492. doi:<https://dx.doi.org/10.1002/brb3.492>
- Fenstad, M. H., Johnson, M. P., Loset, M., Mundal, S. B., Roten, L. T., Eide, I. P., . . . Austgulen, R. (2010). STOX2 but not STOX1 is differentially expressed in decidua from pre-eclamptic women: data from the Second Nord-Trøndelag Health Study. *Molecular Human Reproduction*, 16(12), 960-968. doi:<https://dx.doi.org/10.1093/molehr/gaq064>
- Fenstad, M. H., Johnson, M. P., Roten, L. T., Aas, P. A., Forsmo, S., Klepper, K., . . . Moses, E. K. (2010). Genetic and molecular functional characterization of variants within TNFSF13B, a positional candidate preeclampsia susceptibility gene on 13q. *PLoS ONE [Electronic Resource]*, 5(9), 29. doi:<https://dx.doi.org/10.1371/journal.pone.0012993>
- Findal, G., Barlinn, R., Sandven, I., Stray-Pedersen, B., Nordbo, S. A., Samdal, H. H., . . . Jenum, P. A. (2015). Toxoplasma prevalence among pregnant women in Norway: a cross-sectional study. *APMIS*, 123(4), 321-325. doi:<https://dx.doi.org/10.1111/apm.12354>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Findal, G., Stray-Pedersen, B., Holter, E. K., Berge, T., & Jennum, P. A. (2015). Persistent Low Toxoplasma IgG Avidity Is Common in Pregnancy: Experience from Antenatal Testing in Norway. *PLoS ONE* [Electronic Resource], 10(12), e0145519. doi:<https://dx.doi.org/10.1371/journal.pone.0145519>
- Finsen, V., Storeheier, A. H., & Aasland, O. G. (2008). Cesarean section: Norwegian women do as obstetricians do--not as obstetricians say. *Birth*, 35(2), 117-120. doi:<https://dx.doi.org/10.1111/j.1523-536X.2008.00224.x>
- Fjell, T. I. (2002). Voluntarily childless women - wherein lies the problem? [Kvinner som velger ikke å få barn - hvorfor så problematisk?]. *Tidsskrift for Den Norske Lægeforening*, 122(1), 76-78.
- Flakstad, P. (2000). High frequency of Cesarean sections among immigrant women. [Høy keisersnittsfrekvens blant invandrerkvinner]. *Jordmorbladet*, 7(3), 14-15.
- Fleten, C., Stigum, H., Magnus, P., & Nystad, W. (2010). Exercise during pregnancy, maternal prepregnancy body mass index, and birth weight. *Obstetrics & Gynecology*, 115(2 Pt 1), 331-337. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181ca4414>
- Flo, K., Widnes, C., Vartun, A., & Acharya, G. (2014). Blood flow to the scarred gravid uterus at 22-24 weeks of gestation. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(2), 210-215. doi:<https://dx.doi.org/10.1111/1471-0528.12441>
- Flo, K., Wilsgaard, T., & Acharya, G. (2010). Relation between utero-placental and feto-placental circulations: a longitudinal study. *Acta Obstetrica et Gynecologica Scandinavica*, 89(10), 1270-1275. doi:<https://dx.doi.org/10.3109/00016349.2010.512069>
- Flo, K., Wilsgaard, T., Vartun, A., & Acharya, G. (2010). A longitudinal study of the relationship between maternal cardiac output measured by impedance cardiography and uterine artery blood flow in the second half of pregnancy. *BJOG: An International Journal of Obstetrics & Gynaecology*, 117(7), 837-844. doi:<https://dx.doi.org/10.1111/j.1471-0528.2010.02548.x>
- Forsmo, S., Schei, B., Langhammer, A., & Forsen, L. (2001). How do reproductive and lifestyle factors influence bone density in distal and ultradistal radius of early postmenopausal women? The Nord-Trøndelag Health Survey, Norway. *Osteoporosis International*, 12(3), 222-229. doi:<https://dx.doi.org/10.1007/s001980170133>
- Fossa, S. D., Magelssen, H., Melve, K., Jacobsen, A. B., Langmark, F., & Skjaerven, R. (2005). Parenthood in survivors after adulthood cancer and perinatal health in their offspring: a preliminary report. *Journal of the National Cancer Institute, Monographs*.(34), 77-82. doi:<https://dx.doi.org/10.1093/jncimonographs/igi019>
- Fredriksen, E., von Soest, T., Smith, L., & Moe, V. (2017). Patterns of pregnancy and postpartum depressive symptoms: Latent class trajectories and predictors. *Journal of Abnormal Psychology*, 126(2), 173-183. doi:<https://dx.doi.org/10.1037/abn0000246>
- Fredriksen, E. H., Harris, J., & Moland, K. M. (2016). Web-based Discussion Forums on Pregnancy Complaints and Maternal Health Literacy in Norway: A Qualitative Study. *Journal of Medical Internet Research*, 18(5), e113. doi:<https://dx.doi.org/10.2196/jmir.5270>
- Fredriksen, E. H., Harris, J., Moland, K. M., & Sundby, J. (2014). "They ask whether this is real or fake": a qualitative norwegian study of pregnancy complaints and access to social benefits. *Health Care for Women International*, 35(3), 266-284. doi:<https://dx.doi.org/10.1080/07399332.2013.794463>
- Fredriksen, E. H., Moland, K. M., & Sundby, J. (2008). "Listen to your body". A qualitative text analysis of internet discussions related to pregnancy health and pelvic girdle pain in pregnancy. *Patient Education & Counseling*, 73(2), 294-299. doi:<https://dx.doi.org/10.1016/j.pec.2008.02.002>
- Friis, C. M., Paasche Roland, M. C., Godang, K., Ueland, T., Tanbo, T., Bollerslev, J., & Henriksen, T. (2013). Adiposity-related inflammation: effects of pregnancy. *Obesity*, 21(1), E124-130. doi:<https://dx.doi.org/10.1002/oby.20120>
- Froen, J. F., Arnestad, M., Frey, K., Vege, A., Saugstad, O. D., & Stray-Pedersen, B. (2001). Risk factors for sudden intrauterine unexplained death: epidemiologic characteristics of singleton cases in Oslo, Norway, 1986-1995. *American Journal of Obstetrics & Gynecology*, 184(4), 694-702.

- Froen, J. F., Moyland, R. A., Saugstad, O. D., & Stray-Pedersen, B. (2002). Maternal health in sudden intrauterine unexplained death: do urinary tract infections protect the fetus? *Obstetrics & Gynecology*, 100(5 Pt 1), 909-915.
- Garnweidner, L. M., Sverre Pettersen, K., & Mosdol, A. (2013). Experiences with nutrition-related information during antenatal care of pregnant women of different ethnic backgrounds residing in the area of Oslo, Norway. *Midwifery*, 29(12), e130-137. doi:<https://dx.doi.org/10.1016/j.midw.2012.12.006>
- Garthus-Niegel, S., Ayers, S., von Soest, T., Torgersen, L., & Eberhard-Gran, M. (2015). Maintaining factors of posttraumatic stress symptoms following childbirth: A population-based, two-year follow-up study. *Journal of Affective Disorders*, 172, 146-152. doi:<https://dx.doi.org/10.1016/j.jad.2014.10.003>
- Garthus-Niegel, S., Knoph, C., von Soest, T., Nielsen, C. S., & Eberhard-Gran, M. (2014). The role of labor pain and overall birth experience in the development of posttraumatic stress symptoms: a longitudinal cohort study. *Birth*, 41(1), 108-115. doi:<https://dx.doi.org/10.1111/birt.12093>
- Garthus-Niegel, S., von Soest, T., Knoph, C., Simonsen, T. B., Torgersen, L., & Eberhard-Gran, M. (2014). The influence of women's preferences and actual mode of delivery on post-traumatic stress symptoms following childbirth: a population-based, longitudinal study. *BMC Pregnancy & Childbirth*, 14, 191. doi:<https://dx.doi.org/10.1186/1471-2393-14-191>
- Garthus-Niegel, S., von Soest, T., Vollrath, M. E., & Eberhard-Gran, M. (2013). The impact of subjective birth experiences on post-traumatic stress symptoms: a longitudinal study. *Archives of Women's Mental Health*, 16(1), 1-10. doi:<https://dx.doi.org/10.1007/s00737-012-0301-3>
- Gausel, A. M., Kjaermand, I., Malmqvist, S., Dalen, I., Larsen, J. P., & Okland, I. (2016). Pelvic girdle pain 3-6 months after delivery in an unselected cohort of Norwegian women. *European Spine Journal*, 25(6), 1953-1959. doi:<https://dx.doi.org/10.1007/s00586-015-3959-1>
- Gele, A. A., Sagbakken, M., & Kumar, B. (2015). Is female circumcision evolving or dissolving in Norway? A qualitative study on attitudes toward the practice among young Somalis in the Oslo area. *International Journal of Women's Health*, 7, 933-943. doi:<https://dx.doi.org/10.2147/IJWH.S93217>
- Gjelsvik, B., Rosvold, E. O., Straand, J., Dalen, I., & Hunskaar, S. (2011). Symptom prevalence during menopause and factors associated with symptoms and menopausal age. Results from the Norwegian Hordaland Women's Cohort study. *Maturitas*, 70(4), 383-390. doi:<https://dx.doi.org/10.1016/j.maturitas.2011.09.011>
- Gjestland, K., Bo, K., Owe, K. M., & Eberhard-Gran, M. (2013). Do pregnant women follow exercise guidelines? Prevalence data among 3482 women, and prediction of low-back pain, pelvic girdle pain and depression. *British Journal of Sports Medicine*, 47(8), 515-520. doi:<https://dx.doi.org/10.1136/bjsports-2012-091344>
- Glavin, K., Smith, L., Sorum, R., & Ellefsen, B. (2010). Redesigned community postpartum care to prevent and treat postpartum depression in women--a one-year follow-up study. *Journal of Clinical Nursing*, 19(21-22), 3051-3062. doi:<https://dx.doi.org/10.1111/j.1365-2702.2010.03332.x>
- Glavin, K., Smith, L., Sorum, R., & Ellefsen, B. (2010). Supportive counselling by public health nurses for women with postpartum depression. *Journal of Advanced Nursing*, 66(6), 1317-1327. doi:<https://dx.doi.org/10.1111/j.1365-2648.2010.05263.x>
- Gomez Real, F., Svanes, C., Bjornsson, E. H., Franklin, K. A., Gislason, D., Gislason, T., . . . Omenaas, E. (2006). Hormone replacement therapy, body mass index and asthma in perimenopausal women: a cross sectional survey. [Erratum appears in *Thorax*. 2006 Mar;61(3):274 Note: Franklin, K [corrected to Franklin, KA]]. *Thorax*, 61(1), 34-40. doi:<https://dx.doi.org/10.1136/thx.2005.040881>
- Gotestam Skorpen, C., Lydersen, S., Gilboe, I. M., Skomsvoll, J. F., Salvesen, K. A., Palm, O., . . . Wallenius, M. (2016). Disease activity during pregnancy and the first year postpartum in women with systemic lupus erythematosus. *Arthritis care & research*, 01, 01. doi:<https://dx.doi.org/10.1002/acr.23102>
- Graff-Iversen, S. (2005). External female hormones, serum lipids and mortality : population studies of Norwegian women. (no. 271), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Graff-Iversen, S., & Tonstad, S. (2002). Use of progestogen-only contraceptives/medications and lipid parameters in women age 40 to 42 years: results of a population-based cross-sectional Norwegian Survey. *Contraception*, 66(1), 7-13.

- Gram, I. T., Funkhouser, E., Nordgard, L., Tabar, L., & Ursin, G. (2002). Oral contraceptive use and mammographic patterns. *European Journal of Cancer Prevention*, 11(3), 265-270.
- Granlund, T. O. (2003). Who seeks counseling with the foundation Alternative to Abortion in Norway? [Hvem oppsøker stiftelsen Alternativ til Abort i Norge?]. *Tidsskrift for Den Norske Lægeforening*, 123(2), 165-168.
- Gravningen, K., Furberg, A. S., Simonsen, G. S., & Wilsgaard, T. (2012). Early sexual behaviour and Chlamydia trachomatis infection - a population based cross-sectional study on gender differences among adolescents in Norway. *BMC Infectious Diseases*, 12, 319. doi:<https://dx.doi.org/10.1186/1471-2334-12-319>
- Grindedal, E. M., Heramb, C., Karsrud, I., Ariansen, S. L., Maehle, L., Undlien, D. E., . . . Schlichting, E. (2017). Current guidelines for BRCA testing of breast cancer patients are insufficient to detect all mutation carriers. *BMC Cancer*, 17(1), 438. doi:10.1186/s12885-017-3422-2
- Grindheim, G., Toska, K., Estensen, M. E., & Rosseland, L. A. (2012). Changes in pulmonary function during pregnancy: a longitudinal cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(1), 94-101. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.03158.x>
- Grjibovski, A. M., Vikanes, A., Stoltenberg, C., & Magnus, P. (2008). Consanguinity and the risk of hyperemesis gravidarum in Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 87(1), 20-25. doi:<https://dx.doi.org/10.1080/00016340701709273>
- Gronskag, A. B., Romundstad, P., Forsmo, S., Langhammer, A., & Schei, B. (2012). Excess mortality after hip fracture among elderly women in Norway. The HUNT study. *Osteoporosis International*, 23(6), 1807-1811. doi:<https://dx.doi.org/10.1007/s00198-011-1811-y>
- Groven, K. S., Raheim, M., Hakonsen, E., & Haugstad, G. K. (2016). "Will I ever be a true woman?" An exploration of the experiences of women with vestibulodynia. *Health Care for Women International*, 37(8), 818-835. doi:<https://dx.doi.org/10.1080/07399332.2015.1103739>
- Grundt, J. H., Eide, G. E., Brantsaeter, A. L., Haugen, M., & Markestad, T. (2016). Is consumption of sugar-sweetened soft drinks during pregnancy associated with birth weight? *Maternal & Child Nutrition*, 07, 07. doi:<https://dx.doi.org/10.1111/mcn.12405>
- Grundy, E., & Kravdal, O. (2014). Do short birth intervals have long-term implications for parental health? Results from analyses of complete cohort Norwegian register data. *Journal of Epidemiology & Community Health*, 68(10), 958-964. doi:<https://dx.doi.org/10.1136/jech-2014-204191>
- Gudbrandsson, B., Wallenius, M., Garen, T., Henriksen, T., Molberg, O., & Palm, O. (2016). Takayasu arteritis and pregnancy; - a population based study on outcome and mother-child related concerns. *Arthritis care & research*, 03, 03. doi:<https://dx.doi.org/10.1002/acr.23146>
- Gudmundsdottir, S. L., Flanders, W. D., & Augestad, L. B. (2009). Physical activity and fertility in women: the North-Trøndelag Health Study. *Human Reproduction*, 24(12), 3196-3204. doi:<https://dx.doi.org/10.1093/humrep/dep337>
- Gudmundsdottir, S. L., Flanders, W. D., & Augestad, L. B. (2014). Menstrual cycle abnormalities in healthy women with low physical activity. The North-Trøndelag population-based health study. *Journal of Physical Activity & Health*, 11(6), 1133-1140. doi:<https://dx.doi.org/10.1123/jpah.2012-0284>
- Gulbrandsen, P., Aarseth, J., Aaby, E., & Valdal, A. (2004). A birth plan - effects and evaluation. [Fødselskartet - effekt og evaluering]. *Tidsskrift for Den Norske Lægeforening*, 124(23), 3055-3057.
- Gustafsson, M. K., Stafne, S. N., Romundstad, P. R., Morkved, S., Salvesen, K., & Helvik, A. S. (2016). The effects of an exercise programme during pregnancy on health-related quality of life in pregnant women: a Norwegian randomised controlled trial. *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(7), 1152-1160. doi:<https://dx.doi.org/10.1111/1471-0528.13570>
- Gustavson, K., Ystrom, E., Stoltenberg, C., Susser, E., Suren, P., Magnus, P., . . . Reichborn-Kjennerud, T. (2017). Smoking in Pregnancy and Child ADHD. *Pediatrics*, 139(2). doi:<https://dx.doi.org/10.1542/peds.2016-2509>
- Gutke, A., Olsson, C. B., Vollestad, N., Oberg, B., Wikmar, L. N., & Robinson, H. S. (2014). Association between lumbopelvic pain, disability and sick leave during pregnancy - a comparison of three Scandinavian cohorts. *Journal of Rehabilitation Medicine*, 46(5), 468-474. doi:<https://dx.doi.org/10.2340/16501977-1801>

- Gutzkow, K. B., Haug, L. S., Thomsen, C., Sabaredzovic, A., Becher, G., & Brunborg, G. (2012). Placental transfer of perfluorinated compounds is selective--a Norwegian Mother and Child sub-cohort study. *International Journal of Hygiene & Environmental Health*, 215(2), 216-219.
doi:<https://dx.doi.org/10.1016/j.ijheh.2011.08.011>
- Haakstad, L. A., Sanda, B., Vistad, I., Sagedal, L. R., Seiler, H. L., & Torstveit, M. K. (2017). Evaluation of implementing a community-based exercise intervention during pregnancy. *Midwifery*, 46, 45-51.
doi:<https://dx.doi.org/10.1016/j.midw.2017.01.010>
- Haakstad, L. A., Torset, B., & Bo, K. (2016). What is the effect of regular group exercise on maternal psychological outcomes and common pregnancy complaints? An assessor blinded RCT. *Midwifery*, 32, 81-86.
doi:<https://dx.doi.org/10.1016/j.midw.2015.10.008>
- Haakstad, L. A., Voldner, N., & Bo, K. (2013). Stages of change model for participation in physical activity during pregnancy. *Journal of Pregnancy*, 2013, 193170. doi:<https://dx.doi.org/10.1155/2013/193170>
- Haakstad, L. A., Voldner, N., Henriksen, T., & Bo, K. (2007). Physical activity level and weight gain in a cohort of pregnant Norwegian women. *Acta Obstetrica et Gynecologica Scandinavica*, 86(5), 559-564.
doi:<https://dx.doi.org/10.1080/00016340601185301>
- Haakstad, L. A., Voldner, N., Henriksen, T., & Bo, K. (2009). Why do pregnant women stop exercising in the third trimester? *Acta Obstetrica et Gynecologica Scandinavica*, 88(11), 1267-1275.
doi:<https://dx.doi.org/10.3109/00016340903284901>
- Haavaldsen, C., Fedorcsak, P., Tanbo, T., & Eskild, A. (2014). Maternal age and serum concentration of human chorionic gonadotropin in early pregnancy. *Acta Obstetrica et Gynecologica Scandinavica*, 93(12), 1290-1294. doi:<https://dx.doi.org/10.1111/aogs.12471>
- Haavaldsen, C., Samuelsen, S. O., & Eskild, A. (2011). The association of maternal age with placental weight: a population-based study of 536,954 pregnancies. *BJOG: An International Journal of Obstetrics & Gynaecology*, 118(12), 1470-1476. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.03053.x>
- Haavaldsen, C., Samuelsen, S. O., & Eskild, A. (2013). Fetal death and placental weight/birthweight ratio: a population study. *Acta Obstetrica et Gynecologica Scandinavica*, 92(5), 583-590.
doi:<https://dx.doi.org/10.1111/aogs.12105>
- Haavaldsen, C., Sarfraz, A. A., Samuelsen, S. O., & Eskild, A. (2010). The impact of maternal age on fetal death: does length of gestation matter? *American Journal of Obstetrics & Gynecology*, 203(6), 554.e551-558.
doi:<https://dx.doi.org/10.1016/j.ajog.2010.07.014>
- Haavaldsen, C., Tanbo, T., & Eskild, A. (2012). Placental weight in singleton pregnancies with and without assisted reproductive technology: a population study of 536,567 pregnancies. *Human Reproduction*, 27(2), 576-582. doi:<https://dx.doi.org/10.1093/humrep/der428>
- Haberg, S. E., Trogstad, L., Gunnes, N., Wilcox, A. J., Gjessing, H. K., Samuelsen, S. O., . . . Stoltenberg, C. (2013). Risk of fetal death after pandemic influenza virus infection or vaccination. *New England Journal of Medicine*, 368(4), 333-340. doi:<https://dx.doi.org/10.1056/NEJMoa1207210>
- Haga, S. M., Drozd, F., Brendryen, H., & Slinning, K. (2013). Mamma mia: a feasibility study of a web-based intervention to reduce the risk of postpartum depression and enhance subjective well-being. *JMIR Research Protocols*, 2(2), e29. doi:10.2196/resprot.2659
- Haga, S. M., Lisoy, C., Drozd, F., Valla, L., & Slinning, K. (2017). A population-based study of the relationship between perinatal depressive symptoms and breastfeeding: a cross-lagged panel study. *Arch Womens Ment Health*. doi:10.1007/s00737-017-0792-z
- Haga, S. M., Lynne, A., Slinning, K., & Kraft, P. (2012). A qualitative study of depressive symptoms and well-being among first-time mothers. *Scandinavian Journal of Caring Sciences*, 26(3), 458-466.
doi:10.1111/j.1471-6712.2011.00950.x
- Haga, S. M., Ulleberg, P., Slinning, K., Kraft, P., Steen, T. B., & Staff, A. (2012). A longitudinal study of postpartum depressive symptoms: multilevel growth curve analyses of emotion regulation strategies, breastfeeding self-efficacy, and social support. *Arch Womens Ment Health*, 15(3), 175-184.
doi:10.1007/s00737-012-0274-2

- Hagemann, C. T. (2014). Medical findings and legal outcome among postpubertal women attending the Sexual Assault Centre at St. Olavs Hospital, Trondheim, Norway: a record-based study from 1997-2010. (2014:317), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Hager, R. M., Daltveit, A. K., Hofoss, D., Nilsen, S. T., Kolaas, T., Oian, P., & Henriksen, T. (2004). Complications of cesarean deliveries: rates and risk factors. *American Journal of Obstetrics & Gynecology*, 190(2), 428-434. doi:<https://dx.doi.org/10.1016/j.ajog.2003.08.037>
- Haheim, L. L., Albrechtsen, S., Berge, L. N., Bordahl, P. E., Egeland, T., Henriksen, T., & P, O. I. (2004). Breech birth at term: vaginal delivery or elective cesarean section? A systematic review of the literature by a Norwegian review team. *Acta Obstetrica et Gynecologica Scandinavica*, 83(2), 126-130.
- Hakestad, K. A. (2016). Physical function and quality of life in women with osteopenia and healed wrist fracture. Universitetet i Oslo, Det medisinske fakultet, Oslo.
- Halle, T. K., Salvesen, K. A., & Volloyhaug, I. (2016). Obstetric anal sphincter injury and incontinence 15-23 years after vaginal delivery. *Acta Obstetrica et Gynecologica Scandinavica*, 95(8), 941-947. doi:<https://dx.doi.org/10.1111/aogs.12898>
- Hals, E., Oian, P., Pirhonen, T., Gissler, M., Hjelle, S., Nilsen, E. B., . . . Pirhonen, J. (2010). A multicenter interventional program to reduce the incidence of anal sphincter tears. *Obstetrics & Gynecology*, 116(4), 901-908. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181eda77a>
- Halvorsen, L., Nerum, H., Sorlie, T., & Oian, P. (2010). Does counsellor's attitude influence change in a request for a caesarean in women with fear of birth? *Midwifery*, 26(1), 45-52. doi:<https://dx.doi.org/10.1016/j.midw.2008.04.011>
- Halvorsen, L., Nerum, H., Öian, P., & Sörlie, T. (2008). Is there an association between psychological stress and request for caesarian section? [Er det sammenheng mellom psykiske belastninger og ønske om keisersnitt?]. *Tidsskrift for Den Norske Lægeforening*, 128(12), 1388-1391.
- Halvorsen, S., Haakstad, L. A., Edvardsen, E., & Bo, K. (2013). Effect of aerobic dance on cardiorespiratory fitness in pregnant women: a randomised controlled trial. *Physiotherapy*, 99(1), 42-48. doi:<https://dx.doi.org/10.1016/j.physio.2011.11.002>
- Handal, M., Engeland, A., Ronning, M., Skurtveit, S., & Furu, K. (2011). Use of prescribed opioid analgesics and co-medication with benzodiazepines in women before, during, and after pregnancy: a population-based cohort study. *European Journal of Clinical Pharmacology*, 67(9), 953-960. doi:<https://dx.doi.org/10.1007/s00228-011-1030-7>
- Handal, M., Skurtveit, S., Furu, K., Hernandez-Diaz, S., Skovlund, E., Nystad, W., & Selmer, R. (2016). Motor development in children prenatally exposed to selective serotonin reuptake inhibitors: a large population-based pregnancy cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(12), 1908-1917. doi:<https://dx.doi.org/10.1111/1471-0528.13582>
- Handal, M., Skurtveit, S., Roth, C., Hernandez-Diaz, S., & Selmer, R. (2016). Prenatal Exposure to Folic Acid and Antidepressants and Language Development: A Population-Based Cohort Study. *Journal of Clinical Psychopharmacology*, 36(4), 333-339. doi:<https://dx.doi.org/10.1097/JCP.0000000000000519>
- Hannestad, Y. S., Lie, R. T., Rortveit, G., & Hunskaar, S. (2004). Familial risk of urinary incontinence in women: population based cross sectional study. *BMJ*, 329(7471), 889-891. doi:<https://dx.doi.org/10.1136/bmj.329.7471.889>
- Hannestad, Y. S., Rortveit, G., Daltveit, A. K., & Hunskaar, S. (2003). Are smoking and other lifestyle factors associated with female urinary incontinence? The Norwegian EPINCONT Study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 110(3), 247-254.
- Hannestad, Y. S., Rortveit, G., & Hunskaar, S. (2002). Help-seeking and associated factors in female urinary incontinence. The Norwegian EPINCONT Study. *Epidemiology of Incontinence in the County of Nord-Trøndelag. Scandinavian Journal of Primary Health Care*, 20(2), 102-107.
- Hannestad, Y. S., Rortveit, G., Sandvik, H., & Hunskaar, S. (2000). A community-based epidemiological survey of female urinary incontinence: the Norwegian EPINCONT study. *Epidemiology of Incontinence in the County of Nord-Trøndelag. Journal of Clinical Epidemiology*, 53(11), 1150-1157.

- Hansen, B. T., Kjaer, S. K., Munk, C., Tryggvadottir, L., Sparen, P., Hagerup-Jenssen, M., . . . Nygard, M. (2010). Early smoking initiation, sexual behavior and reproductive health - a large population-based study of Nordic women. *Preventive Medicine*, 51(1), 68-72. doi:<https://dx.doi.org/10.1016/j.ypmed.2010.03.014>
- Hansen, S., Nieboer, E., Sandanger, T. M., Wilsgaard, T., Thomassen, Y., Veyhe, A. S., & Odland, J. O. (2011). Changes in maternal blood concentrations of selected essential and toxic elements during and after pregnancy. *Journal of Environmental Monitoring*, 13(8), 2143-2152. doi:<https://dx.doi.org/10.1039/c1em10051c>
- Harmon, Q. E., Huang, L., Umbach, D. M., Klungsoyr, K., Engel, S. M., Magnus, P., . . . Wilcox, A. J. (2015). Risk of fetal death with preeclampsia. *Obstetrics & Gynecology*, 125(3), 628-635. doi:<https://dx.doi.org/10.1097/AOG.0000000000000696>
- Haug, K., Irgens, L. M., Skjaerven, R., Markestad, T., Baste, V., & Schreuder, P. (2000). Maternal smoking and birthweight: effect modification of period, maternal age and paternal smoking. *Acta Obstetrica et Gynecologica Scandinavica*, 79(6), 485-489.
- Hauge, L. J., Aaro, L. E., Torgersen, L., & Vollrath, M. E. (2013). Smoking during consecutive pregnancies among primiparous women in the population-based Norwegian Mother and Child Cohort Study. *Nicotine & Tobacco Research*, 15(2), 428-434. doi:<https://dx.doi.org/10.1093/ntr/nts147>
- Hauge, L. J., Torgersen, L., & Vollrath, M. (2012). Associations between maternal stress and smoking: findings from a population-based prospective cohort study. *Addiction*, 107(6), 1168-1173. doi:<https://dx.doi.org/10.1111/j.1360-0443.2011.03775.x>
- Haugen, M., Brantsaeter, A. L., Trogstad, L., Alexander, J., Roth, C., Magnus, P., & Meltzer, H. M. (2009). Vitamin D supplementation and reduced risk of preeclampsia in nulliparous women. *Epidemiology*, 20(5), 720-726. doi:<https://dx.doi.org/10.1097/EDE.0b013e3181a70f08>
- Haugen, M., Brantsaeter, A. L., Winkvist, A., Lissner, L., Alexander, J., Oftedal, B., . . . Meltzer, H. M. (2014). Associations of pre-pregnancy body mass index and gestational weight gain with pregnancy outcome and postpartum weight retention: a prospective observational cohort study. *BMC Pregnancy & Childbirth*, 14, 201. doi:<https://dx.doi.org/10.1186/1471-2393-14-201>
- Haugen, M., Vikanes, A., Brantsaeter, A. L., Meltzer, H. M., Grijibovski, A. M., & Magnus, P. (2011). Diet before pregnancy and the risk of hyperemesis gravidarum. *British Journal of Nutrition*, 106(4), 596-602. doi:<https://dx.doi.org/10.1017/S0007114511000675>
- Heggland, I., Irgens, A., Tollanes, M., Romundstad, P., Syversen, T., Svendsen, K., . . . Hilt, B. (2011). Pregnancy outcomes among female dental personnel--a registry-based retrospective cohort study. *Scandinavian Journal of Work, Environment & Health*, 37(6), 539-546. doi:<https://dx.doi.org/10.5271/sjweh.3175>
- Heimstad, R., Romundstad, P. R., Eik-Nes, S. H., & Salvesen, K. A. (2006). Outcomes of pregnancy beyond 37 weeks of gestation. *Obstetrics & Gynecology*, 108(3 Pt 1), 500-508. doi:<https://dx.doi.org/10.1097/01.AOG.0000227783.65800.0f>
- Heimstad, R., Romundstad, P. R., & Salvesen, K. A. (2008). Induction of labour for post-term pregnancy and risk estimates for intrauterine and perinatal death. *Acta Obstetrica et Gynecologica Scandinavica*, 87(2), 247-249.
- Heitmann, K., Havnen, G. C., Holst, L., & Nordeng, H. (2016). Pregnancy outcomes after prenatal exposure to echinacea: the Norwegian Mother and Child Cohort Study. *European Journal of Clinical Pharmacology*, 72(5), 623-630. doi:<https://dx.doi.org/10.1007/s00228-016-2021-5>
- Heitmann, K., Nordeng, H., Havnen, G. C., Solheimsnes, A., & Holst, L. (2017). The burden of nausea and vomiting during pregnancy: severe impacts on quality of life, daily life functioning and willingness to become pregnant again - results from a cross-sectional study. *BMC Pregnancy & Childbirth*, 17(1), 75. doi:<https://dx.doi.org/10.1186/s12884-017-1249-0>
- Heitmann, K., Nordeng, H., & Holst, L. (2013). Pregnancy outcome after use of cranberry in pregnancy--the Norwegian Mother and Child Cohort Study. *BMC Complementary & Alternative Medicine*, 13, 345. doi:<https://dx.doi.org/10.1186/1472-6882-13-345>

- Heitmann, K., Nordeng, H., & Holst, L. (2013). Safety of ginger use in pregnancy: results from a large population-based cohort study. *European Journal of Clinical Pharmacology*, 69(2), 269-277. doi:<https://dx.doi.org/10.1007/s00228-012-1331-5>
- Heitmann, K., Solheimsnes, A., Havnen, G. C., Nordeng, H., & Holst, L. (2016). Treatment of nausea and vomiting during pregnancy -a cross-sectional study among 712 Norwegian women. *European Journal of Clinical Pharmacology*, 72(5), 593-604. doi:<https://dx.doi.org/10.1007/s00228-016-2012-6>
- Heitmann, K., Svendsen, H. C., Sporsheim, I. H., & Holst, L. (2016). Nausea in pregnancy: attitudes among pregnant women and general practitioners on treatment and pregnancy care. *Scandinavian Journal of Primary Health Care*, 34(1), 13-20. doi:<https://dx.doi.org/10.3109/02813432.2015.1132894>
- Helgadottir, L. B., Skjeldestad, F. E., Jacobsen, A. F., Sandset, P. M., & Jacobsen, E. M. (2011). The association of inherited thrombophilia and intrauterine fetal death: a case-control study. *Blood Coagulation & Fibrinolysis*, 22(8), 651-656. doi:<https://dx.doi.org/10.1097/MBC.0b013e32834a614c>
- Helgadottir, L. B., Skjeldestad, F. E., Jacobsen, A. F., Sandset, P. M., & Jacobsen, E. M. (2011). Incidence and risk factors of fetal death in Norway: a case-control study. *Acta Obstetrica et Gynecologica Scandinavica*, 90(4), 390-397. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01079.x>
- Helgadottir, L. B., Turowski, G., Skjeldestad, F. E., Jacobsen, A. F., Sandset, P. M., Roald, B., & Jacobsen, E. M. (2013). Classification of stillbirths and risk factors by cause of death--a case-control study. *Acta Obstetrica et Gynecologica Scandinavica*, 92(3), 325-333. doi:<https://dx.doi.org/10.1111/aogs.12044>
- Helgesen, A. L. O. (2016). Vulvovaginal photodynamic therapy in genital erosive lichen planus.
- Helseth, R., Salvesen, O., Stafne, S. N., Morkved, S., Salvesen, K. A., & Carlsen, S. M. (2014). Gestational diabetes mellitus among Nordic Caucasian women: prevalence and risk factors according to WHO and simplified IADPSG criteria. *Scandinavian Journal of Clinical & Laboratory Investigation*, 74(7), 620-628. doi:<https://dx.doi.org/10.3109/00365513.2014.928942>
- Helseth, R., Vanky, E., Salvesen, O., & Carlsen, S. M. (2013). Gestational diabetes mellitus among Norwegian women with polycystic ovary syndrome: prevalence and risk factors according to the WHO and the modified IADPSG criteria. *European Journal of Endocrinology*, 169(1), 65-72. doi:<https://dx.doi.org/10.1530/EJE-12-1107>
- Henriksen, J. R., Kasin, K., Duesund, R., & Madsen, S. (2008). Better life after surgery. [Operasjon ga bedre liv]. *Sykepleien*, 96(9), 68-70.
- Henriksen, R. E., Torsheim, T., & Thuen, F. (2015). Relationship satisfaction reduces the risk of maternal infectious diseases in pregnancy: the Norwegian Mother and Child Cohort Study. *PLoS ONE [Electronic Resource]*, 10(1), e0116796. doi:<https://dx.doi.org/10.1371/journal.pone.0116796>
- Henriksen, T. (2006). Nutrition and pregnancy outcome. *Nutrition Reviews*, 64(5 Pt 2), S19-23; discussion S72-91.
- Herstad, L., Klungsoyr, K., Skjaerven, R., Tanbo, T., Eidem, I., Forsen, L., . . . Vangen, S. (2012). Maternal age and elective cesarean section in a low-risk population. [Erratum appears in *Acta Obstet Gynecol Scand*. 2013 Mar;92(3):366]. *Acta Obstetrica et Gynecologica Scandinavica*, 91(7), 816-823. doi:<https://dx.doi.org/10.1111/j.1600-0412.2012.01405.x>
- Herstad, L., Klungsoyr, K., Skjaerven, R., Tanbo, T., Forsen, L., Abyholm, T., & Vangen, S. (2015). Maternal age and emergency operative deliveries at term: a population-based registry study among low-risk primiparous women. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(12), 1642-1651. doi:<https://dx.doi.org/10.1111/1471-0528.12962>
- Herstad, L., Klungsoyr, K., Skjaerven, R., Tanbo, T., Forsen, L., Abyholm, T., & Vangen, S. (2016). Elective cesarean section or not? Maternal age and risk of adverse outcomes at term: a population-based registry study of low-risk primiparous women. *BMC Pregnancy & Childbirth*, 16, 230. doi:<https://dx.doi.org/10.1186/s12884-016-1028-3>
- Hilde, G., Eskild, A., Owe, K. M., Bo, K., & Bjelland, E. K. (2017). Exercise in pregnancy: an association with placental weight? *American Journal of Obstetrics & Gynecology*, 216(2), 168.e161-168.e169. doi:<https://dx.doi.org/10.1016/j.ajog.2016.10.018>

- Hillesund, E. R., Overby, N. C., Engel, S. M., Klungsoyr, K., Harmon, Q. E., Haugen, M., & Bere, E. (2014). Associations of adherence to the New Nordic Diet with risk of preeclampsia and preterm delivery in the Norwegian Mother and Child Cohort Study (MoBa). *European Journal of Epidemiology*, 29(10), 753-765. doi:<https://dx.doi.org/10.1007/s10654-014-9948-6>
- Hiort, L. H. (2009). How do pregnant and breast-feeding women experience risk? [Hvordan oppfatter gravide og ammende risiko?]. *Norsk Farmaceutisk Tidsskrift*, 117(7-8), 26-27.
- Hoff, J. M., Daltveit, A. K., & Gilhus, N. E. (2003). Myasthenia gravis: consequences for pregnancy, delivery, and the newborn. *Neurology*, 61(10), 1362-1366.
- Hoff, J. M., Daltveit, A. K., & Gilhus, N. E. (2004). Asymptomatic myasthenia gravis influences pregnancy and birth. *European Journal of Neurology*, 11(8), 559-562. doi:<https://dx.doi.org/10.1111/j.1468-1331.2004.00900.x>
- Hoff, J. M., Daltveit, A. K., & Gilhus, N. E. (2007). Myasthenia gravis in pregnancy and birth: identifying risk factors, optimising care. *European Journal of Neurology*, 14(1), 38-43. doi:<https://dx.doi.org/10.1111/j.1468-1331.2006.01538.x>
- Hogberg, V., Rasmussen, S., & Irgens, L. M. (2007). The effect of smoking and hypertensive disorders on abruptio placentae in Norway 1999-2002. *Acta Obstetrica et Gynecologica Scandinavica*, 86(3), 304-309. doi:<https://dx.doi.org/10.1080/00016340601134572>
- Holdo, I., Handal, M., Skurtveit, S., & Bramness, J. G. (2013). Association between prescribing hypnotics for parents and children in Norway. *Archives of Disease in Childhood*, 98(9), 732-736. doi:<https://dx.doi.org/10.1136/archdischild-2013-303646>
- Holm Tveit, J. V., Saastad, E., Stray-Pedersen, B., Bordahl, P. E., & Froen, J. F. (2009). Maternal characteristics and pregnancy outcomes in women presenting with decreased fetal movements in late pregnancy. *Acta Obstetrica et Gynecologica Scandinavica*, 88(12), 1345-1351. doi:<https://dx.doi.org/10.3109/00016340903348375>
- Holme, A. M., Roland, M. C., Henriksen, T., & Michelsen, T. M. (2016). In vivo uteroplacental release of placental growth factor and soluble Fms-like tyrosine kinase-1 in normal and preeclamptic pregnancies. *American Journal of Obstetrics & Gynecology*, 215(6), 782.e781-782.e789. doi:<https://dx.doi.org/10.1016/j.ajog.2016.07.056>
- Holtedahl, K., Verelst, M., Schiefloe, A., & Hunskaar, S. (2000). Usefulness of urodynamic examination in female urinary incontinence--lessons from a population-based, randomized, controlled study of conservative treatment. *Scandinavian Journal of Urology & Nephrology*, 34(3), 169-174.
- Horn, J. (2014). Risk factors for breast cancer subtypes and breast cancer in old age: prospective studies in Norwegian women. (2014:299), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Horn, J., Alsaker, M. D., Opdahl, S., Engstrom, M. J., Tretli, S., Haugen, O. A., . . . Asvold, B. O. (2014). Anthropometric factors and risk of molecular breast cancer subtypes among postmenopausal Norwegian women. *International Journal of Cancer*, 135(11), 2678-2686. doi:<https://dx.doi.org/10.1002/ijc.28912>
- Hov, G. G., Skjeldestad, F. E., & Hilstad, T. (2007). Use of IUD and subsequent fertility--follow-up after participation in a randomized clinical trial. *Contraception*, 75(2), 88-92. doi:<https://dx.doi.org/10.1016/j.contraception.2006.09.010>
- Husby, G. K., Haugen, R. S., & Moen, M. H. (2003). Diagnostic delay in women with pain and endometriosis. *Acta Obstetrica et Gynecologica Scandinavica*, 82(7), 649-653.
- Husom, N. (2003). Self-chosen Cesarean section - conflict of choice and knowledge. [Selvbestemt keisersnitt - valg och viten i konflikt]. *Tidsskrift for Den Norske Laegeforening*, 123(11), 1552-1555.
- Idland, G. (2015). Functioning, self-rated health, mortality and exercise in the oldest old community-dwelling Norwegian women. (no. 2018), Institute of Clinical Medicine, Faculty of Medicine, University of Oslo, Oslo.
- Idland, G., Rydwick, E., Smastuen, M. C., & Bergland, A. (2013). Predictors of mobility in community-dwelling women aged 85 and older. *Disability & Rehabilitation*, 35(11), 881-887. doi:<https://dx.doi.org/10.3109/09638288.2012.712195>

- Idland, G., Sylliaas, H., Mengshoel, A. M., Pettersen, R., & Bergland, A. (2014). Progressive resistance training for community-dwelling women aged 90 or older; a single-subject experimental design. *Disability & Rehabilitation*, 36(15), 1240-1248. doi:<https://dx.doi.org/10.3109/09638288.2013.837969>
- Indrekvam, S., Fosse, O. A., & Hunskaar, S. (2001). A Norwegian national cohort of 3198 women treated with home-managed electrical stimulation for urinary incontinence--demography and medical history. *Scandinavian Journal of Urology & Nephrology*, 35(1), 26-31.
- Indrekvam, S., & Hunskaar, S. (2002). Side effects, feasibility, and adherence to treatment during home-managed electrical stimulation for urinary incontinence: a Norwegian national cohort of 3,198 women. *Neurourology & Urodynamics*, 21(6), 546-552. doi:<https://dx.doi.org/10.1002/nau.10003>
- Indrekvam, S., Sandvik, H., & Hunskaar, S. (2001). A Norwegian national cohort of 3198 women treated with home-managed electrical stimulation for urinary incontinence--effectiveness and treatment results. *Scandinavian Journal of Urology & Nephrology*, 35(1), 32-39.
- Ingebretsen, R., Thorsen, K., & Myrvang, V. H. (2015). Livsmot og mismot blant aldrende kvinner med innvandrerbakgrunn: "Møteplasser er viktig! Det er kjempeviktig". Tønsberg: Aldring og helse.
- Ingul, C. B., Loras, L., Tegnander, E., Eik-Nes, S. H., & Brantberg, A. (2016). Maternal obesity affects fetal myocardial function as early as in the first trimester. *Ultrasound in Obstetrics & Gynecology*, 47(4), 433-442. doi:<https://dx.doi.org/10.1002/uog.14841>
- Irgens, H. U., Reisaeter, L., Irgens, L. M., & Lie, R. T. (2001). Long term mortality of mothers and fathers after pre-eclampsia: population based cohort study. *BMJ*, 323(7323), 1213-1217.
- Jacobsen, A. F., Dahm, A., Bergrem, A., Jacobsen, E. M., & Sandset, P. M. (2010). Risk of venous thrombosis in pregnancy among carriers of the factor V Leiden and the prothrombin gene G20210A polymorphisms. *Journal of Thrombosis & Haemostasis*, 8(11), 2443-2449. doi:<https://dx.doi.org/10.1111/j.1538-7836.2010.04038.x>
- Jacobsen, A. F., Qvigstad, E., & Sandset, P. M. (2003). Low molecular weight heparin (dalteparin) for the treatment of venous thromboembolism in pregnancy. *BJOG: An International Journal of Obstetrics & Gynaecology*, 110(2), 139-144.
- Jacobsen, A. F., Skjeldestad, F. E., & Sandset, P. M. (2008). Incidence and risk patterns of venous thromboembolism in pregnancy and puerperium--a register-based case-control study. *American Journal of Obstetrics & Gynecology*, 198(2), 233.e231-237. doi:<https://dx.doi.org/10.1016/j.ajog.2007.08.041>
- Jacobsen, B. K., Heuch, I., & Kvale, G. (2003). Age at natural menopause and all-cause mortality: a 37-year follow-up of 19,731 Norwegian women. *American Journal of Epidemiology*, 157(10), 923-929.
- Jacobsen, B. K., Heuch, I., & Kvale, G. (2007). Association of low age at menarche with increased all-cause mortality: a 37-year follow-up of 61,319 Norwegian women. *American Journal of Epidemiology*, 166(12), 1431-1437. doi:<https://dx.doi.org/10.1093/aje/kwm237>
- Jahanlu, D., & Hunskaar, S. (2011). Type and severity of new-onset urinary incontinence in middle-aged women: the Hordaland Women's Cohort. *Neurourology & Urodynamics*, 30(1), 87-92. doi:<https://dx.doi.org/10.1002/nau.20966>
- Jahanlu, D., Qureshi, S. A., & Hunskaar, S. (2008). The Hordaland Women's Cohort: a prospective cohort study of incontinence, other urinary tract symptoms and related health issues in middle-aged women. *BMC Public Health*, 8, 296. doi:<https://dx.doi.org/10.1186/1471-2458-8-296>
- Jakobsson, M., Tapper, A. M., Colmorn, L. B., Lindqvist, P. G., Klungsoyr, K., Krebs, L., . . . Gissler, M. (2015). Emergency peripartum hysterectomy: results from the prospective Nordic Obstetric Surveillance Study (NOSS). *Acta Obstetrica et Gynecologica Scandinavica*, 94(7), 745-754. doi:<https://dx.doi.org/10.1111/aogs.12644>
- Jensen, E. T., Daniels, J. L., Sturmer, T., Robinson, W. R., Williams, C. J., Moster, D., . . . Longnecker, M. P. (2014). Maternal hormonal contraceptive use and offspring overweight or obesity. *International Journal of Obesity*, 38(10), 1275-1281. doi:<https://dx.doi.org/10.1038/ijo.2014.114>
- Jensen, S. A., Vatten, L. J., Romundstad, P. R., & Myhre, H. O. (2003). The prevalence of asymptomatic arterial obstruction in the lower extremities among men and women 60 to 69 years of age. *International Angiology*, 22(4), 340-343.

Reproduktiv helse, fødsler, overgangsalder og aldring

- Jenum, A. K., Mørkrid, K., Sletner, L., Vangen, S., Torper, J., Nakstad, B., . . . Birkeland, K. (2012). Impact of ethnicity on gestational diabetes identified with the WHO and the modified International Association of Diabetes and Pregnancy Study Groups criteria: a population-based cohort study. *European Journal of Endocrinology*, 166(2), 317-324. doi:10.1530/EJE-11-0866
- Jenum, A. K., Sletner, L., Voldner, N., Vangen, S., Morkrid, K., Andersen, L. F., . . . Birkeland, K. I. (2010). The STORK Groruddalen research programme: A population-based cohort study of gestational diabetes, physical activity, and obesity in pregnancy in a multiethnic population. Rationale, methods, study population, and participation rates. [Erratum appears in *Scand J Public Health*. 2011 May;39(3):333]. *Scandinavian Journal of Public Health*, 38(5 Suppl), 60-70. doi:https://dx.doi.org/10.1177/1403494810378921
- Johannessen, H. H., Morkved, S., Stordahl, A., Sandvik, L., & Wibe, A. (2014). Anal incontinence and Quality of Life in late pregnancy: a cross-sectional study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(8), 978-987. doi:https://dx.doi.org/10.1111/1471-0528.12643
- Johannessen, H. H., Wibe, A., Stordahl, A., Sandvik, L., Backe, B., & Morkved, S. (2014). Prevalence and predictors of anal incontinence during pregnancy and 1 year after delivery: a prospective cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(3), 269-279. doi:https://dx.doi.org/10.1111/1471-0528.12438
- Johannessen, H. H., Wibe, A., Stordahl, A., Sandvik, L., & Morkved, S. (2015). Anal incontinence among first time mothers - what happens in pregnancy and the first year after delivery? *Acta Obstetrica et Gynecologica Scandinavica*, 94(9), 1005-1013. doi:https://dx.doi.org/10.1111/aogs.12689
- Johansen, O. E. (2008). Urogenital problems and female Internet users. [Underlivsplager og kvinnelige Internett-brukere]. *Tidsskrift for Den Norske Laegeforening*, 128(24).
- Johansen, R. E. (2006). Experiences and perceptions of pain, sexuality and childbirth: a study of female genital cutting among Somalis in Norwegian exile, and their health care providers. (no. 441), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Johansen, R. E. (2017). Kjønnsmlestelse. Forebygging og informasjon om helsehjelp til flyktninger, asylsøkere og bosatte i Norge (N. k. o. v. o. t. stress Ed. Vol. 2017:8). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- Johansen, R. E. (2017). Undoing female genital cutting: perceptions and experiences of infibulation, defibulation and virginity among Somali and Sudanese migrants in Norway. *Culture, Health & Sexuality*, 19(4), 528-542. doi:https://dx.doi.org/10.1080/13691058.2016.1239838
- Johansen, R. E. (2017). Virility, pleasure and female genital mutilation/cutting. A qualitative study of perceptions and experiences of medicalized defibulation among Somali and Sudanese migrants in Norway. *Reproductive Health*, 14(1), 25. doi:https://dx.doi.org/10.1186/s12978-017-0287-4
- Johansson, A., Curran, J. E., Johnson, M. P., Freed, K. A., Fenstad, M. H., Bjorge, L., . . . Blangero, J. (2011). Identification of ACOX2 as a shared genetic risk factor for preeclampsia and cardiovascular disease. *European Journal of Human Genetics*, 19(7), 796-800. doi:https://dx.doi.org/10.1038/ejhg.2011.19
- Johnson, E., Carlsen, E., Steen, T. B., Backer Hjorthaug, J. O., Eriksen, M. T., & Johannessen, H. O. (2010). Short- and long-term results of secondary anterior sphincteroplasty in 33 patients with obstetric injury. *Acta Obstetrica et Gynecologica Scandinavica*, 89(11), 1466-1472. doi:https://dx.doi.org/10.3109/00016349.2010.519019
- Jonassen, W., & Saur, R. (2011). Arbeid med kjønnsmlestelse i Norge: en kartlegging (Vol. 1/2011). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- Justad-Berg, R. T., Eskild, A., & Strom-Roum, E. M. (2015). Characteristics of women with repeat termination of pregnancy: a study of all requests for pregnancy termination in Norway during 2007-2011. *Acta Obstetrica et Gynecologica Scandinavica*, 94(11), 1175-1180. doi:https://dx.doi.org/10.1111/aogs.12714
- Kaarensen, P. I., Ronning, J. A., Ulvund, S. E., & Dahl, L. B. (2006). A randomized, controlled trial of the effectiveness of an early-intervention program in reducing parenting stress after preterm birth. *Pediatrics*, 118(1), e9-19. doi:https://dx.doi.org/10.1542/peds.2005-1491
- Kampman, M. T. (2007). Folate status in women of childbearing age with epilepsy. *Epilepsy Research*, 75(1), 52-56. doi:https://dx.doi.org/10.1016/j.eplepsyres.2007.04.003

- Khoury, J., Henriksen, T., Seljeflot, I., Morkrid, L., Frosli, K. F., & Tonstad, S. (2007). Effects of an antiatherogenic diet during pregnancy on markers of maternal and fetal endothelial activation and inflammation: the CARRDIP study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 114(3), 279-288. doi:<https://dx.doi.org/10.1111/j.1471-0528.2006.01187.x>
- Kieler, H., Malm, H., Artama, M., Engeland, A., Furu, K., Gissler, M., . . . Haglund, B. (2015). Use of antidepressants and association with elective termination of pregnancy: population based case-control study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(12), 1618-1624. doi:<https://dx.doi.org/10.1111/1471-0528.13164>
- Kinnunen, T. I., Waage, C. W., Sommer, C., Sletner, L., Raitanen, J., & Jenum, A. K. (2016). Ethnic Differences in Gestational Weight Gain: A Population-Based Cohort Study in Norway. *Maternal & Child Health Journal*, 20(7), 1485-1496. doi:<https://dx.doi.org/10.1007/s10995-016-1947-7>
- Kjelsvik, M., & Gjengedal, E. (2011). First-time pregnant women's experience of the decision-making process related to completing or terminating pregnancy--a phenomenological study. *Scandinavian Journal of Caring Sciences*, 25(1), 169-175. doi:<https://dx.doi.org/10.1111/j.1471-6712.2010.00807.x>
- Klefsstad, O. A., Okland, I., Lindtjorn, E., Rygh, A. B., Kaada, K., Hansen, M. L., & Eggebo, T. M. (2014). A more liberal approach towards induction of labour in prolonged pregnancy does not result in an adverse labour outcome. *Danish Medical Journal*, 61(9), A4913.
- Klungsoyr, K., Morken, N. H., Irgens, L., Vollset, S. E., & Skjaerven, R. (2012). Secular trends in the epidemiology of pre-eclampsia throughout 40 years in Norway: prevalence, risk factors and perinatal survival. *Paediatric and Perinatal Epidemiology*, 26(3), 190-198. doi:<https://dx.doi.org/10.1111/j.1365-3016.2012.01260.x>
- Knoph Berg, C., Bulik, C. M., Von Holle, A., Torgersen, L., Hamer, R., Sullivan, P., & Reichborn-Kjennerud, T. (2008). Psychosocial factors associated with broadly defined bulimia nervosa during early pregnancy: findings from the Norwegian Mother and Child Cohort Study. *Australian & New Zealand Journal of Psychiatry*, 42(5), 396-404. doi:<https://dx.doi.org/10.1080/00048670801961149>
- Kolas, T., Oian, P., & Skjeldestad, F. E. (2010). Risks for peroperative excessive blood loss in cesarean delivery. *Acta Obstetrica et Gynecologica Scandinavica*, 89(5), 658-663. doi:<https://dx.doi.org/10.3109/00016341003605727>
- Kolstad, E., Gilhus, N. E., Veiby, G., Reiter, S. F., Lossius, M. I., & Bjork, M. (2015). Epilepsy and eating disorders during pregnancy: Prevalence, complications and birth outcome. *Seizure*, 28, 81-84. doi:<https://dx.doi.org/10.1016/j.seizure.2015.02.014>
- Kolstad, E., Veiby, G., Gilhus, N. E., & Bjork, M. (2016). Overweight in epilepsy as a risk factor for pregnancy and delivery complications. *Epilepsia*, 57(11), 1849-1857. doi:<https://dx.doi.org/10.1111/epi.13573>
- Kousta, E., & Franks, S. (2008). Polycystic ovary syndrome and women with diabetes. [Polycystisk ovarialsyndrom og kvinner med diabetes]. *Diabetesforum*, 23(1), 20-22.
- Kravdal, O., Grundy, E., & Skirbekk, V. (2017). Fertility history and use of antidepressant medication in late mid-life: a register-based analysis of Norwegian women and men. *Aging & Mental Health*, 21(5), 477-486. doi:<https://dx.doi.org/10.1080/13607863.2015.1118010>
- Kringeland, T., Daltveit, A. K., & Moller, A. (2009). What characterizes women in Norway who wish to have a caesarean section? *Scandinavian Journal of Public Health*, 37(4), 364-371. doi:<https://dx.doi.org/10.1177/1403494809105027>
- Kringeland, T., Daltveit, A. K., & Moller, A. (2010). How does preference for natural childbirth relate to the actual mode of delivery? a population-based cohort study from Norway. *Birth*, 37(1), 21-27. doi:<https://dx.doi.org/10.1111/j.1523-536X.2009.00374.x>
- Kringeland, T., Daltveit, A. K., & Moller, A. (2010). What characterizes women who want to give birth as naturally as possible without painkillers or intervention? *Sexual & reproductive healthcare : official journal of the Swedish Association of Midwives*, 1(1), 21-26. doi:<https://dx.doi.org/10.1016/j.srhc.2009.09.001>
- Kristensen, P., Irgens, L. M., & Bjerkedal, T. (2003). Impact of low birthweight on subsequent fertility: population-based register study. *Paediatric and Perinatal Epidemiology*, 17(1), 10-16.

- Kristiansen, M. G., Eriksen, B. O., Maltau, J. M., Holdo, B., Gutteberg, T. J., Mortensen, L., . . . Florholmen, J. (2009). Prevalences of viremic hepatitis C and viremic hepatitis B in pregnant women in Northern Norway. *Hepato-Gastroenterology*, 56(93), 1141-1145.
- Krogsgaard, S., Gudmundsdottir, S. L., & Nilsen, T. I. (2013). Prepregnancy physical activity in relation to offspring birth weight: a prospective population-based study in Norway-The HUNT Study. *Journal of Pregnancy*, 2013, 780180. doi:<https://dx.doi.org/10.1155/2013/780180>
- Kumle, M. (2003). Aspects of women's health in relation to use of hormonal contraceptives and pattern of child bearing: analysis in the Norwegian-Swedish women, lifestyle and health cohort, the Norwegian women and cancer cohort and the Norwegian 1970 census cohort. (nr 69), Institute of Community Medicine, University of Tromsø, Tromsø.
- Kumle, M., Weiderpass, E., Braaten, T., Adami, H. O., & Lund, E. (2004). Risk for invasive and borderline epithelial ovarian neoplasias following use of hormonal contraceptives: the Norwegian-Swedish Women's Lifestyle and Health Cohort Study. *British Journal of Cancer*, 90(7), 1386-1391. doi:<https://dx.doi.org/10.1038/sj.bjc.6601715>
- Kumle, M., Weiderpass, E., Braaten, T., Persson, I., Adami, H. O., & Lund, E. (2002). Use of oral contraceptives and breast cancer risk: The Norwegian-Swedish Women's Lifestyle and Health Cohort Study. *Cancer Epidemiology, Biomarkers & Prevention*, 11(11), 1375-1381.
- Kvaavik, E., Meyer, H. E., & Tverdal, A. (2004). Food habits, physical activity and body mass index in relation to smoking status in 40-42 year old Norwegian women and men. *Preventive Medicine*, 38(1), 1-5.
- Kvalheim, S., Sandvik, L., Winsvold, B., Hagen, K., & Zwart, J. A. (2016). Early menarche and chronic widespread musculoskeletal complaints--Results from the HUNT study. *European Journal of Pain*, 20(3), 458-464. doi:<https://dx.doi.org/10.1002/ejp.747>
- Kvalvik, L. G., Haug, K., Klungsoyr, K., Morken, N. H., DeRoo, L. A., & Skjaerven, R. (2017). Maternal Smoking Status in Successive Pregnancies and Risk of Having a Small for Gestational Age Infant. *Paediatric and Perinatal Epidemiology*, 31(1), 21-28. doi:<https://dx.doi.org/10.1111/ppe.12333>
- Kvalvik, L. G., Nilsen, R. M., Skjaerven, R., Vollset, S. E., Midttun, O., Ueland, P. M., & Haug, K. (2012). Self-reported smoking status and plasma cotinine concentrations among pregnant women in the Norwegian Mother and Child Cohort Study. *Pediatric Research*, 72(1), 101-107. doi:<https://dx.doi.org/10.1038/pr.2012.36>
- Kvalvik, L. G., Skjaerven, R., & Haug, K. (2008). Smoking during pregnancy from 1999 to 2004: a study from the Medical Birth Registry of Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 87(3), 280-285. doi:<https://dx.doi.org/10.1080/00016340701837801>
- Kvalvik, L. G., Skjaerven, R., Klungsoyr, K., Vollset, S. E., & Haug, K. (2015). Can 'early programming' be partly explained by smoking? Results from a prospective, population-based cohort study. *Paediatric and Perinatal Epidemiology*, 29(1), 50-59. doi:<https://dx.doi.org/10.1111/ppe.12164>
- Kvamme, J. M., Gronli, O., Florholmen, J., & Jacobsen, B. K. (2011). Risk of malnutrition is associated with mental health symptoms in community living elderly men and women: the Tromso study. *BMC Psychiatry*, 11, 112. doi:<https://dx.doi.org/10.1186/1471-244X-11-112>
- Kvamme, J. M., Gronli, O., Jacobsen, B. K., & Florholmen, J. (2015). Risk of malnutrition and zinc deficiency in community-living elderly men and women: the Tromso Study. *Public Health Nutrition*, 18(11), 1907-1913. doi:<https://dx.doi.org/10.1017/S1368980014002420>
- Kvamme, J. M., Holmen, J., Wilsgaard, T., Florholmen, J., Midthjell, K., & Jacobsen, B. K. (2012). Body mass index and mortality in elderly men and women: the Tromso and HUNT studies. *Journal of Epidemiology & Community Health*, 66(7), 611-617. doi:<https://dx.doi.org/10.1136/jech.2010.123232>
- Kvamme, J. M., Olsen, J. A., Florholmen, J., & Jacobsen, B. K. (2011). Risk of malnutrition and health-related quality of life in community-living elderly men and women: the Tromso study. *Quality of Life Research*, 20(4), 575-582. doi:<https://dx.doi.org/10.1007/s11136-010-9788-0>
- Kvamme, J. M., Wilsgaard, T., Florholmen, J., & Jacobsen, B. K. (2010). Body mass index and disease burden in elderly men and women: the Tromso Study. *European Journal of Epidemiology*, 25(3), 183-193. doi:<https://dx.doi.org/10.1007/s10654-009-9422-z>

- Kvehaugen, A. S., Andersen, L. F., & Staff, A. C. (2010). Anthropometry and cardiovascular risk factors in women and offspring after pregnancies complicated by preeclampsia or diabetes mellitus. *Acta Obstetrica et Gynecologica Scandinavica*, 89(11), 1478-1485. doi:<https://dx.doi.org/10.3109/00016349.2010.500368>
- Kvehaugen, A. S., Andersen, L. F., & Staff, A. C. (2010). Dietary intake and physical activity in women and offspring after pregnancies complicated by preeclampsia or diabetes mellitus. *Acta Obstetrica et Gynecologica Scandinavica*, 89(11), 1486-1490. doi:<https://dx.doi.org/10.3109/00016349.2010.519378>
- Kvehaugen, A. S., Dechend, R., Ramstad, H. B., Troisi, R., Fugelseth, D., & Staff, A. C. (2011). Endothelial function and circulating biomarkers are disturbed in women and children after preeclampsia. *Hypertension*, 58(1), 63-69. doi:<https://dx.doi.org/10.1161/HYPERTENSIONAHA.111.172387>
- Kvehaugen, A. S., Melien, O., Holmen, O. L., Laivuori, H., Dechend, R., & Staff, A. C. (2014). Hypertension after preeclampsia and relation to the C1114G polymorphism (rs4606) in RGS2: data from the Norwegian HUNT2 study. *BMC Medical Genetics*, 15, 28. doi:<https://dx.doi.org/10.1186/1471-2350-15-28>
- Kvehaugen, A. S., Melien, O., Holmen, O. L., Laivuori, H., Oian, P., Andersgaard, A. B., . . . Staff, A. C. (2013). Single nucleotide polymorphisms in G protein signaling pathway genes in preeclampsia. *Hypertension*, 61(3), 655-661. doi:<https://dx.doi.org/10.1161/HYPERTENSIONAHA.111.00331>
- Laerum, K. T., & Grue, L. (2003). Physically disabled women do bear children, too. [Fysisk funksjonshemmede kvinner får også barn]. *Tidsskrift for Den Norske Lægeforening*, 123(13-14), 1852-1853.
- Laine, K., Gissler, M., & Pirhonen, J. (2009). Changing incidence of anal sphincter tears in four Nordic countries through the last decades. *European Journal of Obstetrics, Gynecology, & Reproductive Biology*, 146(1), 71-75. doi:<https://dx.doi.org/10.1016/j.ejogrb.2009.04.033>
- Laine, K., Rotvold, W., & Staff, A. C. (2013). Are obstetric anal sphincter ruptures preventable?-- large and consistent rupture rate variations between the Nordic countries and between delivery units in Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 92(1), 94-100. doi:<https://dx.doi.org/10.1111/aogs.12024>
- Laine, K., Skjeldestad, F. E., Sanda, B., Horne, H., Spydslaug, A., & Staff, A. C. (2011). Prevalence and risk factors for anal incontinence after obstetric anal sphincter rupture. *Acta Obstetrica et Gynecologica Scandinavica*, 90(4), 319-324. doi:<https://dx.doi.org/10.1111/j.1600-0412.2010.01057.x>
- Laine, K., Skjeldestad, F. E., Sandvik, L., & Staff, A. C. (2013). Prevalence and Risk Indicators for Anal Incontinence among Pregnant Women. *ISRN Obstetrics & Gynecology*, 2013, 947572. doi:<https://dx.doi.org/10.1155/2013/947572>
- Larsen, S., Bjelland, E. K., Haavaldsen, C., & Eskild, A. (2016). Placental weight in pregnancies with high or low hemoglobin concentrations. *European Journal of Obstetrics, Gynecology, & Reproductive Biology*, 206, 48-52. doi:<https://dx.doi.org/10.1016/j.ejogrb.2016.08.039>
- Larsen, S., Dobbin, J., McCallion, O., & Eskild, A. (2016). Intrauterine fetal death and risk of shoulder dystocia at delivery. *Acta Obstetrica et Gynecologica Scandinavica*, 95(12), 1345-1351. doi:<https://dx.doi.org/10.1111/aogs.13033>
- Larun, L., Lyngstadaas, A., & Langengen, I. W. (2005). Svangerskap og psykisk helse: kvinners psykiske helse i forbindelse med svangerskap og første året etter fødsel (Vol. nr 2-2005). Oslo: Nasjonalt kunnskapssenter for helsetjenesten.
- Lehmann, D. J., Refsum, H., Nurk, E., Warden, D. R., Tell, G. S., Vollset, S. E., . . . Smith, A. D. (2006). Apolipoprotein E epsilon4 and impaired episodic memory in community-dwelling elderly people: a marked sex difference. The Hordaland Health Study. *Journal of Neurology, Neurosurgery & Psychiatry*, 77(8), 902-908. doi:<https://dx.doi.org/10.1136/jnnp.2005.077818>
- Leirgul, E., Brodwall, K., Greve, G., Vollset, S. E., Holmstrom, H., Tell, G. S., & Oyen, N. (2016). Maternal Diabetes, Birth Weight, and Neonatal Risk of Congenital Heart Defects in Norway, 1994-2009. *Obstetrics & Gynecology*, 128(5), 1116-1125. doi:<https://dx.doi.org/10.1097/AOG.0000000000001694>
- Leren, V., Langebrenke, A., & Qvigstad, E. (2012). Parasitic leiomyomas after laparoscopic surgery with morcellation. *Acta Obstetrica et Gynecologica Scandinavica*, 91(10), 1233-1236. doi:<https://dx.doi.org/10.1111/j.1600-0412.2012.01453.x>

- Lien, I.-L., Schultz, J.-H., & Borgen, G. (2012). Intervensjon mot kjønnslemlestelse: erfaringer fra tilbudet "samtaler og frivillige underlivsundersøkelser" (Vol. 2/2012). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- Lindstrom, L., Skjaerven, R., Bergman, E., Lundgren, M., Klungsoyr, K., Cnattingius, S., & Wikstrom, A. K. (2017). Chronic Hypertension in Women after Perinatal Exposure to Preeclampsia, Being Born Small for Gestational Age or Preterm. *Paediatric and Perinatal Epidemiology*, 31(2), 89-98. doi:<https://dx.doi.org/10.1111/ppe.12346>
- Lippert, T., Nesje, E., Koss, K. S., & Oian, P. (2013). Change in risk status during labor in a large Norwegian obstetric department: a prospective study. *Acta Obstetrica et Gynecologica Scandinavica*, 92(6), 671-678. doi:<https://dx.doi.org/10.1111/aogs.12092>
- Lokeland, M., Iversen, O. E., Engeland, A., Okland, I., & Bjorge, L. (2014). Medical abortion with mifepristone and home administration of misoprostol up to 63 days' gestation. *Acta Obstetrica et Gynecologica Scandinavica*, 93(7), 647-653. doi:<https://dx.doi.org/10.1111/aogs.12398>
- Loken, M. O., Jeansson, S., Jenum, P. A., & Eskild, A. (2010). Serum level of immunoglobulin E during pregnancy - does offspring sex matter? *Paediatric and Perinatal Epidemiology*, 24(1), 75-78. doi:<https://dx.doi.org/10.1111/j.1365-3016.2009.01092.x>
- Lonnee-Hoffmann, R. A., Salvesen, O., Morkved, S., & Schei, B. (2013). What predicts improvement of sexual function after pelvic floor surgery? A follow-up study. *Acta Obstetrica et Gynecologica Scandinavica*, 92(11), 1304-1312. doi:<https://dx.doi.org/10.1111/aogs.12237>
- Lorenz, E., Strickert, T., & Hagen, B. (2009). Radiation therapy in cervical carcinoma: fifteen years experience in a Norwegian health region. *European Journal of Gynaecological Oncology*, 30(1), 20-24.
- Loset, M., Mundal, S. B., Johnson, M. P., Fenstad, M. H., Freed, K. A., Lian, I. A., . . . Austgulen, R. (2011). A transcriptional profile of the decidua in preeclampsia. *American Journal of Obstetrics & Gynecology*, 204(1), 84.e81-27. doi:<https://dx.doi.org/10.1016/j.ajog.2010.08.043>
- Lovlie, A. L., & Madar, A. A. (2017). Postpartum Depression Among Somali Women in Norway. *Journal of Immigrant & Minority Health*, 19(3), 638-644. doi:<https://dx.doi.org/10.1007/s10903-016-0487-y>
- Lukasse, M., Helbig, A., Benth, J. S., & Eberhard-Gran, M. (2014). Antenatal maternal emotional distress and duration of pregnancy. *PLoS ONE [Electronic Resource]*, 9(7), e101682. doi:<https://dx.doi.org/10.1371/journal.pone.0101682>
- Lukasse, M., Henriksen, L., Vangen, S., & Schei, B. (2012). Sexual violence and pregnancy-related physical symptoms. *BMC Pregnancy & Childbirth*, 12, 83. doi:<https://dx.doi.org/10.1186/1471-2393-12-83>
- Lukasse, M., Laanpere, M., Karro, H., Kristjansdottir, H., Schroll, A. M., Van Parys, A. S., . . . Schei, B. (2015). Pregnancy intendedness and the association with physical, sexual and emotional abuse - a European multi-country cross-sectional study. *BMC Pregnancy & Childbirth*, 15, 120. doi:<https://dx.doi.org/10.1186/s12884-015-0558-4>
- Lukasse, M., Schei, B., & Ryding, E. L. (2014). Prevalence and associated factors of fear of childbirth in six European countries. *Sexual & reproductive healthcare: official journal of the Swedish Association of Midwives*, 5(3), 99-106. doi:<https://dx.doi.org/10.1016/j.srhc.2014.06.007>
- Lukasse, M., Schei, B., Vangen, S., & Oian, P. (2009). Childhood abuse and common complaints in pregnancy. *Birth*, 36(3), 190-199. doi:<https://dx.doi.org/10.1111/j.1523-536X.2009.00323.x>
- Lukasse, M., Schroll, A. M., Ryding, E. L., Campbell, J., Karro, H., Kristjansdottir, H., . . . Schei, B. (2014). Prevalence of emotional, physical and sexual abuse among pregnant women in six European countries. *Acta Obstetrica et Gynecologica Scandinavica*, 93(7), 669-677. doi:<https://dx.doi.org/10.1111/aogs.12392>
- Lukasse, M., Vangen, S., Oian, P., Kumle, M., Ryding, E. L., & Schei, B. (2010). Childhood abuse and fear of childbirth—a population-based study. *Birth*, 37(4), 267-274. doi:<https://dx.doi.org/10.1111/j.1523-536X.2010.00420.x>
- Lukasse, M., Vangen, S., Oian, P., & Schei, B. (2010). Childhood abuse and caesarean section among primiparous women in the Norwegian Mother and Child Cohort Study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 117(9), 1153-1157. doi:<https://dx.doi.org/10.1111/j.1471-0528.2010.02627.x>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Lukasse, M., Vangen, S., Oian, P., & Schei, B. (2011). Fear of childbirth, women's preference for cesarean section and childhood abuse: a longitudinal study. *Acta Obstetrica et Gynecologica Scandinavica*, 90(1), 33-40. doi:<https://dx.doi.org/10.1111/j.1600-0412.2010.01024.x>
- Lund, E. (2000). Socioeconomic status, self-assessed health and morbidity among Norwegian women aged 45-64. [Sosioøkonomisk status, selvurderet helse og sykdom blant norske kvinner i alderen 45-64 år]. *Tidsskrift for Den Norske Lægeforening*, 120(10), 1131-1134.
- Lund, I. O., Skurtveit, S., Engeland, A., Furu, K., Ravndal, E., & Handal, M. (2013). Prescription drug use among pregnant women in opioid Maintenance Treatment. *Addiction*, 108(2), 367-376. doi:<https://dx.doi.org/10.1111/j.1360-0443.2012.04049.x>
- Lund-Johansen, P., Stranden, E., Helberg, S., Wessel-Aas, T., Risberg, K., Ronnevik, P. K., . . . Madsbu, S. (2003). Quantification of leg oedema in postmenopausal hypertensive patients treated with lercanidipine or amlodipine. *Journal of Hypertension*, 21(5), 1003-1010. doi:<https://dx.doi.org/10.1097/01.hjh.0000059015.82022.11>
- Lupattelli, A., Spigset, O., Koren, G., & Nordeng, H. (2014). Risk of vaginal bleeding and postpartum hemorrhage after use of antidepressants in pregnancy: a study from the Norwegian Mother and Child Cohort Study. *Journal of Clinical Psychopharmacology*, 34(1), 143-148. doi:<https://dx.doi.org/10.1097/JCP.0000000000000036>
- Lupattelli, A., Spigset, O., Torgersen, L., Zerwas, S., Hatle, M., Reichborn-Kjennerud, T., . . . Nordeng, H. (2015). Medication Use before, during, and after Pregnancy among Women with Eating Disorders: A Study from the Norwegian Mother and Child Cohort Study. *PLoS ONE [Electronic Resource]*, 10(7), e0133045. doi:<https://dx.doi.org/10.1371/journal.pone.0133045>
- Lyberg, A., & Severinsson, E. (2010). Fear of childbirth: mothers' experiences of team-midwifery care - a follow-up study. *Journal of Nursing Management*, 18(4), 383-390. doi:<https://dx.doi.org/10.1111/j.1365-2834.2010.01103.x>
- Lyberg, A., & Severinsson, E. (2010). Midwives' supervisory styles and leadership role as experienced by Norwegian mothers in the context of a fear of childbirth. *Journal of Nursing Management*, 18(4), 391-399. doi:<https://dx.doi.org/10.1111/j.1365-2834.2010.01083.x>
- Magnus, P., Trogstad, L., Owe, K. M., Olsen, S. F., & Nystad, W. (2008). Recreational physical activity and the risk of preeclampsia: a prospective cohort of Norwegian women. *American Journal of Epidemiology*, 168(8), 952-957. doi:<https://dx.doi.org/10.1093/aje/kwn189>
- Magnussen, E. B., Vatten, L. J., Lund-Nilsen, T. I., Salvesen, K. A., Davey Smith, G., & Romundstad, P. R. (2007). Prepregnancy cardiovascular risk factors as predictors of pre-eclampsia: population based cohort study. *BMJ*, 335(7627), 978. doi:<https://dx.doi.org/10.1136/bmj.39366.416817.BE>
- Magnussen, E. B., Vatten, L. J., Myklestad, K., Salvesen, K. A., & Romundstad, P. R. (2011). Cardiovascular risk factors prior to conception and the length of pregnancy: population-based cohort study. *American Journal of Obstetrics & Gynecology*, 204(6), 526.e521-528. doi:<https://dx.doi.org/10.1016/j.ajog.2011.02.016>
- Magnussen, E. B., Vatten, L. J., Smith, G. D., & Romundstad, P. R. (2009). Hypertensive disorders in pregnancy and subsequently measured cardiovascular risk factors. *Obstetrics & Gynecology*, 114(5), 961-970. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181bb0dfc>
- Majak, G. B., Reisaeter, A. V., Zucknick, M., Lorentzen, B., Vangen, S., Henriksen, T., & Michelsen, T. M. (2017). Preeclampsia in kidney transplanted women; Outcomes and a simple prognostic risk score system. *PLoS ONE [Electronic Resource]*, 12(3), e0173420. doi:<https://dx.doi.org/10.1371/journal.pone.0173420>
- Majak, G. B., Sandven, I., Lorentzen, B., Vangen, S., Reisaeter, A. V., Henriksen, T., & Michelsen, T. M. (2016). Pregnancy outcomes following maternal kidney transplantation: a national cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 95(10), 1153-1161. doi:<https://dx.doi.org/10.1111/aogs.12937>
- Majida, M., Braekken, I. H., Bo, K., & Engh, M. E. (2012). Levator hiatus dimensions and pelvic floor function in women with and without major defects of the pubovisceral muscle. *International Urogynecology Journal*, 23(6), 707-714. doi:<https://dx.doi.org/10.1007/s00192-011-1652-4>

- Malmqvist, S., Kjaermann, I., Andersen, K., Okland, I., Bronnick, K., & Larsen, J. P. (2012). Prevalence of low back and pelvic pain during pregnancy in a Norwegian population. *Journal of Manipulative & Physiological Therapeutics*, 35(4), 272-278. doi:<https://dx.doi.org/10.1016/j.jmpt.2012.04.004>
- Malmqvist, S., Kjaermann, I., Andersen, K., Okland, I., Larsen, J. P., & Bronnick, K. (2015). The association between pelvic girdle pain and sick leave during pregnancy; a retrospective study of a Norwegian population. *BMC Pregnancy & Childbirth*, 15, 237. doi:<https://dx.doi.org/10.1186/s12884-015-0667-0>
- Mandal, S., Godfrey, K. M., McDonald, D., Treuren, W. V., Bjornholt, J. V., Midtvedt, T., . . . Eggesbo, M. (2016). Fat and vitamin intakes during pregnancy have stronger relations with a pro-inflammatory maternal microbiota than does carbohydrate intake. *Microbiome*, 4(1), 55. doi:<https://dx.doi.org/10.1186/s40168-016-0200-3>
- Marild, K., Kahrs, C. R., Tapia, G., Stene, L. C., & Stordal, K. (2016). Maternal Infections, Antibiotics and Paracetamol in Pregnancy and Offspring Celiac Disease: A Cohort Study. *Journal of Pediatric Gastroenterology & Nutrition*, 22, 22. doi:<https://dx.doi.org/10.1097/MPG.0000000000001339>
- Markhus, M. W., Skotheim, S., Graff, I. E., Froyland, L., Braarud, H. C., Stormark, K. M., & Malde, M. K. (2013). Low omega-3 index in pregnancy is a possible biological risk factor for postpartum depression. *PLoS ONE [Electronic Resource]*, 8(7), e67617. doi:<https://dx.doi.org/10.1371/journal.pone.0067617>
- Markhus, V. H., Rasmussen, S., Lie, S. A., & Irgens, L. M. (2011). Placental abruption and premature rupture of membranes. *Acta Obstetrica et Gynecologica Scandinavica*, 90(9), 1024-1029. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01224.x>
- Markunas, C. A., Wilcox, A. J., Xu, Z., Joubert, B. R., Harlid, S., Panduri, V., . . . Taylor, J. A. (2016). Maternal Age at Delivery Is Associated with an Epigenetic Signature in Both Newborns and Adults. *PLoS ONE [Electronic Resource]*, 11(7), e0156361. doi:<https://dx.doi.org/10.1371/journal.pone.0156361>
- Markussen, M. S. (2016). Dietary patterns in Norwegian women aged 50-69 years. Department of Nutrition, Institute of Basic Medical Sciences, Faculty of Medicine, University of Oslo, Oslo.
- Markussen, M. S., Veierod, M. B., Sakhi, A. K., Ellingjord-Dale, M., Blomhoff, R., Ursin, G., & Andersen, L. F. (2015). Evaluation of dietary patterns among Norwegian postmenopausal women using plasma carotenoids as biomarkers. *British Journal of Nutrition*, 113(4), 672-682. doi:<https://dx.doi.org/10.1017/S0007114514004103>
- Mauseth, S. A., Skurtveit, S., & Spigset, O. (2013). Adherence, persistence and switch rates for anticholinergic drugs used for overactive bladder in women: data from the Norwegian Prescription Database. *Acta Obstetrica et Gynecologica Scandinavica*, 92(10), 1208-1215. doi:<https://dx.doi.org/10.1111/aogs.12196>
- Meltzer, H. M., Brantsaeter, A. L., Nilsen, R. M., Magnus, P., Alexander, J., & Haugen, M. (2011). Effect of dietary factors in pregnancy on risk of pregnancy complications: results from the Norwegian Mother and Child Cohort Study. *American Journal of Clinical Nutrition*, 94(6 Suppl), 1970S-1974S. doi:<https://dx.doi.org/10.3945/ajcn.110.001248>
- Minde, G. T., & Saeterstrand, T. M. (2013). What is important in the surroundings in order to extend the healthy life period? A regional study of 19 older women in a northern part of Norway. *International Journal of Circumpolar Health*, 72. doi:<https://dx.doi.org/10.3402/ijch.v72i0.21189>
- Moen, M. H. (2002). Endometriosis - modern treatment. [Endometriose - moderne behandling]. *Medicinsk Årbog*, 71-78.
- Moholdt, T. T., Salvesen, K., Ingul, C. B., Vik, T., Oken, E., & Morkved, S. (2011). Exercise Training in Pregnancy for obese women (ETIP): study protocol for a randomised controlled trial. *Trials [Electronic Resource]*, 12, 154. doi:<https://dx.doi.org/10.1186/1745-6215-12-154>
- Moi, H., Reinton, N., & Moghaddam, A. (2009). *Mycoplasma genitalium* in women with lower genital tract inflammation. *Sexually Transmitted Infections*, 85(1), 10-14. doi:<https://dx.doi.org/10.1136/sti.2008.032748>
- Molin, S. B., De Blasio, B. F., & Olsen, A. O. (2016). Is the risk for sexually transmissible infections (STI) lower among women with exclusively female sexual partners compared with women with male partners? A retrospective study based on attendees at a Norwegian STI clinic from 2004 to 2014. *Sexual Health*, 13(3), 257-264. doi:<https://dx.doi.org/10.1071/SH15193>

- Morken, N. H. (2011). Preterm delivery in IVF versus ICSI singleton pregnancies: a national population-based cohort. *European Journal of Obstetrics, Gynecology, & Reproductive Biology*, 154(1), 62-66. doi:<https://dx.doi.org/10.1016/j.ejogrb.2010.08.025>
- Morken, N. H., Gunnes, N., Magnus, P., & Jacobsson, B. (2011). Risk of spontaneous preterm delivery in a low-risk population: the impact of maternal febrile episodes, urinary tract infection, pneumonia and ear-nose-throat infections. *European Journal of Obstetrics, Gynecology, & Reproductive Biology*, 159(2), 310-314. doi:<https://dx.doi.org/10.1016/j.ejogrb.2011.08.006>
- Morken, N. H., Klungsoyr, K., Magnus, P., & Skjaerven, R. (2013). Pre-pregnant body mass index, gestational weight gain and the risk of operative delivery. *Acta Obstetrica et Gynecologica Scandinavica*, 92(7), 809-815. doi:<https://dx.doi.org/10.1111/aogs.12115>
- Morken, N. H., Magnus, P., & Jacobsson, B. (2008). Subgroups of preterm delivery in the Norwegian Mother and Child Cohort Study. *Acta Obstetrica et Gynecologica Scandinavica*, 87(12), 1374-1377. doi:<https://dx.doi.org/10.1080/00016340802491508>
- Morken, N. H., Melve, K. K., & Skjaerven, R. (2011). Recurrence of prolonged and post-term gestational age across generations: maternal and paternal contribution. *BJOG: An International Journal of Obstetrics & Gynaecology*, 118(13), 1630-1635. doi:<https://dx.doi.org/10.1111/j.1471-0528.2011.03154.x>
- Morkrid, K., Jenum, A. K., Berntsen, S., Sletner, L., Richardsen, K. R., Vangen, S., . . . Birkeland, K. I. (2014). Objectively recorded physical activity and the association with gestational diabetes. *Scandinavian Journal of Medicine & Science in Sports*, 24(5), e389-397. doi:<https://dx.doi.org/10.1111/sms.12183>
- Morkrid, K., Jenum, A. K., Sletner, L., Vardal, M. H., Waage, C. W., Nakstad, B., . . . Birkeland, K. I. (2012). Failure to increase insulin secretory capacity during pregnancy-induced insulin resistance is associated with ethnicity and gestational diabetes. *European Journal of Endocrinology*, 167(4), 579-588. doi:<https://dx.doi.org/10.1530/EJE-12-0452>
- Morkved, S., Bo, K., Schei, B., & Salvesen, K. A. (2003). Pelvic floor muscle training during pregnancy to prevent urinary incontinence: a single-blind randomized controlled trial. *Obstetrics & Gynecology*, 101(2), 313-319.
- Morkved, S., Salvesen, K. A., Schei, B., Lydersen, S., & Bo, K. (2007). Does group training during pregnancy prevent lumbopelvic pain? A randomized clinical trial. *Acta Obstetrica et Gynecologica Scandinavica*, 86(3), 276-282. doi:<https://dx.doi.org/10.1080/00016340601089651>
- Mortensen, J. H., Oyen, N., Fomina, T., Melbye, M., Tretli, S., Vollset, S. E., & Bjorge, T. (2015). Supplemental folic acid in pregnancy and maternal cancer risk. *Cancer Epidemiology*, 39(6), 805-811. doi:<https://dx.doi.org/10.1016/j.canep.2015.10.009>
- Mosdøl, A., Denison, E., & Straumann, G. H. (2016). Tidlig samtale om sunne levevaner for gravide: systematisk oversikt Early counselling about healthy lifestyles for pregnant women systematic review
- Munkhaugen, J., Lydersen, S., Romundstad, P. R., Wideroe, T. E., Vikse, B. E., & Hallan, S. (2009). Kidney function and future risk for adverse pregnancy outcomes: a population-based study from HUNT II, Norway. *Nephrology Dialysis Transplantation*, 24(12), 3744-3750. doi:<https://dx.doi.org/10.1093/ndt/gfp320>
- Myklestad, K., Vatten, L. J., Salvesen, K. A., Davey Smith, G., & Romundstad, P. R. (2011). Hypertensive disorders in pregnancy and paternal cardiovascular risk: a population-based study. *Annals of Epidemiology*, 21(6), 407-412. doi:<https://dx.doi.org/10.1016/j.annepidem.2010.12.001>
- Naimy, Z., Grytten, J., Monkerud, L., & Eskild, A. (2013). Perinatal mortality in non-western migrants in Norway as compared to their countries of birth and to Norwegian women. *BMC Public Health*, 13, 37. doi:<https://dx.doi.org/10.1186/1471-2458-13-37>
- Naimy, Z., Grytten, J., Monkerud, L., & Eskild, A. (2015). The prevalence of pre-eclampsia in migrant relative to native Norwegian women: a population-based study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(6), 859-865. doi:<https://dx.doi.org/10.1111/1471-0528.12978>
- Nakling, J., & Backe, B. (2006). Pregnancy risk increases from 41 weeks of gestation. *Acta Obstetrica et Gynecologica Scandinavica*, 85(6), 663-668. doi:<https://dx.doi.org/10.1080/00016340500543733>
- Narum, I., & Bergland, A. (2009). Quality of life and salutogenesis: flow and elderly women. [Livskvalitet og salutogenese: flyt og eldre damer]. *Tidsskrift for Psykisk Helsearbeid*, 6(2), 100-109.

- Nerum, H., Halvorsen, L., Oian, P., Sorlie, T., Straume, B., & Blix, E. (2010). Birth outcomes in primiparous women who were raped as adults: a matched controlled study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 117(3), 288-294. doi:<https://dx.doi.org/10.1111/j.1471-0528.2009.02454.x>
- Nerum, H., Halvorsen, L., Sorlie, T., & Oian, P. (2006). Maternal request for cesarean section due to fear of birth: can it be changed through crisis-oriented counseling? *Birth*, 33(3), 221-228. doi:<https://dx.doi.org/10.1111/j.1523-536X.2006.00107.x>
- Nerum, H., Halvorsen, L., Straume, B., Sorlie, T., & Oian, P. (2013). Different labour outcomes in primiparous women that have been subjected to childhood sexual abuse or rape in adulthood: a case-control study in a clinical cohort. *BJOG: An International Journal of Obstetrics & Gynaecology*, 120(4), 487-495. doi:<https://dx.doi.org/10.1111/1471-0528.12053>
- Nes, R. B., Roysamb, E., Hauge, L. J., Kornstad, T., Landolt, M. A., Irgens, L. M., . . . Vollrath, M. E. (2014). Adaptation to the birth of a child with a congenital anomaly: a prospective longitudinal study of maternal well-being and psychological distress. *Developmental Psychology*, 50(6), 1827-1839. doi:<https://dx.doi.org/10.1037/a0035996>
- Nesheim, B. I. (2012). Low-risk labor - outcomes after introduction of special guidelines combined with increased awareness of risk category. *Acta Obstetrica et Gynecologica Scandinavica*, 91(4), 476-482. doi:<https://dx.doi.org/10.1111/j.1600-0412.2012.01360.x>
- Nesheim, B. I., Eskild, A., & Gjessing, L. (2010). Does allocation of low risk parturient women to a separate maternity unit decrease the risk of emergency cesarean section? *Acta Obstetrica et Gynecologica Scandinavica*, 89(6), 813-816. doi:<https://dx.doi.org/10.3109/00016341003801631>
- Nesheim, B. I., & Kinge, R. (2006). Performance of acupuncture as labor analgesia in the clinical setting. *Acta Obstetrica et Gynecologica Scandinavica*, 85(4), 441-443. doi:<https://dx.doi.org/10.1080/00016340500432523>
- Ness, T. M., Hellzen, O., & Enmarker, I. (2014). "Embracing the present and fearing the future": the meaning of being an oldest old woman in a rural area. *International Journal of Qualitative Studies on Health and Well-being*, 9, 25217. doi:<https://dx.doi.org/10.3402/qhw.v9.25217>
- Nezvalova-Henriksen, K., Spigset, O., & Nordeng, H. (2010). Triptan exposure during pregnancy and the risk of major congenital malformations and adverse pregnancy outcomes: results from the Norwegian Mother and Child Cohort Study. [Erratum appears in *Headache*. 2012 Sep;52(8):1319-20; PMID: 22946832]. *Headache*, 50(4), 563-575. doi:<https://dx.doi.org/10.1111/j.1526-4610.2010.01619.x>
- Nezvalova-Henriksen, K., Spigset, O., & Nordeng, H. (2011). Effects of codeine on pregnancy outcome: results from a large population-based cohort study. *European Journal of Clinical Pharmacology*, 67(12), 1253-1261. doi:<https://dx.doi.org/10.1007/s00228-011-1069-5>
- Nezvalova-Henriksen, K., Spigset, O., & Nordeng, H. (2013). Triptan safety during pregnancy: a Norwegian population registry study. *European Journal of Epidemiology*, 28(9), 759-769. doi:<https://dx.doi.org/10.1007/s10654-013-9831-x>
- Nezvalova-Henriksen, K., Spigset, O., & Nordeng, H. M. (2012). Errata in "Triptan exposure during pregnancy and the risk of major congenital malformations and adverse pregnancy outcomes: results from the norwegian mother and child cohort study". [Erratum for *Headache*. 2010 Apr;50(4):563-75; PMID: 20132339]. *Headache*, 52(8), 1319-1320. doi:<https://dx.doi.org/10.1111/j.1526-4610.2012.02207.x>
- Nezvalova-Henriksen, K., Wood, M., Spigset, O., & Nordeng, H. (2016). Association of Prenatal Ibuprofen Exposure with Birth Weight and Gestational Age: A Population-Based Sibling Study. *PLoS ONE [Electronic Resource]*, 11(12), e0166971. doi:<https://dx.doi.org/10.1371/journal.pone.0166971>
- Nilsen, A., Mwakagile, D., Marsden, H., Langeland, N., Matre, R., & Haarr, L. (2005). Prevalence of, and risk factors for, HSV-2 antibodies in sexually transmitted disease patients, healthy pregnant females, blood donors and medical students in Tanzania and Norway. *Epidemiology & Infection*, 133(5), 915-925. doi:<https://dx.doi.org/10.1017/S095026880500395X>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Nilsen, A. B., Waldenstrom, U., Hjelmstedt, A., Rasmussen, S., & Schytt, E. (2012). Characteristics of women who are pregnant with their first baby at an advanced age. [Erratum appears in *Acta Obstet Gynecol Scand*. 2012 Jul;91(7):881 Note: Hjelmsted, Anna [corrected to Hjelmstedt, Anna]]. *Acta Obstetrica et Gynecologica Scandinavica*, 91(3), 353-362x. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01335.x>
- Nilsen, R. M., Bjorke-Monsen, A. L., Midttun, O., Nygard, O., Pedersen, E. R., Ulvik, A., . . . Ueland, P. M. (2012). Maternal tryptophan and kynurenine pathway metabolites and risk of preeclampsia. *Obstetrics & Gynecology*, 119(6), 1243-1250. doi:<https://dx.doi.org/10.1097/AOG.0b013e318255004e>
- Nilsen, R. M., Mastroiacovo, P., Gunnes, N., Alsaker, E. R., Bjorke-Monsen, A. L., Eussen, S. J., . . . Vollset, S. E. (2014). Folic acid supplementation and interpregnancy interval. *Paediatric and Perinatal Epidemiology*, 28(3), 270-274. doi:<https://dx.doi.org/10.1111/ppe.12111>
- Nilsen, R. M., Vollset, S. E., Gjessing, H. K., Magnus, P., Meltzer, H. M., Haugen, M., & Ueland, P. M. (2006). Patterns and predictors of folic acid supplement use among pregnant women: the Norwegian Mother and Child Cohort Study. *American Journal of Clinical Nutrition*, 84(5), 1134-1141.
- Nilsen, R. M., Vollset, S. E., Rasmussen, S. A., Ueland, P. M., & Daltveit, A. K. (2008). Folic acid and multivitamin supplement use and risk of placental abruption: a population-based registry study. *American Journal of Epidemiology*, 167(7), 867-874. doi:<https://dx.doi.org/10.1093/aje/kwm373>
- Nordeng, H., Bayne, K., Havnen, G. C., & Paulsen, B. S. (2011). Use of herbal drugs during pregnancy among 600 Norwegian women in relation to concurrent use of conventional drugs and pregnancy outcome. *Complementary Therapies in Clinical Practice*, 17(3), 147-151. doi:<https://dx.doi.org/10.1016/j.ctcp.2010.09.002>
- Nordeng, H., Eskild, A., Nesheim, B. I., Aursnes, I., & Jacobsen, G. (2001). Drug use during early pregnancy. The impact of maternal illness, outcome of prior pregnancies and socio-demographic factors. *European Journal of Clinical Pharmacology*, 57(3), 259-263.
- Nordeng, H., Eskild, A., Nesheim, B. I., Aursnes, I., & Jacobsen, G. (2003). Guidelines for iron supplementation in pregnancy: compliance among 431 parous Scandinavian women. *European Journal of Clinical Pharmacology*, 59(2), 163-168. doi:<https://dx.doi.org/10.1007/s00228-003-0599-x>
- Nordeng, H., Hansen, C., Garthus-Niegel, S., & Eberhard-Gran, M. (2012). Fear of childbirth, mental health, and medication use during pregnancy. *Archives of Women's Mental Health*, 15(3), 203-209. doi:<https://dx.doi.org/10.1007/s00737-012-0278-y>
- Nordeng, H., & Havnen, G. C. (2004). Use of herbal drugs in pregnancy: a survey among 400 Norwegian women. *Pharmacoepidemiology & Drug Safety*, 13(6), 371-380. doi:<https://dx.doi.org/10.1002/pds.945>
- Nordeng, H., & Havnen, G. C. (2005). Impact of socio-demographic factors, knowledge and attitude on the use of herbal drugs in pregnancy. *Acta Obstetrica et Gynecologica Scandinavica*, 84(1), 26-33. doi:<https://dx.doi.org/10.1111/j.0001-6349.2005.00648.x>
- Nordeng, H., Koren, G., & Einarson, A. (2010). Pregnant women's beliefs about medications--a study among 866 Norwegian women. *Annals of Pharmacotherapy*, 44(9), 1478-1484. doi:<https://dx.doi.org/10.1345/aph.1P231>
- Norderval, S., Nsubuga, D., Bjelke, C., Frasunek, J., Myklebust, I., & Vonen, B. (2004). Anal incontinence after obstetric sphincter tears: incidence in a Norwegian county. *Acta Obstetrica et Gynecologica Scandinavica*, 83(10), 989-994. doi:<https://dx.doi.org/10.1111/j.0001-6349.2004.00647.x>
- Nordtveit, T. I., Melve, K. K., & Skjaerven, R. (2010). Mothers' and fathers' birth characteristics and perinatal mortality in their offspring: a population-based cohort study. *Paediatric and Perinatal Epidemiology*, 24(3), 282-292. doi:<https://dx.doi.org/10.1111/j.1365-3016.2010.01106.x>
- Norheim, A. J., Pedersen, E. J., Fonnebo, V., & Berge, L. (2001). Acupressure treatment of morning sickness in pregnancy. A randomised, double-blind, placebo-controlled study. *Scandinavian Journal of Primary Health Care*, 19(1), 43-47.
- Norsk gynekologisk forening. (2014). Hvorfor dør kvinner av graviditet i dag?: rapport materielle dødsfall i Norge 1996-2011. Oslo: Nasjonal kompetansetjeneste for kvinnehelse Norsk gynekologisk forening, Den norske legeförening.

- Norum, J., Hofvind, S., Nieder, C., Schnell, E. A., & Broderstad, A. R. (2012). Mammographic screening in Sami speaking municipalities and a control group. Are early outcome measures influenced by ethnicity? *International Journal of Circumpolar Health*, 71, 1-6. doi:<https://dx.doi.org/10.3402/ijch.v71i0.18205>
- Norum, J., Svee, T. E., Heyd, A., & Nieder, C. (2013). Induced abortion on demand and birth rate in Sami-speaking municipalities and a control group in Finnmark, Norway. *International Journal of Circumpolar Health*, 72, 20357. doi:<https://dx.doi.org/10.3402/ijch.v72i0.20357>
- Nurk, E., Tell, G. S., Refsum, H., Ueland, P. M., & Vollset, S. E. (2004). Associations between maternal methylenetetrahydrofolate reductase polymorphisms and adverse outcomes of pregnancy: the Hordaland Homocysteine Study. *American Journal of Medicine*, 117(1), 26-31. doi:<https://dx.doi.org/10.1016/j.amjmed.2004.01.019>
- Nurk, E., Tell, G. S., Refsum, H., Ueland, P. M., & Vollset, S. E. (2006). Factor V Leiden, pregnancy complications and adverse outcomes: the Hordaland Homocysteine Study. *Qjm*, 99(5), 289-298. doi:<https://dx.doi.org/10.1093/qjmed/hcl040>
- Nyborg, G. A. (2016). Innapropriate medication use in the elderly: a modern epidemic. Universitetet i Oslo, Oslo.
- Nyflot, L. T., Ellingsen, L., Yli, B. M., Oian, P., & Vangen, S. (Submitted 2017). Maternal deaths from hypertensive disorders: lessons learnt. Journal article.
- Nyflot, L. T., Sandven, I., Stray-Pedersen, B., Pettersen, S., Al-Zirqi, I., Rosenberg, M., . . . Vangen, S. (2017). Risk factors for severe postpartum hemorrhage: a case-control study. *BMC Pregnancy & Childbirth*, 17(1), 17. doi:<https://dx.doi.org/10.1186/s12884-016-1217-0>
- Nyflot, L. T., Stray-Pedersen, B., Forsen, L., & Vangen, S. (2017). Duration of labor and the risk of severe postpartum hemorrhage: A case-control study. *PLoS ONE [Electronic Resource]*, 12(4), e0175306. doi:<https://dx.doi.org/10.1371/journal.pone.0175306>
- Nygaard, I. H., Valbo, A., Heide, H. C., & Kresovic, M. (2011). Is oxytocin given during surgical termination of first trimester pregnancy useful? A randomized controlled trial. *Acta Obstetrica et Gynecologica Scandinavica*, 90(2), 174-178. doi:<https://dx.doi.org/10.1111/j.1600-0412.2010.01025.x>
- Nylander, G. (2004). Eating from the tree of knowledge is not for free. [Å spise av kunnskapens tre er ikke gratis]. *Tidsskrift for Den Norske Laegeforening*, 124(23), 3035.
- Odden, N., Henriksen, T., & Morkrid, L. (2012). Serum soluble urokinase plasminogen activator receptor (suPAR) in early pregnancy prior to clinical onset of preeclampsia. *Acta Obstetrica et Gynecologica Scandinavica*, 91(10), 1226-1232. doi:<https://dx.doi.org/10.1111/j.1600-0412.2012.01504.x>
- Odegaard, E., Staff, A. C., Langebrekke, A., Engh, V., & Onsrud, M. (2007). Surgery of borderline tumors of the ovary: retrospective comparison of short-term outcome after laparoscopy or laparotomy. *Acta Obstetrica et Gynecologica Scandinavica*, 86(5), 620-626. doi:<https://dx.doi.org/10.1080/00016340701286934>
- Odegaard, I., Stray-Pedersen, B., Hallberg, K., Haanaes, O. C., Storrosten, O. T., & Johannesson, M. (2002). Maternal and fetal morbidity in pregnancies of Norwegian and Swedish women with cystic fibrosis. *Acta Obstetrica et Gynecologica Scandinavica*, 81(8), 698-705.
- Odegaard, I., Stray-Pedersen, B., Hallberg, K., Haanaes, O. C., Storrosten, O. T., & Johannesson, M. (2002). Prevalence and outcome of pregnancies in Norwegian and Swedish women with cystic fibrosis. *Acta Obstetrica et Gynecologica Scandinavica*, 81(8), 693-697.
- Odegard, R. A., Vatten, L. J., Nilsen, S. T., Salvesen, K. A., & Austgulen, R. (2000). Risk factors and clinical manifestations of pre-eclampsia. *BJOG: An International Journal of Obstetrics & Gynaecology*, 107(11), 1410-1416.
- Odegard, R. A., Vatten, L. J., Nilsen, S. T., Salvesen, K. A., Vefring, H., & Austgulen, R. (2001). Umbilical cord plasma interleukin-6 and fetal growth restriction in preeclampsia: a prospective study in Norway. *Obstetrics & Gynecology*, 98(2), 289-294.
- Odland, J. O., Nieboer, E., Romanova, N., & Thomassen, Y. (2004). Elements in placenta and pregnancy outcome in arctic and subarctic areas. *International Journal of Circumpolar Health*, 63(2), 169-187.

- Odland, M. L., Strand, K. M., Nordbo, S. A., Forsmo, S., Austgulen, R., & Iversen, A. C. (2013). Changing patterns of cytomegalovirus seroprevalence among pregnant women in Norway between 1995 and 2009 examined in the Norwegian Mother and Child Cohort Study and two cohorts from Sor-Trondelag County: a cross-sectional study. *BMJ Open*, 3(9), e003066. doi:<https://dx.doi.org/10.1136/bmjopen-2013-003066>
- Odsbu, I., Skurtveit, S., Selmer, R., Roth, C., Hernandez-Diaz, S., & Handal, M. (2015). Prenatal exposure to anxiolytics and hypnotics and language competence at 3 years of age. *European Journal of Clinical Pharmacology*, 71(3), 283-291. doi:<https://dx.doi.org/10.1007/s00228-014-1797-4>
- Oftedal, A. M., Busterud, K., Irgens, L. M., Haug, K., & Rasmussen, S. (2016). Socio-economic risk factors for preterm birth in Norway 1999-2009. *Scandinavian Journal of Public Health*, 44(6), 587-592. doi:<https://dx.doi.org/10.1177/1403494816653288>
- Ogland, B., Romundstad, P. R., Vefring, H., Forman, M. R., Nilsen, S. T., & Vatten, L. J. (2010). Preeclampsia and adiponectin in cord blood. *Hormone research in pediatrics*, 74(2), 92-97. doi:<https://dx.doi.org/10.1159/000313376>
- Ogland, B., Vatten, L. J., Romundstad, P. R., Nilsen, S. T., & Forman, M. R. (2009). Pubertal anthropometry in sons and daughters of women with preeclamptic or normotensive pregnancies. *Archives of Disease in Childhood*, 94(11), 855-859. doi:<https://dx.doi.org/10.1136/adc.2008.150870>
- Oien, T., Storro, O., Jenssen, J. A., & Johnsen, R. (2008). The impact of a minimal smoking cessation intervention for pregnant women and their partners on perinatal smoking behaviour in primary health care: a real-life controlled study. *BMC Public Health*, 8, 325. doi:<https://dx.doi.org/10.1186/1471-2458-8-325>
- Oldereid, N. B., Hanevik, H. I., Bakkevig, I., Romundstad, L. B., Magnus, O., Hazekamp, J., . . . Tanbo, T. G. (2014). Pregnancy outcome according to male diagnosis after ICSI with non-ejaculated sperm compared with ejaculated sperm controls. *Reproductive Biomedicine Online*, 29(4), 417-423. doi:<https://dx.doi.org/10.1016/j.rbmo.2014.06.009>
- Omland, G., Ruths, S., & Diaz, E. (2014). Use of hormonal contraceptives among immigrant and native women in Norway: data from the Norwegian Prescription Database. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(10), 1221-1228. doi:<https://dx.doi.org/10.1111/1471-0528.12906>
- Omland, L. M., Tell, G. S., Ofjord, S., & Skag, A. (2000). Risk factors for low bone mineral density among a large group of Norwegian women with fractures. *European Journal of Epidemiology*, 16(3), 223-229.
- Omli, R., Hunskaar, S., Mykletun, A., Romild, U., & Kuhry, E. (2013). Urinary incontinence and risk of functional decline in older women: data from the Norwegian HUNT-study. *BMC Geriatrics*, 13, 47. doi:<https://dx.doi.org/10.1186/1471-2318-13-47>
- Omsland, T. K., Holvik, K., Meyer, H. E., Center, J. R., Emaus, N., Tell, G. S., . . . Sjøgaard, A. J. (2012). Hip fractures in Norway 1999–2008: time trends in total incidence and second hip fracture rates. A NOREPOS study. *European Journal of Epidemiology*, 27(10), 807-814. doi:[10.1007/s10654-012-9711-9](https://dx.doi.org/10.1007/s10654-012-9711-9)
- Omsland, T. K., Schei, B., Gronskag, A. B., Langhammer, A., Forsen, L., Gjesdal, C. G., & Meyer, H. E. (2009). Weight loss and distal forearm fractures in postmenopausal women: the Nord-Trondelag health study, Norway. *Osteoporosis International*, 20(12), 2009-2016. doi:<https://dx.doi.org/10.1007/s00198-009-0894-1>
- Opdahl, S. (2013). Pregnancy and breast cancer risk: prospective studies of Norwegian women. (2013:6), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Opdahl, S., Henningsen, A. A., Tiitinen, A., Bergh, C., Pinborg, A., Romundstad, P. R., . . . Romundstad, L. B. (2015). Risk of hypertensive disorders in pregnancies following assisted reproductive technology: a cohort study from the CoNARTaS group. *Human Reproduction*, 30(7), 1724-1731. doi:<https://dx.doi.org/10.1093/humrep/dev090>
- Opdahl, S., Romundstad, P. R., Alsaker, M. D., & Vatten, L. J. (2012). Hypertensive diseases in pregnancy and breast cancer risk. *British Journal of Cancer*, 107(1), 176-182. doi:<https://dx.doi.org/10.1038/bjc.2012.195>
- Opoien, H. K., Fedorcsak, P., Omland, A. K., Abyholm, T., Bjercke, S., Ertzeid, G., . . . Tanbo, T. (2012). In vitro fertilization is a successful treatment in endometriosis-associated infertility. *Fertility & Sterility*, 97(4), 912-918. doi:<https://dx.doi.org/10.1016/j.fertnstert.2012.01.112>

- Opoien, H. K., Valbo, A., Grinde-Andersen, A., & Walberg, M. (2007). Post-cesarean surgical site infections according to CDC standards: rates and risk factors. A prospective cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 86(9), 1097-1102. doi:<https://dx.doi.org/10.1080/00016340701515225>
- Oppegaard, K. S., Abdelnoor, M., Nesheim, B. I., Jerve, F., & Eskild, A. (2004). The use of oral misoprostol for pre-abortion cervical priming: a randomised controlled trial of 400 versus 200 microg in first trimester pregnancies. *BJOG: An International Journal of Obstetrics & Gynaecology*, 111(2), 154-159.
- Oppegaard, K. S., Lieng, M., Berg, A., Istre, O., Qvigstad, E., & Nesheim, B. I. (2008). Does self-administered vaginal misoprostol result in cervical ripening in postmenopausal women after 14 days of pre-treatment with estradiol? Trial protocol for a randomised, placebo-controlled sequential trial. *BJOG: An International Journal of Obstetrics & Gynaecology*, 115(7), 917-e910. doi:<https://dx.doi.org/10.1111/j.1471-0528.2008.01727.x>
- Oppegaard, K. S., Nesheim, B. I., Istre, O., & Qvigstad, E. (2007). Comparison of self-administered vaginal misoprostol versus placebo for cervical ripening prior to operative hysteroscopy using a sequential trial design. *BJOG: An International Journal of Obstetrics & Gynaecology*, 114(6), 769, e761-712. doi:<https://dx.doi.org/10.1111/j.1471-0528.2007.01339.x>
- Oppegaard, K. S., Qvigstad, E., & Nesheim, B. I. (2006). Oral versus self-administered vaginal misoprostol at home before surgical termination of pregnancy: a randomised controlled trial. *BJOG: An International Journal of Obstetrics & Gynaecology*, 113(1), 58-64. doi:<https://dx.doi.org/10.1111/j.1471-0528.2005.00798.x>
- Opsjon, B. E., & Vogt, C. (2016). Explaining Fetal Death--What Are the Contributions of Fetal Autopsy and Placenta Examination? *Pediatric & Developmental Pathology*, 19(1), 24-30. doi:<https://dx.doi.org/10.2350/15-03-1614-OA.1>
- Orbo, A., Kaino, T., Arnes, M., Larsen, K., Pettersen, I., & Moe, B. (2009). Prognostic markers for coexistent carcinoma in high-risk endometrial hyperplasia with negative D-score: significance of morphometry, hormone receptors and apoptosis for outcome prediction. *Acta Obstetrica et Gynecologica Scandinavica*, 88(11), 1234-1242. doi:<https://dx.doi.org/10.3109/00016340903281014>
- Oren, A. (2009). Motives for initiation, temporary discontinuation, and permanent discontinuation of hormone replacement therapy use among Norwegian women. *Maturitas*, 64(1), 33-37. doi:<https://dx.doi.org/10.1016/j.maturitas.2009.07.010>
- Osnes, E. K. (2004). Consequences of hip fracture: epidemiological studies of men and women in Oslo, Norway (Vol. no. 198). Oslo: Faculty of Medicine, University of Oslo Unipub.
- Ostborg, T. B., Romundstad, P. R., & Eggebo, T. M. (2017). Duration of the active phase of labor in spontaneous and induced labors. *Acta Obstetrica et Gynecologica Scandinavica*, 96(1), 120-127. doi:<https://dx.doi.org/10.1111/aogs.13039>
- Overland, E. A., Spydslaug, A., Nielsen, C. S., & Eskild, A. (2009). Risk of shoulder dystocia in second delivery: does a history of shoulder dystocia matter? *American Journal of Obstetrics & Gynecology*, 200(5), 506.e501-506. doi:<https://dx.doi.org/10.1016/j.ajog.2008.12.038>
- Overland, E. A., Vatten, L. J., & Eskild, A. (2012). Risk of shoulder dystocia: associations with parity and offspring birthweight. A population study of 1 914 544 deliveries. *Acta Obstetrica et Gynecologica Scandinavica*, 91(4), 483-488. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01354.x>
- Overland, E. A., Vatten, L. J., & Eskild, A. (2014). Pregnancy week at delivery and the risk of shoulder dystocia: a population study of 2,014,956 deliveries. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(1), 34-41. doi:<https://dx.doi.org/10.1111/1471-0528.12427>
- Owe, K. M., Bjelland, E. K., Stuge, B., Orsini, N., Eberhard-Gran, M., & Vangen, S. (2016). Exercise level before pregnancy and engaging in high-impact sports reduce the risk of pelvic girdle pain: a population-based cohort study of 39 184 women. *British Journal of Sports Medicine*, 50(13), 817-822. doi:<https://dx.doi.org/10.1136/bjsports-2015-094921>
- Owe, K. M., Nystad, W., & Bo, K. (2009). Correlates of regular exercise during pregnancy: the Norwegian Mother and Child Cohort Study. *Scandinavian Journal of Medicine & Science in Sports*, 19(5), 637-645. doi:<https://dx.doi.org/10.1111/j.1600-0838.2008.00840.x>

- Owe, K. M., Nystad, W., Skjaerven, R., Stigum, H., & Bo, K. (2012). Exercise during pregnancy and the gestational age distribution: a cohort study. *Medicine & Science in Sports & Exercise*, 44(6), 1067-1074. doi:<https://dx.doi.org/10.1249/MSS.0b013e3182442fc9>
- Oyen, L., & Aune, I. (2016). Viewing the unborn child - pregnant women's expectations, attitudes and experiences regarding fetal ultrasound examination. *Sexual & reproductive healthcare: official journal of the Swedish Association of Midwives*, 7, 8-13. doi:<https://dx.doi.org/10.1016/j.srhc.2015.10.003>
- Oyen, N., Vollset, S. E., Eide, M. G., Bjerkedal, T., & Skjaerven, R. (2007). Maternal epilepsy and offsprings' adult intelligence: a population-based study from Norway. *Epilepsia*, 48(9), 1731-1738. doi:<https://dx.doi.org/10.1111/j.1528-1167.2007.01130.x>
- Parashar, P., Iversen, O. E., Midboe, G., Myking, O., & Bjorge, L. (2007). Medical abortion in the first trimester: the use of serum hCG and endometrial thickness as markers of completeness. *European Journal of Contraception & Reproductive Health Care*, 12(4), 366-371. doi:<https://dx.doi.org/10.1080/13625180701536300>
- Pedersen, W. (2007). Childbirth, abortion and subsequent substance use in young women: a population-based longitudinal study. *Addiction*, 102(12), 1971-1978. doi:<https://dx.doi.org/10.1111/j.1360-0443.2007.02040.x>
- Pedersen, W. (2008). Abortion and depression: a population-based longitudinal study of young women. *Scandinavian Journal of Public Health*, 36(4), 424-428. doi:<https://dx.doi.org/10.1177/1403494807088449>
- Prior, J. C., Naess, M., Langhammer, A., & Forsmo, S. (2015). Ovulation Prevalence in Women with Spontaneous Normal-Length Menstrual Cycles - A Population-Based Cohort from HUNT3, Norway. *PLoS ONE [Electronic Resource]*, 10(8), e0134473. doi:<https://dx.doi.org/10.1371/journal.pone.0134473>
- Ramvi, E., & Tangerud, M. (2011). Experiences of women who have a vaginal birth after requesting a cesarean section due to a fear of birth: a biographical, narrative, interpretative study. *Nursing & Health Sciences*, 13(3), 269-274. doi:<https://dx.doi.org/10.1111/j.1442-2018.2011.00614.x>
- Rannestad, T., Eikeland, O. J., Helland, H., & Qvarnstrom, U. (2001). Are the physiologically and psychosocially based symptoms in women suffering from gynecological disorders alleviated by means of hysterectomy? *Journal of Womens Health & Gender-Based Medicine*, 10(6), 579-587. doi:<https://dx.doi.org/10.1089/15246090152543166>
- Rannestad, T., Eikeland, O. J., Helland, H., & Qvarnstrom, U. (2001). The general health in women suffering from gynaecological disorders is improved by means of hysterectomy. *Scandinavian Journal of Caring Sciences*, 15(3), 264-270.
- Rashidi, F., Mowinckel, P., & Ranhoff, A. H. (2010). Severity of disease in patients admitted for acute care to a general hospital: age and gender differences. *Aging-Clinical & Experimental Research*, 22(4), 340-344. doi:<https://dx.doi.org/10.3275/6678>
- Rasmussen, S., Albrechtsen, S., & Dalaker, K. (2000). Obstetric history and the risk of placenta previa. *Acta Obstetrica et Gynecologica Scandinavica*, 79(6), 502-507.
- Rasmussen, S., Albrechtsen, S., Irgens, L. M., Dalaker, K., Maartmann-Moe, H., Vlatkovic, L., & Markestad, T. (2003). Risk factors for unexplained antepartum fetal death in Norway 1967-1998. *Early Human Development*, 71(1), 39-52.
- Rasmussen, S., & Irgens, L. M. (2003). Fetal growth and body proportion in preeclampsia. *Obstetrics & Gynecology*, 101(3), 575-583.
- Rasmussen, S., & Irgens, L. M. (2007). Pregnancy-induced hypertension in women who were born small. *Hypertension*, 49(4), 806-812. doi:<https://dx.doi.org/10.1161/01.HYP.0000259924.74947.aa>
- Rasmussen, S., & Irgens, L. M. (2008). History of fetal growth restriction is more strongly associated with severe rather than milder pregnancy-induced hypertension.[Erratum appears in Hypertension. 2009 Jan;53(1):e11]. *Hypertension*, 51(4), 1231-1238. doi:<https://dx.doi.org/10.1161/HYPERTENSIONAHA.107.096248>
- Rasmussen, S., & Irgens, L. M. (2009). Occurrence of placental abruption in relatives. [Erratum appears in BJOG. 2009 May;116(6):870]. *BJOG: An International Journal of Obstetrics & Gynaecology*, 116(5), 693-699. doi:<https://dx.doi.org/10.1111/j.1471-0528.2008.02064.x>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Rasmussen, S., Irgens, L. M., Albrechtsen, S., & Dalaker, K. (2000). Predicting preeclampsia in the second pregnancy from low birth weight in the first pregnancy. *Obstetrics & Gynecology*, 96(5 Pt 1), 696-700.
- Rasmussen, S., Irgens, L. M., Albrechtsen, S., & Dalaker, K. (2001). Women with a history of placental abruption: when in a subsequent pregnancy should special surveillance for a recurrent placental abruption be initiated? *Acta Obstetrica et Gynecologica Scandinavica*, 80(8), 708-712.
- Rasmussen, S., Irgens, L. M., & Dalaker, K. (2000). Outcome of pregnancies subsequent to placental abruption: a risk assessment. *Acta Obstetrica et Gynecologica Scandinavica*, 79(6), 496-501.
- Rasmussen, S., Irgens, L. M., & Espinoza, J. (2014). Maternal obesity and excess of fetal growth in pre-eclampsia. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(11), 1351-1357. doi:<https://dx.doi.org/10.1111/1471-0528.12677>
- Rasmussen, S., Irgens, L. M., Skjaerven, R., & Melve, K. K. (2009). Prior adverse pregnancy outcome and the risk of stillbirth. *Obstetrics & Gynecology*, 114(6), 1259-1270. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181c22422>
- Reed, W., Hannisdal, E., Skovlund, E., Thoresen, S., Lilleng, P., & Nesland, J. M. (2003). Pregnancy and breast cancer: a population-based study. *Virchows Archiv*, 443(1), 44-50. doi:<https://dx.doi.org/10.1007/s00428-003-0817-z>
- Reigstad, M. M. (2016). Risk of cancer after fertility treatment in Norway: population-based studies on women treated with and children conceived by assisted reproduction. Institute of Clinical Medicine, Faculty of Medicine, University of Oslo, Oslo.
- Reigstad, M. M., Larsen, I. K., Myklebust, T. A., Robsahm, T. E., Oldereid, N. B., Omland, A. K., . . . Storeng, R. (2015). Cancer risk among parous women following assisted reproductive technology. *Human Reproduction*, 30(8), 1952-1963. doi:<https://dx.doi.org/10.1093/humrep/dev124>
- Reigstad, M. M., Larsen, I. K., Myklebust, T. A., Robsahm, T. E., Oldereid, N. B., Omland, A. K., . . . Storeng, R. (2015). Risk of breast cancer following fertility treatment—a registry based cohort study of parous women in Norway. *International Journal of Cancer*, 136(5), 1140-1148. doi:<https://dx.doi.org/10.1002/ijc.29069>
- Reigstad, M. M., Storeng, R., Myklebust, T. A., Oldereid, N. B., Omland, A. K., Robsahm, T. E., . . . Larsen, I. K. (2017). Cancer Risk in Women Treated with Fertility Drugs According to Parity status - A Registry-based Cohort Study. *Cancer Epidemiology, Biomarkers & Prevention*, 20, 20. doi:<https://dx.doi.org/10.1158/1055-9965.EPI-16-0809>
- Reimers, C., Staer-Jensen, J., Siafarikas, F., Saltyte-Benth, J., Bo, K., & Ellstrom Engh, M. (2016). Change in pelvic organ support during pregnancy and the first year postpartum: a longitudinal study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(5), 821-829. doi:<https://dx.doi.org/10.1111/1471-0528.13432>
- Reisaeter, A. V., Roislien, J., Henriksen, T., Irgens, L. M., & Hartmann, A. (2009). Pregnancy and birth after kidney donation: the Norwegian experience. *American Journal of Transplantation*, 9(4), 820-824. doi:<https://dx.doi.org/10.1111/j.1600-6143.2008.02427.x>
- Reiter, S. F., Bjork, M. H., Daltveit, A. K., Veiby, G., Kolstad, E., Engelsen, B. A., & Gilhus, N. E. (2016). Life satisfaction in women with epilepsy during and after pregnancy. *Epilepsy & Behavior*, 62, 251-257. doi:<https://dx.doi.org/10.1016/j.yebeh.2016.06.025>
- Reiter, S. F., Veiby, G., Daltveit, A. K., Engelsen, B. A., & Gilhus, N. E. (2013). Psychiatric comorbidity and social aspects in pregnant women with epilepsy - the Norwegian Mother and Child Cohort Study. *Epilepsy & Behavior*, 29(2), 379-385. doi:<https://dx.doi.org/10.1016/j.yebeh.2013.08.016>
- Rekkedal, G. (2000). Pregnancy and labor in HIV-positive women. [Svangerskap og fødsel hos Hiv-positive kvinner]. *Jordmorbladet*, 7(3), 18-21.
- Rettedal, S., Lohr, I. H., Bernhoff, E., Natas, O. B., Sundsfjord, A., & Oymar, K. (2015). Extended-spectrum beta-lactamase-producing Enterobacteriaceae among pregnant women in Norway: prevalence and maternal-neonatal transmission. *Journal of Perinatology*, 35(11), 907-912. doi:<https://dx.doi.org/10.1038/jp.2015.82>

- Richards, J. L., Kramer, M. S., Deb-Rinker, P., Rouleau, J., Mortensen, L., Gissler, M., . . . Kramer, M. R. (2016). Temporal Trends in Late Preterm and Early Term Birth Rates in 6 High-Income Countries in North America and Europe and Association With Clinician-Initiated Obstetric Interventions. [Erratum appears in JAMA. 2016 Oct 18;316(15):1601; PMID: 27755617]. *JAMA*, 316(4), 410-419. doi:<https://dx.doi.org/10.1001/jama.2016.9635>
- Richardsen, K. R., Mdala, I., Berntsen, S., Ommundsen, Y., Martinsen, E. W., Sletner, L., & Jenum, A. K. (2016). Objectively recorded physical activity in pregnancy and postpartum in a multi-ethnic cohort: association with access to recreational areas in the neighbourhood. *International Journal of Behavioral Nutrition & Physical Activity*, 13, 78. doi:<https://dx.doi.org/10.1186/s12966-016-0401-y>
- Rich-Edwards, J. W., Klungsoyr, K., Wilcox, A. J., & Skjaerven, R. (2015). Duration of pregnancy, even at term, predicts long-term risk of coronary heart disease and stroke mortality in women: a population-based study. *American Journal of Obstetrics & Gynecology*, 213(4), 518.e511-518. doi:<https://dx.doi.org/10.1016/j.ajog.2015.06.001>
- Riise, H. K., Sulo, G., Tell, G. S., Igland, J., Nygard, O., Vollset, S. E., . . . Daltveit, A. K. (2017). Incident Coronary Heart Disease After Preeclampsia: Role of Reduced Fetal Growth, Preterm Delivery, and Parity. *Journal of the American Heart Association*, 6(3), 06. doi:<https://dx.doi.org/10.1161/JAHA.116.004158>
- Risa, C. F., Liden, E., & Friberg, F. (2011). Communication patterns in antenatal diabetes care: an explorative and descriptive study of midwife-led consultations. *Journal of Clinical Nursing*, 20(13-14), 2053-2063. doi:<https://dx.doi.org/10.1111/j.1365-2702.2010.03552.x>
- Riska, B. S., Skurtveit, S., Furu, K., Engeland, A., & Handal, M. (2014). Dispensing of benzodiazepines and benzodiazepine-related drugs to pregnant women: a population-based cohort study. *European Journal of Clinical Pharmacology*, 70(11), 1367-1374. doi:<https://dx.doi.org/10.1007/s00228-014-1744-4>
- Robinson, H. S., Eskild, A., Heiberg, E., & Eberhard-Gran, M. (2006). Pelvic girdle pain in pregnancy: the impact on function. *Acta Obstetrica et Gynecologica Scandinavica*, 85(2), 160-164.
- Robinson, H. S., Mengshoel, A. M., Bjelland, E. K., & Vollestad, N. K. (2010). Pelvic girdle pain, clinical tests and disability in late pregnancy. *Manual Therapy*, 15(3), 280-285. doi:<https://dx.doi.org/10.1016/j.math.2010.01.006>
- Robinson, H. S., Mengshoel, A. M., Veierod, M. B., & Vollestad, N. (2010). Pelvic girdle pain: potential risk factors in pregnancy in relation to disability and pain intensity three months postpartum. *Manual Therapy*, 15(6), 522-528. doi:<https://dx.doi.org/10.1016/j.math.2010.05.007>
- Rognmo, K., Sivertsen, B., & Eberhard-Gran, M. (2016). Self-reported short sleep duration and insomnia symptoms as predictors of post-pregnancy weight change: Results from a cohort study. *Women's health*, 12(5), 465-474. doi:<https://dx.doi.org/10.1177/1745505716668871>
- Rohde, G., Berg, K. H., & Haugeberg, G. (2014). Perceived effects of health status on sexual activity in women and men older than 50 years. *Health & Quality of Life Outcomes*, 12, 43. doi:<https://dx.doi.org/10.1186/1477-7525-12-43>
- Romoren, T. I. (2003). *LAST YEARS OF LONG LIVES*. Hoboken: Taylor and Francis.
- Romundstad, L. B., Romundstad, P. R., Sunde, A., von Doring, V., Skjaerven, R., Gunnell, D., & Vatten, L. J. (2008). Effects of technology or maternal factors on perinatal outcome after assisted fertilisation: a population-based cohort study. *Lancet*, 372(9640), 737-743. doi:[https://dx.doi.org/10.1016/S0140-6736\(08\)61041-7](https://dx.doi.org/10.1016/S0140-6736(08)61041-7)
- Romundstad, L. B., Romundstad, P. R., Sunde, A., von Doring, V., Skjaerven, R., & Vatten, L. J. (2006). Increased risk of placenta previa in pregnancies following IVF/ICSI; a comparison of ART and non-ART pregnancies in the same mother. *Human Reproduction*, 21(9), 2353-2358. doi:<https://dx.doi.org/10.1093/humrep/del153>
- Romundstad, L. B., Romundstad, P. R., Sunde, A., von Doring, V., Skjaerven, R., & Vatten, L. J. (2009). Assisted fertilization and breech delivery: risks and obstetric management. *Human Reproduction*, 24(12), 3205-3210. doi:<https://dx.doi.org/10.1093/humrep/dep301>
- Romundstad, P. R., Davey Smith, G., Nilsen, T. I., & Vatten, L. J. (2007). Associations of prepregnancy cardiovascular risk factors with the offspring's birth weight. *American Journal of Epidemiology*, 166(12), 1359-1364. doi:<https://dx.doi.org/10.1093/aje/kwm272>

- Romundstad, P. R., Magnussen, E. B., Smith, G. D., & Vatten, L. J. (2010). Hypertension in pregnancy and later cardiovascular risk: common antecedents? *Circulation*, 122(6), 579-584. doi:<https://dx.doi.org/10.1161/CIRCULATIONAHA.110.943407>
- Romundstad, P. R., Vatten, L. J., Nilsen, T. I., Holmen, T. L., Hsieh, C. C., Trichopoulos, D., & Stuver, S. O. (2003). Birth size in relation to age at menarche and adolescent body size: implications for breast cancer risk. *International Journal of Cancer*, 105(3), 400-403. doi:<https://dx.doi.org/10.1002/ijc.11103>
- Rortveit, G., Daltveit, A. K., Hannestad, Y. S., & Hunskaar, S. (2003). Urinary incontinence after vaginal delivery or cesarean section. *New England Journal of Medicine*, 348(10), 900-907. doi:<https://dx.doi.org/10.1056/NEJMoa021788>
- Rortveit, G., Daltveit, A. K., Hannestad, Y. S., & Hunskaar, S. (2003). Vaginal delivery parameters and urinary incontinence: the Norwegian EPINCONT study. *American Journal of Obstetrics & Gynecology*, 189(5), 1268-1274.
- Rortveit, G., Hannestad, Y. S., Daltveit, A. K., & Hunskaar, S. (2001). Age- and type-dependent effects of parity on urinary incontinence: the Norwegian EPINCONT study. *Obstetrics & Gynecology*, 98(6), 1004-1010.
- Rortveit, G., & Hunskaar, S. (2006). Urinary incontinence and age at the first and last delivery: the Norwegian HUNT/EPINCONT study. *American Journal of Obstetrics & Gynecology*, 195(2), 433-438. doi:<https://dx.doi.org/10.1016/j.ajog.2006.01.023>
- Rosand, G. M., Slinning, K., Eberhard-Gran, M., Roysamb, E., & Tambs, K. (2011). Partner relationship satisfaction and maternal emotional distress in early pregnancy. *BMC Public Health*, 11, 161. doi:<https://dx.doi.org/10.1186/1471-2458-11-161>
- Rossen, J., Okland, I., Nilsen, O. B., & Eggebo, T. M. (2010). Is there an increase of postpartum hemorrhage, and is severe hemorrhage associated with more frequent use of obstetric interventions? *Acta Obstetrica et Gynecologica Scandinavica*, 89(10), 1248-1255. doi:<https://dx.doi.org/10.3109/00016349.2010.514324>
- Rossen, J., Ostborg, T. B., Lindtjorn, E., Schulz, J., & Eggebo, T. M. (2016). Judicious use of oxytocin augmentation for the management of prolonged labor. *Acta Obstetrica et Gynecologica Scandinavica*, 95(3), 355-361. doi:<https://dx.doi.org/10.1111/aogs.12821>
- Rostad, B., & Hunt. (2009). Social inequalities in women's health: HUNT 1984-86 and 1995-97, The Nord-Trøndelag Health Study (HUNT). (2009:28), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Rostad, B., Schei, B., & Lund Nilsen, T. I. (2009). Social inequalities in mortality in older women cannot be explained by biological and health behavioural factors -- results from a Norwegian health survey (the HUNT Study). *Scandinavian Journal of Public Health*, 37(4), 401-408. doi:<https://dx.doi.org/10.1177/1403494809102777>
- Rostad, B., Schei, B., & Sundby, J. (2006). Fertility in Norwegian women: results from a population-based health survey. *Scandinavian Journal of Public Health*, 34(1), 5-10. doi:<https://dx.doi.org/10.1080/14034940510032383>
- Rostad, B., Schmidt, L., Sundby, J., & Schei, B. (2014). Infertility experience and health differentials - a population-based comparative study on infertile and non-infertile women (the HUNT Study). *Acta Obstetrica et Gynecologica Scandinavica*, 93(8), 757-764. doi:<https://dx.doi.org/10.1111/aogs.12404>
- Roten, L. T., Fenstad, M. H., Forsmo, S., Johnson, M. P., Moses, E. K., Austgulen, R., & Skorpen, F. (2011). A low COMT activity haplotype is associated with recurrent preeclampsia in a Norwegian population cohort (HUNT2). *Molecular Human Reproduction*, 17(7), 439-446. doi:<https://dx.doi.org/10.1093/molehr/gar014>
- Roten, L. T., Johnson, M. P., Forsmo, S., Fitzpatrick, E., Dyer, T. D., Brennecke, S. P., . . . Austgulen, R. (2009). Association between the candidate susceptibility gene ACVR2A on chromosome 2q22 and pre-eclampsia in a large Norwegian population-based study (the HUNT study). *European Journal of Human Genetics*, 17(2), 250-257. doi:<https://dx.doi.org/10.1038/ejhg.2008.158>
- Roten, L. T., Thomsen, L. C., Gundersen, A. S., Fenstad, M. H., Odland, M. L., Strand, K. M., . . . Austgulen, R. (2015). The Norwegian preeclampsia family cohort study: a new resource for investigating genetic aspects and heritability of preeclampsia and related phenotypes. *BMC Pregnancy & Childbirth*, 15, 319. doi:<https://dx.doi.org/10.1186/s12884-015-0754-2>

- Roth, C., Bjorke-Monsen, A. L., Reichborn-Kjennerud, T., Nilsen, R. M., Smith, G. D., Stoltenberg, C., . . . Magnus, P. (2013). Use of folic acid supplements in early pregnancy in relation to maternal plasma levels in week 18 of pregnancy. *Molecular Nutrition & Food Research*, 57(4), 653-660.
doi:<https://dx.doi.org/10.1002/mnfr.201200116>
- Ryding, E. L., Lukasse, M., Kristjansdottir, H., Steingrimsdottir, T., Schei, B., & Bidens study, g. (2016). Pregnant women's preference for cesarean section and subsequent mode of birth - a six-country cohort study. *Journal of Psychosomatic Obstetrics & Gynecology*, 37(3), 75-83.
doi:<https://dx.doi.org/10.1080/0167482X.2016.1181055>
- Ryding, E. L., Lukasse, M., Parys, A. S., Wangel, A. M., Karro, H., Kristjansdottir, H., . . . Bidens, G. (2015). Fear of childbirth and risk of cesarean delivery: a cohort study in six European countries. *Birth*, 42(1), 48-55.
doi:<https://dx.doi.org/10.1111/birt.12147>
- Rydningen, M., Dehli, T., Wilsgaard, T., Rydning, A., Kumle, M., Lindsetmo, R. O., & Norderval, S. (2017). Sacral neuromodulation compared with injection of bulking agents for faecal incontinence following obstetric anal sphincter injury - A randomised controlled trial. *Colorectal Disease*, 17, 17.
doi:<https://dx.doi.org/10.1111/codi.13632>
- Rydningen, M. B., Dehli, T., Wilsgaard, T., Lindsetmo, R. O., Kumle, M., Stedenfeldt, M., & Norderval, S. (2017). Sacral neuromodulation for faecal incontinence following obstetric sphincter injury - outcome of percutaneous nerve evaluation. *Colorectal Disease*, 19(3), 274-282.
doi:<https://dx.doi.org/10.1111/codi.13472>
- Rygh, A. B., Skjeldestad, F. E., Korner, H., & Eggebo, T. M. (2014). Assessing the association of oxytocin augmentation with obstetric anal sphincter injury in nulliparous women: a population-based, case-control study. *BMJ Open*, 4(7), e004592. doi:<https://dx.doi.org/10.1136/bmjopen-2013-004592>
- Rygh, E., Gallefoss, F., & Reiso, H. (2016). Use of snus and smoking tobacco among pregnant women in the Agder counties. *Tidsskrift for Den Norske Laegeforening*, 136(16), 1351-1354.
doi:<https://dx.doi.org/10.4045/tidsskr.15.1341>
- Røsand, G.-M. B. (2011). Relationship satisfaction, emotional distress, and relationship dissolution: a population-based study on pregnant women and their partners. (no. 259), Department of Psychology, Faculty of Social Sciences, University of Oslo, Oslo.
- Saastad, E., Vangen, S., & Froen, J. F. (2007). Suboptimal care in stillbirths - a retrospective audit study. *Acta Obstetrica et Gynecologica Scandinavica*, 86(4), 444-450.
doi:<https://dx.doi.org/10.1080/00016340701207724>
- Saastad, E., Winje, B. A., Israel, P., & Froen, J. F. (2012). Fetal movement counting--maternal concern and experiences: a multicenter, randomized, controlled trial. *Birth*, 39(1), 10-20.
doi:<https://dx.doi.org/10.1111/j.1523-536X.2011.00508.x>
- Saastad, E., Winje, B. A., Stray Pedersen, B., & Froen, J. F. (2011). Fetal movement counting improved identification of fetal growth restriction and perinatal outcomes--a multi-centre, randomized, controlled trial. *PLoS ONE [Electronic Resource]*, 6(12), e28482. doi:<https://dx.doi.org/10.1371/journal.pone.0028482>
- Sachse, D., Baerug, A., Sletner, L., Birkeland, K. I., Nakstad, B., Jennum, A. K., & Berg, J. P. (2014). Urine NMR metabolomics analysis of breastfeeding biomarkers during and after pregnancy in a large prospective cohort study. *Scandinavian Journal of Clinical & Laboratory Investigation*, 74(3), 264-272.
doi:<https://dx.doi.org/10.3109/00365513.2014.884240>
- Sachse, D., Sletner, L., Morkrid, K., Jennum, A. K., Birkeland, K. I., Rise, F., . . . Berg, J. P. (2012). Metabolic changes in urine during and after pregnancy in a large, multiethnic population-based cohort study of gestational diabetes. *PLoS ONE [Electronic Resource]*, 7(12), e52399.
doi:<https://dx.doi.org/10.1371/journal.pone.0052399>
- Saether, S., Bakken, K., & Lund, E. (2012). The risk of breast cancer linked to menopausal hormone therapy. *Tidsskrift for Den Norske Laegeforening*, 132(11), 1330-1334.
doi:<https://dx.doi.org/10.4045/tidsskr.11.1055>

- Sagedal, L. R., Overby, N. C., Bere, E., Torstveit, M. K., Lohne-Seiler, H., Smastuen, M., . . . Vistad, I. (2017). Lifestyle intervention to limit gestational weight gain: the Norwegian Fit for Delivery randomised controlled trial. *BJOG: An International Journal of Obstetrics & Gynaecology*, 124(1), 97-109. doi:<https://dx.doi.org/10.1111/1471-0528.13862>
- Sagedal, L. R., Overby, N. C., Lohne-Seiler, H., Bere, E., Torstveit, M. K., Henriksen, T., & Vistad, I. (2013). Study protocol: fit for delivery - can a lifestyle intervention in pregnancy result in measurable health benefits for mothers and newborns? A randomized controlled trial. *BMC Public Health*, 13, 132. doi:<https://dx.doi.org/10.1186/1471-2458-13-132>
- Sagedal, L. R., Sanda, B., Overby, N. C., Bere, E., Torstveit, M. K., Lohne-Seiler, H., . . . Vistad, I. (2017). The effect of prenatal lifestyle intervention on weight retention 12 months postpartum: results of the Norwegian Fit for Delivery randomised controlled trial. *BJOG: An International Journal of Obstetrics & Gynaecology*, 124(1), 111-121. doi:<https://dx.doi.org/10.1111/1471-0528.13863>
- Sagen, J. V., Baumann, M. E., Salvesen, H. B., Molven, A., Sovik, O., & Njolstad, P. R. (2005). Diagnostic screening of NEUROD1 (MODY6) in subjects with MODY or gestational diabetes mellitus. *Diabetic Medicine*, 22(8), 1012-1015. doi:<https://dx.doi.org/10.1111/j.1464-5491.2005.01565.x>
- Salvesen, K. A., & Morkved, S. (2004). Randomised controlled trial of pelvic floor muscle training during pregnancy. *BMJ*, 329(7462), 378-380. doi:<https://dx.doi.org/10.1136/bmj.38163.724306.3A>
- Salvesen, K. A., Stafne, S. N., Eggebo, T. M., & Morkved, S. (2014). Does regular exercise in pregnancy influence duration of labor? A secondary analysis of a randomized controlled trial. *Acta Obstetrica et Gynecologica Scandinavica*, 93(1), 73-79. doi:<https://dx.doi.org/10.1111/aogs.12260>
- Sandanger, T. M., Huber, S., Moe, M. K., Braathen, T., Leknes, H., & Lund, E. (2011). Plasma concentrations of parabens in postmenopausal women and self-reported use of personal care products: the NOWAC postgenome study. *Journal of Exposure Science & Environmental Epidemiology*, 21(6), 595-600. doi:<https://dx.doi.org/10.1038/jes.2011.22>
- Sandstad, B., Borch-Johnsen, B., Andersen, G. M., Dahl-Jorgensen, B., Froyso, I., Leslie, C., . . . Sandem, S. O. (2003). Selective iron supplementation based on serum ferritin values early in pregnancy: are the Norwegian recommendations satisfactory? [Erratum appears in *Acta Obstet Gynecol Scand*. 2003 Sep;82(9):890]. *Acta Obstetrica et Gynecologica Scandinavica*, 82(6), 537-542.
- Sandven, I., Abdelnoor, M., Wethe, M., Nesheim, B. I., Vikanes, A., Gjonnes, H., & Melby, K. K. (2008). Helicobacter pylori infection and Hyperemesis gravidarum. An institution-based case-control study. *European Journal of Epidemiology*, 23(7), 491-498. doi:<https://dx.doi.org/10.1007/s10654-008-9261-3>
- Sandvik, M. K., Iversen, B. M., Irgens, L. M., Skjaerven, R., Leivestad, T., Softeland, E., & Vikse, B. E. (2010). Are adverse pregnancy outcomes risk factors for development of end-stage renal disease in women with diabetes? *Nephrology Dialysis Transplantation*, 25(11), 3600-3607. doi:<https://dx.doi.org/10.1093/ndt/gfq275>
- Sandvik, M. K., Leirgul, E., Nygard, O., Ueland, P. M., Berg, A., Svarstad, E., & Vikse, B. E. (2013). Preeclampsia in healthy women and endothelial dysfunction 10 years later. *American Journal of Obstetrics & Gynecology*, 209(6), 569.e561-569.e510. doi:<https://dx.doi.org/10.1016/j.ajog.2013.07.024>
- Sarfraz, A. A., Samuelsen, S. O., Bruu, A. L., Jenum, P. A., & Eskild, A. (2009). Maternal human parvovirus B19 infection and the risk of fetal death and low birthweight: a case-control study within 35 940 pregnant women. *BJOG: An International Journal of Obstetrics & Gynaecology*, 116(11), 1492-1498. doi:<https://dx.doi.org/10.1111/j.1471-0528.2009.02211.x>
- Savosnick, G. (2011). Conversation changed opinion about circumcision. [Samtaler endret syn på omskjaering]. *Sykepleien*, 99(10), 56-59.
- Schanke, A.-K., & Sundby, J. (2001). Rehabilitering - den personlige forvandlingen (Vol. nr 10). Oslo: Norsk selskap for aldersforskning.
- Schei, B., & Bakketeig, L. S. (2007). Kvinner lider - menn dør: folkehelse i et kjønnsperspektiv. Oslo: Gyldendal akademisk.
- Schmidt, N., Abelsen, B., & Oian, P. (2002). Deliveries in maternity homes in Norway: results from a 2-year prospective study. *Acta Obstetrica et Gynecologica Scandinavica*, 81(8), 731-737.

- Schultz, J. H., & Lien, I. L. (2013). Meaning-making of female genital cutting: children's perception and acquired knowledge of the ritual. *International Journal of Women's Health*, 5, 165-175.
doi:<https://dx.doi.org/10.2147/IJWH.S40447>
- Shakeel, N., Eberhard-Gran, M., Sletner, L., Slinning, K., Martinsen, E. W., Holme, I., & Jenum, A. K. (2015). A prospective cohort study of depression in pregnancy, prevalence and risk factors in a multi-ethnic population. *BMC Pregnancy & Childbirth*, 15, 5. doi:<https://dx.doi.org/10.1186/s12884-014-0420-0>
- Shigdel, R., Osima, M., Lukic, M., Ahmed, L. A., Joakimsen, R. M., Eriksen, E. F., & Bjornerem, A. (2016). Determinants of Transitional Zone Area and Porosity of the Proximal Femur Quantified In Vivo in Postmenopausal Women. *Journal of Bone & Mineral Research*, 31(4), 758-766.
doi:<https://dx.doi.org/10.1002/jbmr.2751>
- Siafarikas, F., Staer-Jensen, J., Hilde, G., Bo, K., & Ellstrom Engh, M. (2015). The levator ani muscle during pregnancy and major levator ani muscle defects diagnosed postpartum: a three- and four-dimensional transperineal ultrasound study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(8), 1083-1091. doi:<https://dx.doi.org/10.1111/1471-0528.13332>
- Simonsen, T. B., Wahl, A. K., Vangen, S., & Eberhard-Gran, M. (2013). Do previous abortions cause fear of childbirth? [Gir tidligere aborter fødselsangst?]. *Tidsskrift for Den Norske Laegeforening*, 133(6), 635-639.
- Sivertsen, B., Hysing, M., Dorheim, S. K., & Eberhard-Gran, M. (2015). Trajectories of maternal sleep problems before and after childbirth: a longitudinal population-based study. *BMC Pregnancy & Childbirth*, 15, 129. doi:<https://dx.doi.org/10.1186/s12884-015-0577-1>
- Sivertsen, B., Petrie, K. J., Skogen, J. C., Hysing, M., & Eberhard-Gran, M. (2017). Insomnia before and after childbirth: The risk of developing postpartum pain-A longitudinal population-based study. *European Journal of Obstetrics, Gynecology, & Reproductive Biology*, 210, 348-354.
doi:<https://dx.doi.org/10.1016/j.ejogrb.2017.01.020> <https://dx.doi.org/10.1111/mec.13956>
- Sjetne, I. S., & Iversen, H. H. (2017). Do experiences with pregnancy, birth and postnatal care in Norway vary by the women's geographic origin? a comparison of cross-sectional survey results. *BMC Pregnancy & Childbirth*, 17(1), 37. doi:<https://dx.doi.org/10.1186/s12884-016-1214-3>
- Sjetne, I. S., Iversen, H. H., & Kjollesdal, J. G. (2015). A questionnaire to measure women's experiences with pregnancy, birth and postnatal care: instrument development and assessment following a national survey in Norway. *BMC Pregnancy & Childbirth*, 15, 182. doi:<https://dx.doi.org/10.1186/s12884-015-0611-3>
- Skari, H., Malt, U. F., Bjornland, K., Egeland, T., Haugen, G., Skreden, M., . . . Emblem, R. (2006). Prenatal diagnosis of congenital malformations and parental psychological distress--a prospective longitudinal cohort study. *Prenatal Diagnosis*, 26(11), 1001-1009. doi:<https://dx.doi.org/10.1002/pd.1542>
- Skari, H., Skreden, M., Malt, U. F., Dalholt, M., Ostensen, A. B., Egeland, T., & Emblem, R. (2002). Comparative levels of psychological distress, stress symptoms, depression and anxiety after childbirth--a prospective population-based study of mothers and fathers. *BJOG: An International Journal of Obstetrics & Gynaecology*, 109(10), 1154-1163.
- Skjaerven, R., Vatten, L. J., Wilcox, A. J., Ronning, T., Irgens, L. M., & Lie, R. T. (2005). Recurrence of pre-eclampsia across generations: exploring fetal and maternal genetic components in a population based cohort. *BMJ*, 331(7521), 877. doi:<https://dx.doi.org/10.1136/bmj.38555.462685.8F>
- Skjaerven, R., Wilcox, A. J., Klungsoyr, K., Irgens, L. M., Vikse, B. E., Vatten, L. J., & Lie, R. T. (2012). Cardiovascular mortality after pre-eclampsia in one child mothers: prospective, population based cohort study. *BMJ*, 345, e7677. doi:<https://dx.doi.org/10.1136/bmj.e7677>
- Skjaerven, R., Wilcox, A. J., & Lie, R. T. (2002). The interval between pregnancies and the risk of preeclampsia. *New England Journal of Medicine*, 346(1), 33-38. doi:<https://dx.doi.org/10.1056/NEJMoa011379>
- Skjaervo, G. R., & Roskaft, E. (2013). Menopause: no support for an evolutionary explanation among historical Norwegians. *Experimental Gerontology*, 48(4), 408-413.
doi:<https://dx.doi.org/10.1016/j.exger.2013.02.001>
- Skjeldestad, F. E. (2000). Oral contraceptive failures among women terminating their pregnancy. *Acta Obstetrica et Gynecologica Scandinavica*, 79(7), 580-585.

- Skjothaug, T., Smith, L., Wentzel-Larsen, T., & Moe, V. (2015). Prospective fathers' adverse childhood experiences, pregnancy-related anxiety, and depression during pregnancy. *Infant Mental Health Journal*, 36(1), 104-113. doi:<https://dx.doi.org/10.1002/imhj.21485>
- Skomsvoll, J. F. (2003). Reproductive outcome in women with rheumatic disease: a population registry based study of the effects of inflammatory rheumatic disease and connective tissue disease on reproductive outcome in Norwegian women in 1967-1995. (219), Department of Rheumatology, St. Olavs Hospital, University Hospital of Trondheim. Faculty of Medicine, Norwegian University of Science and Technology, Trondheim.
- Skomsvoll, J. F., Aasarød, K., Salvesen, K. Å., Hoff, M., Wallenius, M., Rødevand, E., . . . Nossent, H. C. (2007). Systemisk lupus erythematosus og svangerskap. *Tidsskrift for Den norske legeforening*(7), 725-729.
- Skomsvoll, J. F., Baste, V., Irgens, L. M., & Ostensen, M. (2002). The recurrence risk of adverse outcome in the second pregnancy in women with rheumatic disease¹. *Obstetrics & Gynecology*, 100(6), 1196-1202.
- Skomsvoll, J. F., Ostensen, M., Baste, V., & Irgens, L. M. (2001). Number of births, interpregnancy interval, and subsequent pregnancy rate after a diagnosis of inflammatory rheumatic disease in Norwegian women. *Journal of Rheumatology*, 28(10), 2310-2314.
- Skomsvoll, J. F., Ostensen, M., Irgens, L. M., & Baste, V. (2000). Pregnancy complications and delivery practice in women with connective tissue disease and inflammatory rheumatic disease in Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 79(6), 490-495.
- Skomsvoll, J. F., Ostensen, M., & Schei, B. (2000). Reproduction in women reporting chronic musculoskeletal disorders. *Scandinavian Journal of Rheumatology*, 29(2), 103-107.
- Skorstad, M., Kent, A., & Lieng, M. (2016). Preoperative evaluation in women with uterine leiomyosarcoma. A nationwide cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 95(11), 1228-1234. doi:<https://dx.doi.org/10.1111/aogs.13008>
- Skorstad, M., Kent, A., & Lieng, M. (2016). Uterine leiomyosarcoma - incidence, treatment, and the impact of morcellation. A nationwide cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 95(9), 984-990. doi:<https://dx.doi.org/10.1111/aogs.12930>
- Skrastad, R. B., Hov, G. G., Blaas, H. G., Romundstad, P. R., & Salvesen, K. A. (2014). A prospective study of screening for hypertensive disorders of pregnancy at 11-13 weeks in a Scandinavian population. *Acta Obstetrica et Gynecologica Scandinavica*, 93(12), 1238-1247. doi:<https://dx.doi.org/10.1111/aogs.12479>
- Skrastad, R. B., Hov, G. G., Blaas, H. G., Romundstad, P. R., & Salvesen, K. A. (2015). Risk assessment for preeclampsia in nulliparous women at 11-13 weeks gestational age: prospective evaluation of two algorithms. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(13), 1781-1788. doi:<https://dx.doi.org/10.1111/1471-0528.13194>
- Skreden, M., Bere, E., Sagedal, L. R., Vistad, I., & Overby, N. C. (2015). Changes in beverage consumption from pre-pregnancy to early pregnancy in the Norwegian Fit for Delivery study. *Public Health Nutrition*, 18(7), 1187-1196. doi:<https://dx.doi.org/10.1017/S136898001400189X>
- Skreden, M., Bere, E., Sagedal, L. R., Vistad, I., & Overby, N. C. (2017). Changes in fruit and vegetable consumption habits from pre-pregnancy to early pregnancy among Norwegian women. *BMC Pregnancy & Childbirth*, 17(1), 107. doi:<https://dx.doi.org/10.1186/s12884-017-1291-y>
- Skreden, M., Overby, N. C., Sagedal, L. R., Vistad, I., Torstveit, M. K., Lohne-Seiler, H., & Bere, E. (2015). Changes in mode of transportation to work or school from pre-pregnancy to early pregnancy in the Norwegian Fit for Delivery study. *Preventive Medicine Reports*, 2, 429-435. doi:<https://dx.doi.org/10.1016/j.pmedr.2015.05.002>
- Skreden, M., Overby, N. C., Sagedal, L. R., Vistad, I., Torstveit, M. K., Lohne-Seiler, H., & Bere, E. (2016). Change in active transportation and weight gain in pregnancy. *International Journal of Behavioral Nutrition & Physical Activity*, 13, 10. doi:<https://dx.doi.org/10.1186/s12966-016-0332-7>
- Skuladottir, H., Wilcox, A., McConaughy, R., Vindenes, H., & Lie, R. T. (2014). First-trimester nonsystemic corticosteroid use and the risk of oral clefts in Norway. *Annals of Epidemiology*, 24(9), 635-640. doi:<https://dx.doi.org/10.1016/j.annepidem.2014.06.005>

- Skurtveit, S., Selmer, R., Roth, C., Hernandez-Diaz, S., & Handal, M. (2014). Prenatal exposure to antidepressants and language competence at age three: results from a large population-based pregnancy cohort in Norway. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(13), 1621-1631. doi:<https://dx.doi.org/10.1111/1471-0528.12821>
- Sletner, L., Jenum, A. K., Morkrid, K., Vangen, S., Holme, I. M., Birkeland, K. I., & Nakstad, B. (2014). Maternal life course socio-economic position and offspring body composition at birth in a multi-ethnic population. *Paediatric and Perinatal Epidemiology*, 28(5), 445-454. doi:<https://dx.doi.org/10.1111/ppe.12137>
- Sletner, L., Rasmussen, S., Jenum, A. K., Nakstad, B., Jensen, O. H., & Vangen, S. (2015). Ethnic differences in fetal size and growth in a multi-ethnic population. *Early Human Development*, 91(9), 547-554. doi:<https://dx.doi.org/10.1016/j.earlhumdev.2015.07.002>
- Sletten, J., & Kessler, J. (2015). QRS abnormalities of the fetal electrocardiogram, and their implications for ST-interval analysis during labor. *Acta Obstetrica et Gynecologica Scandinavica*, 94(10), 1128-1135. doi:<https://dx.doi.org/10.1111/aogs.12709>
- Smedberg, J., Brathen, M., Waka, M. S., Jacobsen, A. F., Gjerdalen, G., & Nordeng, H. (2016). Medication use and drug-related problems among women at maternity wards-a cross-sectional study from two Norwegian hospitals. *European Journal of Clinical Pharmacology*, 72(7), 849-857. doi:<https://dx.doi.org/10.1007/s00228-016-2042-0>
- Sogaard, A. J., Tollan, A., Berntsen, G. K., Fonnebo, V., & Magnus, J. H. (2000). Hormone replacement therapy: knowledge, attitudes, self-reported use - and sales figures in Nordic women. *Maturitas*, 35(3), 201-214.
- Solberg, O., Dale, M. T., Holmstrom, H., Eskedal, L. T., Landolt, M. A., & Vollrath, M. E. (2011). Long-term symptoms of depression and anxiety in mothers of infants with congenital heart defects. *Journal of Pediatric Psychology*, 36(2), 179-187. doi:<https://dx.doi.org/10.1093/jpepsy/jsq054>
- Solberg, O., Gronning Dale, M. T., Holmstrom, H., Eskedal, L. T., Landolt, M. A., & Vollrath, M. E. (2012). Trajectories of maternal mental health: a prospective study of mothers of infants with congenital heart defects from pregnancy to 36 months postpartum. *Journal of Pediatric Psychology*, 37(6), 687-696. doi:<https://dx.doi.org/10.1093/jpepsy/jss044>
- Solbraekke, K. N., & Bondevik, H. (2015). Absent organs-Present selves: Exploring embodiment and gender identity in young Norwegian women's accounts of hysterectomy. *International Journal of Qualitative Studies on Health and Well-being*, 10(1), 26720. doi:<https://dx.doi.org/10.3402/qhw.v10.26720>
- Solbraekke, K. N., & Lorem, G. (2016). Breast-cancer-isation explored: Social experiences of gynaecological cancer in a Norwegian context. *Sociology of Health & Illness*, 38(8), 1258-1271. doi:<https://dx.doi.org/10.1111/1467-9566.12459>
- Sommer, C., Jenum, A. K., Waage, C. W., Morkrid, K., Sletner, L., & Birkeland, K. I. (2015). Ethnic differences in BMI, subcutaneous fat, and serum leptin levels during and after pregnancy and risk of gestational diabetes. *European Journal of Endocrinology*, 172(6), 649-656. doi:<https://dx.doi.org/10.1530/EJE-15-0060>
- Sommerseth, E., & Sundby, J. (2010). Women's experiences when ultrasound examinations give unexpected findings in the second trimester. *Women & Birth: Journal of the Australian College of Midwives*, 23(3), 111-116. doi:<https://dx.doi.org/10.1016/j.wombi.2010.01.001>
- Songoygard, K. M., Stafne, S. N., Evensen, K. A., Salvesen, K. A., Vik, T., & Morkved, S. (2012). Does exercise during pregnancy prevent postnatal depression? A randomized controlled trial. *Acta Obstetrica et Gynecologica Scandinavica*, 91(1), 62-67. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01262.x>
- Sorbo, M. F., Grimstad, H., Bjorngaard, J. H., Lukasse, M., & Schei, B. (2014). Adult physical, sexual, and emotional abuse and postpartum depression, a population based, prospective study of 53,065 women in the Norwegian Mother and Child Cohort Study. *BMC Pregnancy & Childbirth*, 14, 316. doi:<https://dx.doi.org/10.1186/1471-2393-14-316>
- Sorbye, I. K., Daltveit, A. K., Sundby, J., & Vangen, S. (2014). Preterm subtypes by immigrants' length of residence in Norway: a population-based study. *BMC Pregnancy & Childbirth*, 14, 239. doi:<https://dx.doi.org/10.1186/1471-2393-14-239>

- Sorbye, I. K., Jerve, F., & Staff, A. C. (2005). Reduction in hospitalized women with pelvic inflammatory disease in Oslo over the past decade. *Acta Obstetrica et Gynecologica Scandinavica*, 84(3), 290-296. doi:<https://dx.doi.org/10.1111/j.0001-6349.2005.00509.x>
- Sorbye, I. K., Stoltenberg, C., Sundby, J., Daltveit, A. K., & Vangen, S. (2014). Stillbirth and infant death among generations of Pakistani immigrant descent: a population-based study. *Acta Obstetrica et Gynecologica Scandinavica*, 93(2), 168-174. doi:<https://dx.doi.org/10.1111/aogs.12303>
- Sorbye, L. M., Klungsoyr, K., Samdal, O., Owe, K. M., & Morken, N. H. (2015). Pre-pregnant body mass index and recreational physical activity: effects on perinatal mortality in a prospective pregnancy cohort. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(10), 1322-1330. doi:<https://dx.doi.org/10.1111/1471-0528.13290>
- Sperstad, J. B., Tennfjord, M. K., Hilde, G., Ellstrom-Eng, M., & Bo, K. (2016). Diastasis recti abdominis during pregnancy and 12 months after childbirth: prevalence, risk factors and report of lumbopelvic pain. *British Journal of Sports Medicine*, 50(17), 1092-1096. doi:<https://dx.doi.org/10.1136/bjsports-2016-096065>
- Spidsberg, B. D. (2007). Vulnerable and strong--lesbian women encountering maternity care. *Journal of Advanced Nursing*, 60(5), 478-486. doi:<https://dx.doi.org/10.1111/j.1365-2648.2007.04439.x>
- Spydslaug, A., Trogstad, L. I., Skrondal, A., & Eskild, A. (2005). Recurrent risk of anal sphincter laceration among women with vaginal deliveries. *Obstetrics & Gynecology*, 105(2), 307-313. doi:<https://dx.doi.org/10.1097/01.AOG.0000151114.35498.e9>
- Staff, A., & Laine, K. (2012). Many sphincter injuries are preventable. *Tidsskrift for Den Norske Laegeforening*, 132(21), 2364-2365. doi:<https://dx.doi.org/10.4045/tidsskr.12.1168>
- Staff, A. C., Redman, C. W. G., Williams, D., Leeson, P., Moe, K., Thilaganathan, B., . . . Roberts, J. M. (2016). Pregnancy and long-term maternal cardiovascular health: progress through harmonization of research cohorts and biobank. *Hypertension*, 67(2), 251-260. doi:<https://doi.org/10.1161/HYPERTENSIONAHA.115.06357>
- Stafne, S. N. (2012). Exercise during pregnancy. (551), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice National Center for Fetal Medicine, Department of Laboratory Medicine, Children's and Women's Health, Trondheim.
- Stafne, S. N., Salvesen, K. A., Romundstad, P. R., Stuge, B., & Morkved, S. (2012). Does regular exercise during pregnancy influence lumbopelvic pain? A randomized controlled trial. *Acta Obstetrica et Gynecologica Scandinavica*, 91(5), 552-559. doi:<https://dx.doi.org/10.1111/j.1600-0412.2012.01382.x>
- Stafne, S. N., Salvesen, K. A., Romundstad, P. R., Torjusen, I. H., & Morkved, S. (2012). Does regular exercise including pelvic floor muscle training prevent urinary and anal incontinence during pregnancy? A randomised controlled trial. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(10), 1270-1280. doi:<https://dx.doi.org/10.1111/j.1471-0528.2012.03426.x>
- Starling, A. P., Engel, S. M., Richardson, D. B., Baird, D. D., Haug, L. S., Stuebe, A. M., . . . Longnecker, M. P. (2014). Perfluoroalkyl substances during pregnancy and validated preeclampsia among nulliparous women in the Norwegian Mother and Child Cohort Study. *American Journal of Epidemiology*, 179(7), 824-833. doi:<https://dx.doi.org/10.1093/aje/kwt432>
- Starling, A. P., Engel, S. M., Whitworth, K. W., Richardson, D. B., Stuebe, A. M., Daniels, J. L., . . . Longnecker, M. P. (2014). Perfluoroalkyl substances and lipid concentrations in plasma during pregnancy among women in the Norwegian Mother and Child Cohort Study. *Environment International*, 62, 104-112. doi:<https://dx.doi.org/10.1016/j.envint.2013.10.004>
- Stedenfeldt, M., Oian, P., Gissler, M., Blix, E., & Pirhonen, J. (2014). Risk factors for obstetric anal sphincter injury after a successful multicentre interventional programme. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(1), 83-91. doi:<https://dx.doi.org/10.1111/1471-0528.12274>
- Stedenfeldt, M., Pirhonen, J., Blix, E., Wilsgaard, T., Vonen, B., & Oian, P. (2012). Episiotomy characteristics and risks for obstetric anal sphincter injuries: a case-control study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(6), 724-730. doi:<https://dx.doi.org/10.1111/j.1471-0528.2012.03293.x>

- Stene-Larsen, K., Torgersen, L., Strandberg-Larsen, K., Normann, P. T., & Vollrath, M. E. (2013). Impact of maternal negative affectivity on light alcohol use and binge drinking during pregnancy. *Acta Obstetrica et Gynecologica Scandinavica*, 92(12), 1388-1394. doi:<https://dx.doi.org/10.1111/aogs.12259>
- Stensen, M. H., Tanbo, T., Storeng, R., & Fedorcsak, P. (2014). Advanced glycation end products and their receptor contribute to ovarian ageing. *Human Reproduction*, 29(1), 125-134. doi:<https://dx.doi.org/10.1093/humrep/det419>
- Stensheim, H., Cvancarova, M., Moller, B., & Fossa, S. D. (2011). Pregnancy after adolescent and adult cancer: a population-based matched cohort study. *International Journal of Cancer*, 129(5), 1225-1236. doi:<https://dx.doi.org/10.1002/ijc.26045>
- Stensheim, H., Klungsoyr, K., Skjaerven, R., Grotmol, T., & Fossa, S. D. (2013). Birth outcomes among offspring of adult cancer survivors: a population-based study. *International Journal of Cancer*, 133(11), 2696-2705. doi:<https://dx.doi.org/10.1002/ijc.28292>
- Stensheim, H., Moller, B., van Dijk, T., & Fossa, S. D. (2009). Cause-specific survival for women diagnosed with cancer during pregnancy or lactation: a registry-based cohort study. *Journal of Clinical Oncology*, 27(1), 45-51. doi:<https://dx.doi.org/10.1200/JCO.2008.17.4110>
- Stokke, G., Gjelsvik, B. L., Flaatten, K. T., Birkeland, E., Flaatten, H., & Trovik, J. (2015). Hyperemesis gravidarum, nutritional treatment by nasogastric tube feeding: a 10-year retrospective cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 94(4), 359-367. doi:<https://dx.doi.org/10.1111/aogs.12578>
- Storksens, H. T., Eberhard-Gran, M., Garthus-Niegel, S., & Eskild, A. (2012). Fear of childbirth; the relation to anxiety and depression. *Acta Obstetrica et Gynecologica Scandinavica*, 91(2), 237-242. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01323.x>
- Storksens, H. T., Garthus-Niegel, S., Adams, S. S., Vangen, S., & Eberhard-Gran, M. (2015). Fear of childbirth and elective caesarean section: a population-based study. *BMC Pregnancy & Childbirth*, 15, 221. doi:<https://dx.doi.org/10.1186/s12884-015-0655-4>
- Storksens, H. T., Garthus-Niegel, S., Vangen, S., & Eberhard-Gran, M. (2013). The impact of previous birth experiences on maternal fear of childbirth. *Acta Obstetrica et Gynecologica Scandinavica*, 92(3), 318-324. doi:<https://dx.doi.org/10.1111/aogs.12072>
- Strand, B. H., Groholt, E. K., Steingrimsdottir, O. A., Blakely, T., Graff-Iversen, S., & Naess, O. (2010). Educational inequalities in mortality over four decades in Norway: prospective study of middle aged men and women followed for cause specific mortality, 1960-2000. [Erratum appears in *BMJ*. 2010;340:c1803]. *BMJ*, 340, c654. doi:<https://dx.doi.org/10.1136/bmj.c654>
- Strand, K. M., Odland, M. L., Iversen, A. C., Nordbo, S. A., Vik, T., & Austgulen, R. (2012). Cytomegalovirus antibody status at 17-18 weeks of gestation and pre-eclampsia: a case-control study of pregnant women in Norway. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(11), 1316-1323. doi:<https://dx.doi.org/10.1111/j.1471-0528.2012.03420.x>
- Strom-Roum, E. M., Haavaldsen, C., Tanbo, T. G., & Eskild, A. (2013). Placental weight relative to birthweight in pregnancies with maternal diabetes mellitus. *Acta Obstetrica et Gynecologica Scandinavica*, 92(7), 783-789. doi:<https://dx.doi.org/10.1111/aogs.12104>
- Strom-Roum, E. M., Lid, J., & Eskild, A. (2016). Use of contraception among women who request first trimester pregnancy termination in Norway. *Contraception*, 94(2), 181-186. doi:<https://dx.doi.org/10.1016/j.contraception.2016.04.005>
- Strom-Roum, E. M., Tanbo, T. G., & Eskild, A. (2016). The associations of maternal body mass index with birthweight and placental weight. Does maternal diabetes matter? A population study of 106 191 pregnancies. *Acta Obstetrica et Gynecologica Scandinavica*, 95(10), 1162-1170. doi:<https://dx.doi.org/10.1111/aogs.12947>
- Stuge, B., Veierod, M. B., Laerum, E., & Vollestad, N. (2004). The efficacy of a treatment program focusing on specific stabilizing exercises for pelvic girdle pain after pregnancy: a two-year follow-up of a randomized clinical trial. *Spine*, 29(10), E197-203.
- Stær-Jenssen, J. (2017). Diagnose: Invasiv placenta. *Jordmora*(2), 2.

- Størksen, H. T. (2014). Fear of childbirth, mental health, and obstetric outcome: a population-based cohort study. (no. 1873), Institute of Clinical Medicine, Faculty of Medicine, University of Oslo, Oslo.
- Sundby, J. (2008). Abortion pill - a medication of women's choice. [Abortpillen - en medisin for kvinners valg]. *Tidsskrift for Den Norske Lægeforening*, 128(7), 808.
- Sundby, J., Schmidt, L., Heldaas, K., Bugge, S., & Tanbo, T. (2007). Consequences of IVF among women: 10 years post-treatment. *Journal of Psychosomatic Obstetrics & Gynecology*, 28(2), 115-120. doi:<https://dx.doi.org/10.1080/01674820701447447>
- Sundstrom Poromaa, I., Mellembakken, J. R., Papunen, L. M., Piltonen, T., Puurunen, J., Tapanainen, J. S., . . . Andersen, M. (2016). Should we individualize lipid profiling in women with polycystic ovary syndrome? *Human Reproduction*, 31(12), 2791-2795. doi:<https://dx.doi.org/10.1093/humrep/dew228>
- Sveberg, L., Vik, K., Henriksen, T., & Tauboll, E. (2015). Women with epilepsy and post partum bleeding--Is there a role for vitamin K supplementation? *Seizure*, 28, 85-87. doi:<https://dx.doi.org/10.1016/j.seizure.2015.02.021>
- Sverre, B. L. (2016). Migrasjon og helse: en etnografisk studie av eldre pakistanske kvinner i det norske samfunnet. Institutt for helse og samfunn, Det medisinske fakultet, Universitetet i Oslo, Oslo.
- Sverre, B. L., Solbraekke, K. N., & Eilertsen, G. (2014). Stories of pain and health by elderly Pakistani women in Norway. *Scandinavian Journal of Public Health*, 42(15 Suppl), 96-97. doi:<https://dx.doi.org/10.1177/1403494814560128>
- Sørnbø, M. F. (2016). Prevalence of abuse reported by pregnant women: impact on postpartum depression and breastfeeding: a prospective population-based analysis in the Norwegian Mother and Child Cohort Study. (2016:67), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Tanbo, T., Greggains, G., Storeng, R., Busund, B., Langebrekke, A., & Fedorcsak, P. (2015). Autotransplantation of cryopreserved ovarian tissue after treatment for malignant disease - the first Norwegian results. *Acta Obstetrica et Gynecologica Scandinavica*, 94(9), 937-941. doi:<https://dx.doi.org/10.1111/aogs.12700>
- Tandberg, A., Klungsoyr, K., Romundstad, L. B., & Skjaerven, R. (2015). Pre-eclampsia and assisted reproductive technologies: consequences of advanced maternal age, interbirth intervals, new partner and smoking habits. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(7), 915-922. doi:<https://dx.doi.org/10.1111/1471-0528.13051>
- Tangeras, L. H., Austdal, M., Skrastad, R. B., Salvesen, K. A., Austgulen, R., Bathen, T. F., & Iversen, A. C. (2015). Distinct First Trimester Cytokine Profiles for Gestational Hypertension and Preeclampsia. *Arteriosclerosis, Thrombosis & Vascular Biology*, 35(11), 2478-2485. doi:<https://dx.doi.org/10.1161/ATVBAHA.115.305817>
- Tauböll, E., Gjerstad, L., Henriksen, T., & Husby, H. (2003). Women and epilepsy. [Kvinner og epilepsi]. *Tidsskrift for Den Norske Lægeforening*, 123(12), 1691-1694.
- Teigset, C. M., Mohn, C., & Rund, B. R. (2016). Gestational length affects neurocognition in early-onset schizophrenia. *Psychiatry Research*, 244, 78-85. doi:<https://dx.doi.org/10.1016/j.psychres.2016.07.017>
- Tennfjord, M. K., Hilde, G., Staer-Jensen, J., Ellstrom Engh, M., & Bo, K. (2014). Dyspareunia and pelvic floor muscle function before and during pregnancy and after childbirth. *International Urogynecology Journal*, 25(9), 1227-1235. doi:<https://dx.doi.org/10.1007/s00192-014-2373-2>
- Tennfjord, M. K., Hilde, G., Staer-Jensen, J., Siafarikas, F., Engh, M. E., & Bo, K. (2015). Coital incontinence and vaginal symptoms and the relationship to pelvic floor muscle function in primiparous women at 12 months postpartum: a cross-sectional study. *Journal of Sexual Medicine*, 12(4), 994-1003. doi:<https://dx.doi.org/10.1111/jsm.12836>
- Thompson, J. M., Irgens, L. M., Rasmussen, S., & Daltveit, A. K. (2006). Secular trends in socio-economic status and the implications for preterm birth. *Paediatric and Perinatal Epidemiology*, 20(3), 182-187. doi:<https://dx.doi.org/10.1111/j.1365-3016.2006.00711.x>
- Thomsen, L. C., Melton, P. E., Tollaksen, K., Lyslo, I., Roten, L. T., Odland, M. L., . . . Bjorge, L. (2015). Refined phenotyping identifies links between preeclampsia and related diseases in a Norwegian preeclampsia family cohort. *Journal of Hypertension*, 33(11), 2294-2302. doi:<https://dx.doi.org/10.1097/HJH.0000000000000696>

- Tiller, H., Husebekk, A., Skogen, B., Kjeldsen-Kragh, J., & Kjaer, M. (2016). True risk of fetal/neonatal alloimmune thrombocytopenia in subsequent pregnancies: a prospective observational follow-up study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(5), 738-744.
doi:<https://dx.doi.org/10.1111/1471-0528.13343>
- Toleikyte, I., Retterstol, K., Leren, T. P., & Iversen, P. O. (2011). Pregnancy outcomes in familial hypercholesterolemia: a registry-based study. *Circulation*, 124(15), 1606-1614.
doi:<https://dx.doi.org/10.1161/CIRCULATIONAHA.110.990929>
- Tollanes, M. C., Aarsand, A. K., & Sandberg, S. (2011). Excess risk of adverse pregnancy outcomes in women with porphyria: a population-based cohort study. *Journal of Inherited Metabolic Disease*, 34(1), 217-223.
doi:<https://dx.doi.org/10.1007/s10545-010-9231-2>
- Tollanes, M. C., Melve, K. K., Irgens, L. M., & Skjaerven, R. (2007). Reduced fertility after cesarean delivery: a maternal choice. *Obstetrics & Gynecology*, 110(6), 1256-1263.
doi:<https://dx.doi.org/10.1097/01.AOG.0000292089.18717.9f>
- Tollanes, M. C., Rasmussen, S., & Irgens, L. M. (2008). Caesarean section among relatives. *International Journal of Epidemiology*, 37(6), 1341-1348. doi:<https://dx.doi.org/10.1093/ije/dyn100>
- Tollanes, M. C., Strandberg-Larsen, K., Eichelberger, K. Y., Moster, D., Lie, R. T., Brantsaeter, A. L., . . . Wilcox, A. J. (2016). Intake of Caffeinated Soft Drinks before and during Pregnancy, but Not Total Caffeine Intake, Is Associated with Increased Cerebral Palsy Risk in the Norwegian Mother and Child Cohort Study. *Journal of Nutrition*, 146(9), 1701-1706. doi:<https://dx.doi.org/10.3945/jn.116.232272>
- Tollanes, M. C., Thompson, J. M., Daltveit, A. K., & Irgens, L. M. (2007). Cesarean section and maternal education; secular trends in Norway, 1967-2004. *Acta Obstetrica et Gynecologica Scandinavica*, 86(7), 840-848.
doi:<https://dx.doi.org/10.1080/00016340701417422>
- Torgersen, L., Von Holle, A., Reichborn-Kjennerud, T., Berg, C. K., Hamer, R., Sullivan, P., & Bulik, C. M. (2008). Nausea and vomiting of pregnancy in women with bulimia nervosa and eating disorders not otherwise specified. *International Journal of Eating Disorders*, 41(8), 722-727.
doi:<https://dx.doi.org/10.1002/eat.20564>
- Torjusen, H., Brantsaeter, A. L., Haugen, M., Alexander, J., Bakketeig, L. S., Lieblein, G., . . . Meltzer, H. M. (2014). Reduced risk of pre-eclampsia with organic vegetable consumption: results from the prospective Norwegian Mother and Child Cohort Study. *BMJ Open*, 4(9), e006143.
doi:<https://dx.doi.org/10.1136/bmjopen-2014-006143>
- Torjusen, H., Lieblein, G., Naes, T., Haugen, M., Meltzer, H. M., & Brantsaeter, A. L. (2012). Food patterns and dietary quality associated with organic food consumption during pregnancy; data from a large cohort of pregnant women in Norway. *BMC Public Health*, 12, 612.
doi:<https://dx.doi.org/10.1186/1471-2458-12-612>
- Torkildsen, E. A., Salvesen, K. A., P, V. O. N. B., & Eggebo, T. M. (2012). Predictive value of ultrasound assessed fetal head position in primiparous women with prolonged first stage of labor. *Acta Obstetrica et Gynecologica Scandinavica*, 91(11), 1300-1305. doi:<https://dx.doi.org/10.1111/j.1600-0412.2012.01503.x>
- Torris, C., Thune, I., Emaus, A., Finstad, S. E., Bye, A., Furberg, A. S., . . . Hjartaker, A. (2013). Duration of lactation, maternal metabolic profile, and body composition in the Norwegian EBBA I-study. *Breastfeeding Medicine: The Official Journal of the Academy of Breastfeeding Medicine*, 8(1), 8-15.
doi:<https://dx.doi.org/10.1089/bfm.2012.0048>
- Torstveit, M. K. (2004). The female athlete triad in Norwegian elite athletes and non-athletic controls : identification and prevalence of disordered eating, menstrual dysfunction and osteoporosis. M.K. Torstveit, Oslo.
- Torstveit, M. K., & Sundgot-Borgen, J. (2005). The female athlete triad exists in both elite athletes and controls. *Medicine & Science in Sports & Exercise*, 37(9), 1449-1459.
- Torstveit, M. K., & Sundgot-Borgen, J. (2005). Low bone mineral density is two to three times more prevalent in non-athletic premenopausal women than in elite athletes: a comprehensive controlled study. *British Journal of Sports Medicine*, 39(5), 282-287; discussion 282-287.
doi:<https://dx.doi.org/10.1136/bjism.2004.012781>

- Trogstad, L., Magnus, P., Moffett, A., & Stoltenberg, C. (2009). The effect of recurrent miscarriage and infertility on the risk of pre-eclampsia. *BJOG: An International Journal of Obstetrics & Gynaecology*, 116(1), 108-113. doi:<https://dx.doi.org/10.1111/j.1471-0528.2008.01978.x>
- Trogstad, L., Magnus, P., Skjaerven, R., & Stoltenberg, C. (2008). Previous abortions and risk of pre-eclampsia. *International Journal of Epidemiology*, 37(6), 1333-1340. doi:<https://dx.doi.org/10.1093/ije/dyn167>
- Trogstad, L., Skrandal, A., Stoltenberg, C., Magnus, P., Nesheim, B. I., & Eskild, A. (2004). Recurrence risk of preeclampsia in twin and singleton pregnancies. *American Journal of Medical Genetics. Part A*, 126A(1), 41-45. doi:<https://dx.doi.org/10.1002/ajmg.a.20512>
- Trogstad, L. I., Eskild, A., Magnus, P., Samuelsen, S. O., & Nesheim, B. I. (2001). Changing paternity and time since last pregnancy; the impact on pre-eclampsia risk. A study of 547 238 women with and without previous pre-eclampsia. *International Journal of Epidemiology*, 30(6), 1317-1322.
- Trogstad, L. I., Stoltenberg, C., Magnus, P., Skjaerven, R., & Irgens, L. M. (2005). Recurrence risk in hyperemesis gravidarum. *BJOG: An International Journal of Obstetrics & Gynaecology*, 112(12), 1641-1645. doi:<https://dx.doi.org/10.1111/j.1471-0528.2005.00765.x>
- Trovik, J., Thornhill, H. F., & Kiserud, T. (2016). Incidence of obstetric fistula in Norway: a population-based prospective cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 95(4), 405-410. doi:<https://dx.doi.org/10.1111/aogs.12845>
- Trulsson, O., & Radestad, I. (2004). The silent child--mothers' experiences before, during, and after stillbirth. *Birth*, 31(3), 189-195. doi:<https://dx.doi.org/10.1111/j.0730-7659.2004.00304.x>
- Tveit, J. V., Saastad, E., Stray-Pedersen, B., Bordahl, P. E., Flenady, V., Fretts, R., & Froen, J. F. (2009). Reduction of late stillbirth with the introduction of fetal movement information and guidelines - a clinical quality improvement. [Erratum appears in *BMC Pregnancy Childbirth*. 2010;10:49]. *BMC Pregnancy & Childbirth*, 9, 32. doi:<https://dx.doi.org/10.1186/1471-2393-9-32>
- Tveit, J. V., Saastad, E., Stray-Pedersen, B., Bordahl, P. E., & Froen, J. F. (2010). Concerns for decreased foetal movements in uncomplicated pregnancies--increased risk of foetal growth restriction and stillbirth among women being overweight, advanced age or smoking. *Journal of Maternal-Fetal & Neonatal Medicine*, 23(10), 1129-1135. doi:<https://dx.doi.org/10.3109/14767050903511578>
- Tyldum, E. V., Romundstad, P. R., & Slordahl, S. A. (2010). Pre-pregnancy physical activity and preeclampsia risk: a prospective population-based cohort study. *Acta Obstetrica et Gynecologica Scandinavica*, 89(3), 315-320. doi:<https://dx.doi.org/10.3109/00016340903370106>
- Unsgaard-Tondel, M., Vasseljen, O., Woodhouse, A., & Morkved, S. (2016). Exercises for Women with Persistent Pelvic and Low Back Pain after Pregnancy. *Global Journal of Health Science*, 8(9), 54311. doi:<https://dx.doi.org/10.5539/gjhs.v8n9p107>
- Valbo, A., Iversen, H. H., & Kristoffersen, M. (2011). Postpartum care: evaluation and experience among care providers and care receivers. *Journal of Midwifery & Women's Health*, 56(4), 332-339. doi:<https://dx.doi.org/10.1111/j.1542-2011.2011.00038.x>
- Vandraas, K. F., Grjibovski, A. M., Stoer, N. C., Troisi, R., Stephansson, O., Ording, A. G., . . . Vikanes, A. V. (2015). Hyperemesis gravidarum and maternal cancer risk, a Scandinavian nested case-control study. *International Journal of Cancer*, 137(5), 1209-1216. doi:<https://dx.doi.org/10.1002/ijc.29475>
- Vandraas, K. F., Vikanes, A. V., Stoer, N. C., Vangen, S., Magnus, P., & Grjibovski, A. M. (2013). Is hyperemesis gravidarum associated with placental weight and the placental weight-to-birth weight ratio? A population-based Norwegian cohort study. *Placenta*, 34(11), 990-994. doi:<https://dx.doi.org/10.1016/j.placenta.2013.08.001>
- Vangen, S. (2002). Perinatal health among immigrants. (no. 62), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Vangen, S., Ellingsen, L., Andersgaard, A. B., Jacobsen, A. F., Lorentzen, B., Nyflot, L. T., . . . Oian, P. (2014). Maternal deaths in Norway 2005-2009. *Tidsskrift for Den Norske Laegeforening*, 134(8), 836-839. doi:<https://dx.doi.org/10.4045/tidsskr.13.0203>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Vangen, S., Eskild, A., & Forsen, L. (2008). Termination of pregnancy according to immigration status: a population-based registry linkage study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 115(10), 1309-1315. doi:<https://dx.doi.org/10.1111/j.1471-0528.2008.01832.x>
- Vangen, S., Jennum, A. K., Graff-Iversen, S., & Idland, G. (2009). Is gender perspective on health of the elderly necessary? [Trengs det et kjønnspektiv på eldres helse?]. *Tidsskrift for Den Norske Lægeforening*, 129(6), 538-539.
- Vangen, S., Johansen, R. E., Sundby, J., Traeen, B., & Stray-Pedersen, B. (2004). Qualitative study of perinatal care experiences among Somali women and local health care professionals in Norway. *European Journal of Obstetrics, Gynecology, & Reproductive Biology*, 112(1), 29-35.
- Vangen, S., Stoltenberg, C., Holan, S., Moe, N., Magnus, P., Harris, J. R., & Stray-Pedersen, B. (2003). Outcome of pregnancy among immigrant women with diabetes. *Diabetes Care*, 26(2), 327-332.
- Vangen, S., Stoltenberg, C., Johansen, R. E., Sundby, J., & Stray-Pedersen, B. (2002). Perinatal complications among ethnic Somalis in Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 81(4), 317-322.
- Vanky, E. (2005). Polycystic ovary syndrome: metformin treatment in pregnancy. (2005:194), Norwegian University of Science and Technology, Faculty of Medicine, Department of Laboratory Medicine, Children's and Women's Health and Department of Community Medicine, Trondheim.
- Vanky, E., Kjotrod, S., Salvesen, K. A., Romundstad, P., Moen, M. H., & Carlsen, S. M. (2004). Clinical, biochemical and ultrasonographic characteristics of Scandinavian women with PCOS. *Acta Obstetrica et Gynecologica Scandinavica*, 83(5), 482-486. doi:<https://dx.doi.org/10.1111/j.0001-6349.2004.00373.x>
- Vatten, L. J., Forman, M. R., Nilsen, T. I., Barrett, J. C., & Romundstad, P. R. (2007). The negative association between pre-eclampsia and breast cancer risk may depend on the offspring's gender. *British Journal of Cancer*, 96(9), 1436-1438. doi:<https://dx.doi.org/10.1038/sj.bjc.6603688>
- Vatten, L. J., Romundstad, P. R., Trichopoulos, D., & Skjaerven, R. (2002). Pre-eclampsia in pregnancy and subsequent risk for breast cancer. *British Journal of Cancer*, 87(9), 971-973. doi:<https://dx.doi.org/10.1038/sj.bjc.6600581>
- Vatten, L. J., Romundstad, P. R., Trichopoulos, D., & Skjaerven, R. (2002). Pregnancy related protection against breast cancer depends on length of gestation. *British Journal of Cancer*, 87(3), 289-290. doi:<https://dx.doi.org/10.1038/sj.bjc.6600453>
- Vatten, L. J., & Skjaerven, R. (2003). Effects on pregnancy outcome of changing partner between first two births: prospective population study. *BMJ*, 327(7424), 1138. doi:<https://dx.doi.org/10.1136/bmj.327.7424.1138>
- Vatten, L. J., & Skjaerven, R. (2004). Is pre-eclampsia more than one disease? *BJOG: An International Journal of Obstetrics & Gynaecology*, 111(4), 298-302.
- Veiby, G., Daltveit, A. K., Engelsen, B. A., & Gilhus, N. E. (2009). Pregnancy, delivery, and outcome for the child in maternal epilepsy. *Epilepsia*, 50(9), 2130-2139. doi:<https://dx.doi.org/10.1111/j.1528-1167.2009.02147.x>
- Veiby, G., Daltveit, A. K., & Gilhus, N. E. (2007). Pregnancy, delivery and perinatal outcome in female survivors of polio. *Journal of the Neurological Sciences*, 258(1-2), 27-32. doi:<https://dx.doi.org/10.1016/j.jns.2007.02.019>
- Veyhe, A. S., Hansen, S., Sandanger, T. M., Nieboer, E., & Odland, J. O. (2012). The Northern Norway mother-and-child contaminant cohort study: implementation, population characteristics and summary of dietary findings. *International Journal of Circumpolar Health*, 71, 18644. doi:<https://dx.doi.org/10.3402/ijch.v71i0.18644>
- Veyhe, A. S., Hofoss, D., Hansen, S., Thomassen, Y., Sandanger, T. M., Odland, J. O., & Nieboer, E. (2015). The Northern Norway Mother-and-Child Contaminant Cohort (MISA) Study: PCA analyses of environmental contaminants in maternal sera and dietary intake in early pregnancy. *International Journal of Hygiene & Environmental Health*, 218(2), 254-264. doi:<https://dx.doi.org/10.1016/j.ijheh.2014.12.001>
- Vik, E. S., Haukeland, G. T., & Dahl, B. (2016). Women's experiences with giving birth before arrival. *Midwifery*, 42, 10-15. doi:<https://dx.doi.org/10.1016/j.midw.2016.09.012>
- Vikanes, A., Grjibovski, A. M., Vangen, S., Gunnes, N., Samuelsen, S. O., & Magnus, P. (2010). Maternal body composition, smoking, and hyperemesis gravidarum. *Annals of Epidemiology*, 20(8), 592-598. doi:<https://dx.doi.org/10.1016/j.annepidem.2010.05.009>

Reproduktiv helse, fødsler, overgangsalder og aldring

- Vikanes, A., Grjibovski, A. M., Vangen, S., & Magnus, P. (2008). Length of residence and risk of developing hyperemesis gravidarum among first generation immigrants to Norway. *European Journal of Public Health*, 18(5), 460-465. doi:<https://dx.doi.org/10.1093/eurpub/ckn051>
- Vikanes, A., Magnus, P., Vangen, S., Lomsdal, S., & Grjibovski, A. M. (2012). Hyperemesis gravidarum in the Medical Birth Registry of Norway - a validity study. *BMC Pregnancy & Childbirth*, 12, 115. doi:<https://dx.doi.org/10.1186/1471-2393-12-115>
- Vikanes, A., Skjaerven, R., Grjibovski, A. M., Gunnes, N., Vangen, S., & Magnus, P. (2010). Recurrence of hyperemesis gravidarum across generations: population based cohort study. *BMJ*, 340, c2050. doi:<https://dx.doi.org/10.1136/bmj.c2050>
- Vikanes, A. V., Stoer, N. C., Magnus, P., & Grjibovski, A. M. (2013). Hyperemesis gravidarum and pregnancy outcomes in the Norwegian Mother and Child Cohort - a cohort study. *BMC Pregnancy & Childbirth*, 13, 169. doi:<https://dx.doi.org/10.1186/1471-2393-13-169>
- Vikse, B. E., Hallan, S., Bostad, L., Leivestad, T., & Iversen, B. M. (2010). Previous preeclampsia and risk for progression of biopsy-verified kidney disease to end-stage renal disease. *Nephrology Dialysis Transplantation*, 25(10), 3289-3296. doi:<https://dx.doi.org/10.1093/ndt/gfq169>
- Vikse, B. E., Irgens, L. M., Bostad, L., & Iversen, B. M. (2006). Adverse perinatal outcome and later kidney biopsy in the mother. *Journal of the American Society of Nephrology*, 17(3), 837-845. doi:<https://dx.doi.org/10.1681/ASN.2005050492>
- Vikse, B. E., Irgens, L. M., Karumanchi, S. A., Thadhani, R., Reisaeter, A. V., & Skjaerven, R. (2012). Familial factors in the association between preeclampsia and later ESRD. *Clinical Journal of The American Society of Nephrology: CJASN*, 7(11), 1819-1826. doi:<https://dx.doi.org/10.2215/CJN.01820212>
- Vikse, B. E., Irgens, L. M., Leivestad, T., Skjaerven, R., & Iversen, B. M. (2008). Preeclampsia and the risk of end-stage renal disease. *New England Journal of Medicine*, 359(8), 800-809. doi:<https://dx.doi.org/10.1056/NEJMoa0706790>
- Viktil, K. K., Engeland, A., & Furu, K. (2009). Use of antirheumatic drugs in mothers and fathers before and during pregnancy-a population-based cohort study. *Pharmacoepidemiology & Drug Safety*, 18(8), 737-742. doi:<https://dx.doi.org/10.1002/pds.1775>
- Viktil, K. K., Engeland, A., & Furu, K. (2012). Outcomes after anti-rheumatic drug use before and during pregnancy: a cohort study among 150,000 pregnant women and expectant fathers. *Scandinavian Journal of Rheumatology*, 41(3), 196-201. doi:<https://dx.doi.org/10.3109/03009742.2011.626442>
- Vilming, B., & Nesheim, B. I. (2000). Hyperemesis gravidarum in a contemporary population in Oslo. *Acta Obstetrica et Gynecologica Scandinavica*, 79(8), 640-643.
- Vis, M., Haavardsholm, E. A., Boyesen, P., Haugeberg, G., Uhlig, T., Hoff, M., . . . Kvien, T. K. (2011). High incidence of vertebral and non-vertebral fractures in the OSTRAL cohort study: a 5-year follow-up study in postmenopausal women with rheumatoid arthritis. *Osteoporosis International*, 22(9), 2413-2419. doi:<https://dx.doi.org/10.1007/s00198-010-1517-6>
- Vlietman, M., Sarfraz, A. A., & Eskild, A. (2010). Induced abortion: a means of postponing childbirth? Changes in maternal age at induced abortion and child birth in Norway during 1979-2007. *Acta Obstetrica et Gynecologica Scandinavica*, 89(12), 1564-1570. doi:<https://dx.doi.org/10.3109/00016349.2010.526183>
- Voldner, N., Frosli, K. F., Haakstad, L. A., Bo, K., & Henriksen, T. (2009). Birth complications, overweight, and physical inactivity. *Acta Obstetrica et Gynecologica Scandinavica*, 88(5), 550-555. doi:<https://dx.doi.org/10.1080/00016340902818162>
- Volloyhaug, I., Morkved, S., Salvesen, O., & Salvesen, K. (2015). Pelvic organ prolapse and incontinence 15-23 years after first delivery: a cross-sectional study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(7), 964-971. doi:<https://dx.doi.org/10.1111/1471-0528.13322>
- Volloyhaug, I., Morkved, S., Salvesen, O., & Salvesen, K. A. (2015). Forceps delivery is associated with increased risk of pelvic organ prolapse and muscle trauma: a cross-sectional study 16-24 years after first delivery. *Ultrasound in Obstetrics & Gynecology*, 46(4), 487-495. doi:<https://dx.doi.org/10.1002/uog.14891>

- Vollrath, M. E., Sengpiel, V., Landolt, M. A., Jacobsson, B., & Latal, B. (2016). Is maternal trait anxiety a risk factor for late preterm and early term deliveries? *BMC Pregnancy & Childbirth*, 16(1), 286. doi:<https://dx.doi.org/10.1186/s12884-016-1070-1>
- Vollset, S. E., Gjessing, H. K., Tandberg, A., Ronning, T., Irgens, L. M., Baste, V., . . . Daltveit, A. K. (2005). Folate supplementation and twin pregnancies. *Epidemiology*, 16(2), 201-205.
- Vollset, S. E., & Lande, B. (2000). Knowledge and attitudes of folate, and use of dietary supplements among women of reproductive age in Norway 1998. *Acta Obstetrica et Gynecologica Scandinavica*, 79(6), 513-519.
- Vollset, S. E., Refsum, H., Irgens, L. M., Emblem, B. M., Tverdal, A., Gjessing, H. K., . . . Ueland, P. M. (2000). Plasma total homocysteine, pregnancy complications, and adverse pregnancy outcomes: the Hordaland Homocysteine study. *American Journal of Clinical Nutrition*, 71(4), 962-968.
- Vollset, S. E., Tverdal, A., & Gjessing, H. K. (2006). Smoking and deaths between 40 and 70 years of age in women and men. [Summary for patients in *Ann Intern Med*. 2006 Mar 21;144(6):112; PMID: 16549848]. *Annals of Internal Medicine*, 144(6), 381-389.
- von Krogh, A. S., Kremer Hovinga, J. A., Romundstad, P. R., Roten, L. T., Lammle, B., Waage, A., & Quist-Paulsen, P. (2015). ADAMTS13 gene variants and function in women with preeclampsia: a population- based nested case- control study from the HUNT Study. *Thrombosis Research*, 136(2), 282-288. doi:<https://dx.doi.org/10.1016/j.thromres.2015.06.022>
- Waage, C. W., Falk, R. S., Sommer, C., Morkrid, K., Richardsen, K. R., Baerug, A., . . . Jenum, A. K. (2016). Ethnic differences in postpartum weight retention: a Norwegian cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(5), 699-708. doi:<https://dx.doi.org/10.1111/1471-0528.13321>
- Waage, C. W., Mdala, I., Jenum, A. K., Michelsen, T. M., Birkeland, K. I., & Sletner, L. (2016). Ethnic differences in blood pressure from early pregnancy to postpartum: a Norwegian cohort study. *Journal of Hypertension*, 34(6), 1151-1159. doi:<https://dx.doi.org/10.1097/HJH.0000000000000918>
- Waaseth, M. (2010). Hormone therapy use, sex hormone concentrations and gene expression: the Norwegian Women and Cancer study (NOWAC) ISM skriftserie (online), Vol. [109].
- Waaseth, M., Nakling, M., Bakken, K., & Grimsgaard, S. (2010). Use of dietary supplements and medication among postmenopausal women with vasomotor symptoms. *Climacteric*, 13(6), 585-593. doi:<https://dx.doi.org/10.3109/13697130903480714>
- Waldenstrom, U., Aasheim, V., Nilsen, A. B., Rasmussen, S., Pettersson, H. J., & Schytt, E. (2014). Adverse pregnancy outcomes related to advanced maternal age compared with smoking and being overweight. [Erratum appears in *Obstet Gynecol*. 2014 Mar;123(3):669 Note: Shytt, Erica [corrected to Schytt, Erica]]. *Obstetrics & Gynecology*, 123(1), 104-112. doi:<https://dx.doi.org/10.1097/AG000000000000062>
- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2014). Rheumatoid arthritis and outcomes in first and subsequent births based on data from a national birth registry. *Acta Obstetrica et Gynecologica Scandinavica*, 93(3), 302-307. doi:<https://dx.doi.org/10.1111/aogs.12324>
- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2014). Systemic lupus erythematosus and outcomes in first and subsequent births based on data from a national birth registry. *Arthritis care & research*, 66(11), 1718-1724. doi:<https://dx.doi.org/10.1002/acr.22373>
- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2015). Miscarriage and Stillbirth in Women with Rheumatoid Arthritis. *Journal of Rheumatology*, 42(9), 1570-1572. doi:<https://dx.doi.org/10.3899/jrheum.141553>
- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2015). Secular trends of pregnancies in women with inflammatory connective tissue disease. *Acta Obstetrica et Gynecologica Scandinavica*, 94(11), 1195-1202. doi:<https://dx.doi.org/10.1111/aogs.12722>
- Wallenius, M., Salvesen, K. A., Daltveit, A. K., & Skomsvoll, J. F. (2016). Reproductive trends in females with inflammatory joint disease. *BMC Pregnancy & Childbirth*, 16(1), 123. doi:<https://dx.doi.org/10.1186/s12884-016-0919-7>

- Wallenius, M., Skomsvoll, J. F., Irgens, L. M., Salvesen, K. A., Koldingsnes, W., Mikkelsen, K., . . . Kvien, T. K. (2010). Postpartum onset of rheumatoid arthritis and other chronic arthritides: results from a patient register linked to a medical birth registry. *Annals of the Rheumatic Diseases*, 69(2), 332-336. doi:<https://dx.doi.org/10.1136/ard.2009.115964>
- Wallenius, M., Skomsvoll, J. F., Irgens, L. M., Salvesen, K. A., Nordvag, B. Y., Koldingsnes, W., . . . Kvien, T. K. (2011). Fertility in women with chronic inflammatory arthritides. *Rheumatology*, 50(6), 1162-1167. doi:<https://dx.doi.org/10.1093/rheumatology/keq458>
- Wallenius, M., Skomsvoll, J. F., Irgens, L. M., Salvesen, K. A., Nordvag, B. Y., Koldingsnes, W., . . . Kvien, T. K. (2011). Pregnancy and delivery in women with chronic inflammatory arthritides with a specific focus on first birth. *Arthritis & Rheumatism*, 63(6), 1534-1542. doi:<https://dx.doi.org/10.1002/art.30210>
- Wang, Y., Tanbo, T., Abyholm, T., & Henriksen, T. (2011). The impact of advanced maternal age and parity on obstetric and perinatal outcomes in singleton gestations. *Archives of Gynecology & Obstetrics*, 284(1), 31-37. doi:<https://dx.doi.org/10.1007/s00404-010-1587-x>
- Waterloo, S., Sogaard, A. J., Ahmed, L. A., Damsgard, E., Morseth, B., & Emaus, N. (2013). Vertebral fractures and self-perceived health in elderly women and men in a population-based cross-sectional study: the Tromso Study 2007-08. *BMC Geriatrics*, 13, 102. doi:<https://dx.doi.org/10.1186/1471-2318-13-102>
- Welle-Strand, G. K., Skurtveit, S., Tanum, L., Waal, H., Bakstad, B., Bjarko, L., & Ravndal, E. (2015). Tapering from Methadone or Buprenorphine during Pregnancy: Maternal and Neonatal Outcomes in Norway 1996-2009. *European Addiction Research*, 21(5), 253-261. doi:<https://dx.doi.org/10.1159/000381670>
- Wesnes, S. L., Hunskaar, S., Bo, K., & Rortveit, G. (2009). The effect of urinary incontinence status during pregnancy and delivery mode on incontinence postpartum. A cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 116(5), 700-707. doi:<https://dx.doi.org/10.1111/j.1471-0528.2008.02107.x>
- Wesnes, S. L., Hunskaar, S., Bo, K., & Rortveit, G. (2010). Urinary incontinence and weight change during pregnancy and postpartum: a cohort study. *American Journal of Epidemiology*, 172(9), 1034-1044. doi:<https://dx.doi.org/10.1093/aje/kwq240>
- Wesnes, S. L., Rortveit, G., Bo, K., & Hunskaar, S. (2007). Urinary incontinence during pregnancy. *Obstetrics & Gynecology*, 109(4), 922-928. doi:<https://dx.doi.org/10.1097/01.AOG.0000257120.23260.00>
- Westin, A. A., Brekke, M., Molden, E., Skogvoll, E., Aadal, M., & Spigset, O. (2017). Changes in drug disposition of lithium during pregnancy: a retrospective observational study of patient data from two routine therapeutic drug monitoring services in Norway. *BMJ Open*, 7(3), e015738. doi:<https://dx.doi.org/10.1136/bmjopen-2016-015738>
- Whitworth, K. W., Haug, L. S., Sabaredzovic, A., Eggesbo, M., & Longnecker, M. P. (2016). Brief Report: Plasma Concentrations of Perfluorooctane Sulfonamide and Time-to-pregnancy Among Primiparous Women. *Epidemiology*, 27(5), 712-715. doi:<https://dx.doi.org/10.1097/EDE.0000000000000524>
- Widnes, S. F., Schjott, J., Eide, G. E., & Granas, A. G. (2013). Teratogenic risk perception and confidence in use of medicines in pairs of pregnant women and general practitioners based on patient information leaflets. *Drug Safety*, 36(6), 481-489. doi:<https://dx.doi.org/10.1007/s40264-013-0035-9>
- Wik, H. S., Jacobsen, A. F., Fagerland, M. W., Sandvik, L., & Sandset, P. M. (2013). Long-term mortality and incidence of cancer after pregnancy-related venous thrombosis: results of a population-based cohort study. *Thrombosis Research*, 131(6), 497-501. doi:<https://dx.doi.org/10.1016/j.thromres.2013.04.035>
- Wikenius, E., Moe, V., Kjellevoid, M., Smith, L., Lyle, R., Waagbo, R., . . . Myhre, A. M. (2016). The Association between Hair Cortisol and Self-Reported Symptoms of Depression in Pregnant Women. *PLoS ONE [Electronic Resource]*, 11(9), e0161804. doi:<https://dx.doi.org/10.1371/journal.pone.0161804>
- Winje, B. A., Roislien, J., & Froen, J. F. (2012). Temporal patterns in count-to-ten fetal movement charts and their associations with pregnancy characteristics: a prospective cohort study. *BMC Pregnancy & Childbirth*, 12, 124. doi:<https://dx.doi.org/10.1186/1471-2393-12-124>
- Winkvist, A., Brantsaeter, A. L., Brandhagen, M., Haugen, M., Meltzer, H. M., & Lissner, L. (2015). Maternal Prepregnant Body Mass Index and Gestational Weight Gain Are Associated with Initiation and Duration of Breastfeeding among Norwegian Mothers. *Journal of Nutrition*, 145(6), 1263-1270. doi:<https://dx.doi.org/10.3945/jn.114.202507>

- Wood, M. E., Frazier, J. A., Nordeng, H. M., & Lapane, K. L. (2016). Prenatal triptan exposure and parent-reported early childhood neurodevelopmental outcomes: an application of propensity score calibration to adjust for unmeasured confounding by migraine severity. *Pharmacoepidemiology & Drug Safety*, 25(5), 493-502. doi:<https://dx.doi.org/10.1002/pds.3902>
- Ystrom, E., Vollrath, M. E., & Nordeng, H. (2012). Effects of personality on use of medications, alcohol, and cigarettes during pregnancy. *European Journal of Clinical Pharmacology*, 68(5), 845-851. doi:<https://dx.doi.org/10.1007/s00228-011-1197-y>
- Zerwas, S. C., Von Holle, A., Perrin, E. M., Cockrell Skinner, A., Reba-Harrelson, L., Hamer, R. M., . . . Bulik, C. M. (2014). Gestational and postpartum weight change patterns in mothers with eating disorders. *European Eating Disorders Review*, 22(6), 397-404. doi:<https://dx.doi.org/10.1002/erv.2314>
- Ziyada, M. M., Norberg-Schulz, M., & Johansen, R. E. (2016). Estimating the magnitude of female genital mutilation/cutting in Norway: an extrapolation model. *BMC Public Health*, 16, 110. doi:<https://dx.doi.org/10.1186/s12889-016-2794-6>
- Zoega, H., Kieler, H., Norgaard, M., Furu, K., Valdimarsdottir, U., Brandt, L., & Haglund, B. (2015). Use of SSRI and SNRI Antidepressants during Pregnancy: A Population-Based Study from Denmark, Iceland, Norway and Sweden. *PLoS ONE [Electronic Resource]*, 10(12), e0144474. doi:<https://dx.doi.org/10.1371/journal.pone.0144474>
- Ægidius, K. L. (2010). The prevalence of headache and migraine in relation to sex hormone status in women: the HUNT 2 study. (439), Norwegian University of Science and Technology, Faculty of Medicine, Department of Neuroscience, Trondheim.
- Øverlie, I. (2003). Menopause, sex hormones and subjective complaints among a sample of Norwegian women. (no. 131), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Øyen, J. (2011). Low-energy fracture of the distal radius in middle-aged and elderly Norwegian women and men: topics related to osteoporosis, fracture risk and vitamin D. *Univers*

Psykisk helse

- Aakvaag, H. F., Thoresen, S., Wentzel-Larsen, T., Dyb, G., Roysamb, E., & Olff, M. (2016). Broken and guilty since it happened: A population study of trauma-related shame and guilt after violence and sexual abuse. *Journal of Affective Disorders*, 204, 16-23. doi:10.1016/j.jad.2016.06.004
- Aambö, A., Iqbal, T., & Fjeldstad, B. (2014). Domestic violence - an overlooked challenge. [Vold i naere relasjoner - en oversett utfordring]. *Utposten*, 43(6), 6-13.
- Aanesen, F., Meland, E., & Torp, S. (2017). Gender differences in subjective health complaints in adolescence: The roles of self-esteem, stress from schoolwork and body dissatisfaction. *Scandinavian Journal of Public Health*, 1403494817690940. doi:https://dx.doi.org/10.1177/1403494817690940
- Aas, K. K., Tambs, K., Kise, M. S., Magnus, P., & Ronningen, K. S. (2010). Genetic testing of newborns for type 1 diabetes susceptibility: a prospective cohort study on effects on maternal mental health. *BMC Medical Genetics*, 11, 112. doi:https://dx.doi.org/10.1186/1471-2350-11-112
- Aaseth, J., Thomassen, Y., Ellingsen, D. G., & Stoa-Birketvedt, G. (2001). Prophylactic iron supplementation in pregnant women in Norway. *Journal of Trace Elements in Medicine & Biology*, 15(2-3), 167-174. doi:https://dx.doi.org/10.1016/S0946-672X(01)80062-6
- Aasheim, V., Waldenstrom, U., Hjelmstedt, A., Rasmussen, S., Pettersson, H., & Schytt, E. (2012). Associations between advanced maternal age and psychological distress in primiparous women, from early pregnancy to 18 months postpartum. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(9), 1108-1116. doi:https://dx.doi.org/10.1111/j.1471-0528.2012.03411.x
- Aasheim, V., Waldenstrom, U., Rasmussen, S., Espehaug, B., & Schytt, E. (2014). Satisfaction with life during pregnancy and early motherhood in first-time mothers of advanced age: a population-based longitudinal study. *BMC Pregnancy & Childbirth*, 14, 86. doi:https://dx.doi.org/10.1186/1471-2393-14-86
- Adams, S. S., Eberhard-Gran, M., & Eskild, A. (2012). Fear of childbirth and duration of labour: a study of 2206 women with intended vaginal delivery. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(10), 1238-1246. doi:https://dx.doi.org/10.1111/j.1471-0528.2012.03433.x
- Adams, S. S., Eberhard-Gran, M., Sandvik, A. R., & Eskild, A. (2012). Mode of delivery and postpartum emotional distress: a cohort study of 55,814 women. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(3), 298-305. doi:https://dx.doi.org/10.1111/j.1471-0528.2011.03188.x
- Aker, M., Harmer, C., & Landro, N. I. (2014). More rumination and less effective emotion regulation in previously depressed women with preserved executive functions. *BMC Psychiatry*, 14, 334. doi:https://dx.doi.org/10.1186/s12888-014-0334-4
- Alsaker, K. (2008). Quality of life among women who have experienced intimate partner violence: a one year follow-up study among women at Norwegian women's shelter. University of Bergen, Bergen.
- Alsaker, K. (2009). Violence in close relations - from being the chosen to being the assaulted. [Vold i naere relasjoner - fra å vaere den utvalgte til å bli den utsatte]. *Utposten*, 38(5), 29-33.
- Alsaker, K., Moen, B. E., Nortvedt, M. W., & Baste, V. (2006). Low health-related quality of life among abused women. *Quality of Life Research*, 15(6), 959-965. doi:https://dx.doi.org/10.1007/s11136-006-0046-4
- Alstveit, M., Severinsson, E., & Karlsen, B. (2010). Living on the edge of being overstretched--a Norwegian qualitative study of employed pregnant women. *Health Care for Women International*, 31(6), 533-551. doi:https://dx.doi.org/10.1080/07399331003611459
- Alstveit, M., Severinsson, E., & Karlsen, B. (2010). Obtaining confirmation through social relationships: Norwegian first-time mothers' experiences while on maternity leave. *Nursing & Health Sciences*, 12(1), 113-118. doi:https://dx.doi.org/10.1111/j.1442-2018.2009.00508.x

- Alstveit, M., Severinsson, E., & Karlsen, B. (2011). Maternity care professionals' perceptions of supporting employed women in Norway. *Nursing & Health Sciences*, 13(3), 316-322. doi:<https://dx.doi.org/10.1111/j.1442-2018.2011.00620.x>
- Alstveit, M., Severinsson, E., & Karlsen, B. (2011). Readjusting one's life in the tension inherent in work and motherhood. *Journal of Advanced Nursing*, 67(10), 2151-2160. doi:<https://dx.doi.org/10.1111/j.1365-2648.2011.05660.x>
- Alstveit, M., Severinsson, E., & Karlsen, B. (2015). Health Resources and Strategies among Employed Women in Norway during Pregnancy and Early Motherhood. *Nursing Research and Practice*, 2015, 705892. doi:<https://dx.doi.org/10.1155/2015/705892>
- Amundsen, M.-L. (2011). Sex factors in mental health in Norwegian prisons. [Kjønnsforskjeller i psykisk helse i norske fengsler]. *Nordisk Tidsskrift for Helseforskning*, 7(2), 3-15.
- Augestad, L. B. (2000). Prevalence and gender differences in eating attitudes and physical activity among Norwegians. *Eating & Weight Disorders: EWD*, 5(2), 62-72.
- Augestad, L. B., & Flanders, W. D. (2002). Eating disorder behavior in physically active Norwegian women. *Scandinavian Journal of Medicine & Science in Sports*, 12(4), 248-255.
- Bakken, A. Frøyland, L. R., Sletten, M. A. (2016). Sosiale forskjeller i unges liv: hva sier Ungdata-undersøkelsene? (Vol. 3/2016). Oslo: Norsk institutt for forskning om oppvekst, velferd og aldring.
- Bakken, A. (2017). Ungdata 2017: nasjonale resultater Fafo-rapport, Vol. 10/17.
- Bakland, M., Sundgot-Borgen, J., Wynn, R., Rosenvinge, J. H., Stornaes, A. V., & Pettersen, G. (2018). Therapists' experiences with a new treatment combining physical exercise and dietary therapy (the PED-t) for eating disorders: an interview study in a randomised controlled trial at the Norwegian School of Sport Sciences. *BMJ Open*, 8(1), e019386. doi:10.1136/bmjopen-2017-019386
- Batt-Rawden, K. B., & Tellnes, G. (2013). Social Factors of Sickness Absences and the Significance of the Nature-culture Interplay in Coping. *Materia Sociomedica*, 25(2), 127-130. doi:<https://dx.doi.org/10.5455/msm.2013.25.127-130>
- Bebanic, V., Clench-Aas, J., Raanaas, R. K., & Bang Nes, R. (2015). The Relationship Between Violence and Psychological Distress Among Men and Women: Do Sense of Mastery and Social Support Matter? *Journal of Interpersonal Violence*, 03, 03. doi:<https://dx.doi.org/10.1177/0886260515591978>
- Bergland, A., Byhring, S., & Langaas, A. G. (2003). Kroppen som kunnskapsområde: erfaringer fra ukepresse, undervisning, helse- og sosialfag (Vol. 2003 nr 17). Oslo: Høgskolen i Oslo, Avdeling for helsefag.
- Berthinussen, I. S., & Fredriksen, S.-T. D. (2014). The demanding tension between work, home and old dependent parents A hermeneutic study on the situation of women in the intersection of professional life and dual care responsibilities. [Det krevende spennet mellom arbeid, hjemmet og gamle hjelpetrengende foreldre En hermeneutisk studie om kvinners situasjon i skjæringspunktet mellom yrkesliv og dobbelt omsorgsansvar]. *Nordisk Tidsskrift for Helseforskning*, 10(1), 56-69.
- Biringer, E., Howard, L. M., Kessler, U., Stewart, R., & Mykletun, A. (2015). Is infertility really associated with higher levels of mental distress in the female population? Results from the North-Trøndelag Health Study and the Medical Birth Registry of Norway. *Journal of Psychosomatic Obstetrics & Gynecology*, 36(2), 38-45. doi:<https://dx.doi.org/10.3109/0167482X.2014.992411>
- Birkeland, M. S., Blix, I., Solberg, Ø., & Heir, T. (2017). Gender Differences in Posttraumatic Stress Symptoms after a Terrorist Attack: A Network Approach. *Frontiers in Psychology*, 8(2091). doi:10.3389/fpsyg.2017.02091
- Bjelland, E. K., Stuge, B., Engdahl, B., & Eberhard-Gran, M. (2013). The effect of emotional distress on persistent pelvic girdle pain after delivery: a longitudinal population study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 120(1), 32-40. doi:<https://dx.doi.org/10.1111/1471-0528.12029>
- Bjerke, S. E., Vangen, S., Nordhagen, R., Ytterdahl, T., Magnus, P., & Stray-Pedersen, B. (2008). Postpartum depression among Pakistani women in Norway: prevalence and risk factors. *Journal of Maternal-Fetal & Neonatal Medicine*, 21(12), 889-894. doi:<https://dx.doi.org/10.1080/14767050802320340>

- Bjerkeset, O., Romild, U., Smith, G. D., & Hveem, K. (2011). The associations of high levels of C-reactive protein with depression and myocardial infarction in 9258 women and men from the HUNT population study. *Psychological Medicine*, 41(2), 345-352. doi:<https://dx.doi.org/10.1017/S0033291710000887>
- Bjerkeset, O., Romundstad, P., & Gunnell, D. (2008). Gender differences in the association of mixed anxiety and depression with suicide. *British Journal of Psychiatry*, 192(6), 474-475. doi:<https://dx.doi.org/10.1192/bjp.bp.107.045203>
- Bjork, M. H., Veiby, G., Reiter, S. C., Berle, J. O., Daltveit, A. K., Spigset, O., . . . Gilhus, N. E. (2015). Depression and anxiety in women with epilepsy during pregnancy and after delivery: a prospective population-based cohort study on frequency, risk factors, medication, and prognosis. *Epilepsia*, 56(1), 28-39. doi:<https://dx.doi.org/10.1111/epi.12884>
- Bjorneklett, H. G., Lindemalm, C., Ojutkangas, M. L., Berglund, A., Letocha, H., Strang, P., & Bergkvist, L. (2012). A randomized controlled trial of a support group intervention on the quality of life and fatigue in women after primary treatment for early breast cancer. *Supportive Care in Cancer*, 20(12), 3325-3334. doi:<https://dx.doi.org/10.1007/s00520-012-1480-1>
- Bjorneklett, H. G., Rosenblad, A., Lindemalm, C., Ojutkangas, M. L., Letocha, H., Strang, P., & Bergkvist, L. (2013). Long-term follow-up of a randomized study of support group intervention in women with primary breast cancer. *Journal of Psychosomatic Research*, 74(4), 346-353. doi:<https://dx.doi.org/10.1016/j.jpsychores.2012.11.005>
- Bramness, J. G., Walby, F. A., Hjellvik, V., Selmer, R., & Tverdal, A. (2010). Self-reported mental health and its gender differences as a predictor of suicide in the middle-aged. *American Journal of Epidemiology*, 172(2), 160-166. doi:<https://dx.doi.org/10.1093/aje/kwq091>
- Bratland-Sanda, S., Martinsen, E. W., & Sundgot-Borgen, J. (2012). Changes in physical fitness, bone mineral density and body composition during inpatient treatment of underweight and normal weight females with longstanding eating disorders. *International Journal of Environmental Research & Public Health* [Electronic Resource], 9(1), 315-330. doi:10.3390/ijerph9010315
- Bratland-Sanda, S., Nilsson, M. P., & Sundgot-Borgen, J. (2015). Disordered eating behavior among group fitness instructors: a health-threatening secret? *J Eat Disord*, 3, 22. doi:10.1186/s40337-015-0059-x
- Bratland-Sanda, S., & Sundgot-Borgen, J. (2012). Symptoms of eating disorders, drive for muscularity and physical activity among Norwegian adolescents. *Eur Eat Disord Rev*, 20(4), 287-293. doi:10.1002/erv.1156
- Bratland-Sanda, S., & Sundgot-Borgen, J. (2013). Eating disorders in athletes: overview of prevalence, risk factors and recommendations for prevention and treatment. *Eur J Sport Sci*, 13(5), 499-508. doi:10.1080/17461391.2012.740504
- Bratland-Sanda, S., Sundgot-Borgen, J., Rosenvinge, J. H., Ro, O., Hoffart, A., & Martinsen, E. W. (2010). Physical fitness, bone mineral density and associations with physical activity in females with longstanding eating disorders and non-clinical controls. *Journal of Sports Medicine & Physical Fitness*, 50(3), 303-310.
- Bredal, I. S. (2004). Personality trait, emotional distress, and quality of life in Norwegian women diagnosed with breast cancer. (no. 247), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Brevik, E. J., Eikeland, R. A., & Lundervold, A. J. (2013). Subthreshold Depressive Symptoms have a Negative Impact on Cognitive Functioning in Middle-Aged and Older Males. *Frontiers in Psychology*, 4, 309. doi:<https://dx.doi.org/10.3389/fpsyg.2013.00309>
- Broen, A. N. (2006). Women's emotional life after miscarriage and induced abortion: a longitudinal, five-year follow-up study in Norway. (no. 365), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Broen, A. N., Moum, T., Bodtker, A. S., & Ekeberg, O. (2004). Psychological impact on women of miscarriage versus induced abortion: a 2-year follow-up study. *Psychosomatic Medicine*, 66(2), 265-271.
- Broen, A. N., Moum, T., Bodtker, A. S., & Ekeberg, O. (2005). The course of mental health after miscarriage and induced abortion: a longitudinal, five-year follow-up study. *BMC Medicine*, 3, 18. doi:<https://dx.doi.org/10.1186/1741-7015-3-18>
- Bugge, R. G. (2003). How do women respective men mourn? Sex differences when it comes to grief reactions in sudden death and suicide. [Hvor forskjellig sørger kvinner og menn? Kjønnforskjeller i sorgreaksjoner ved plutselig død og suicid]. *Suicidologi*, 8(3), 17-21.

- Bulik, C. M., Hoffman, E. R., Von Holle, A., Torgersen, L., Stoltenberg, C., & Reichborn-Kjennerud, T. (2010). Unplanned pregnancy in women with anorexia nervosa. *Obstetrics & Gynecology*, 116(5), 1136-1140. doi:<https://dx.doi.org/10.1097/AOG.0b013e3181f7efdc>
- Bulik, C. M., Holle, A. V., Gendall, K., Lie, K. K., Hoffman, E., Mo, X., . . . Reichborn-Kjennerud, T. (2008). Maternal eating disorders influence sex ratio at birth. *Acta Obstetrica et Gynecologica Scandinavica*, 87(9), 979-981. doi:<https://dx.doi.org/10.1080/00016340802334385>
- Bulik, C. M., Von Holle, A., Hamer, R., Knoph Berg, C., Torgersen, L., Magnus, P., . . . Reichborn-Kjennerud, T. (2007). Patterns of remission, continuation and incidence of broadly defined eating disorders during early pregnancy in the Norwegian Mother and Child Cohort Study (MoBa). [Erratum appears in *Psychol Med*. 2012 Apr;42(4):893]. *Psychological Medicine*, 37(8), 1109-1118. doi:<https://dx.doi.org/10.1017/S0033291707000724>
- Bulik, C. M., Von Holle, A., Siega-Riz, A. M., Torgersen, L., Lie, K. K., Hamer, R. M., . . . Reichborn-Kjennerud, T. (2009). Birth outcomes in women with eating disorders in the Norwegian Mother and Child cohort study (MoBa). *International Journal of Eating Disorders*, 42(1), 9-18. doi:<https://dx.doi.org/10.1002/eat.20578>
- Bull, T. (2009). Work life and mental well-being: single and coupled employed mothers in Southern Europe and Scandinavia. *Global Health Promotion*, 16(3), 6-16. doi:<https://dx.doi.org/10.1177/1757975909339764>
- Bull, T., & Mittelmark, M. B. (2009). Work life and mental wellbeing of single and non-single working mothers in Scandinavia. *Scandinavian Journal of Public Health*, 37(6), 562-568. doi:<https://dx.doi.org/10.1177/1403494809340494>
- Burger, E. A., Nygard, M., Gyrd-Hansen, D., Moger, T. A., & Kristiansen, I. S. (2014). Does the primary screening test influence women's anxiety and intention to screen for cervical cancer? A randomized survey of Norwegian women. *BMC Public Health*, 14, 360. doi:<https://dx.doi.org/10.1186/1471-2458-14-360>
- Böggwald, K. P., Rudberg, I., Tanum, L., & Refsum, H. (2012). Gender- and age-related differences in dosage and serum concentration of psychotropic drugs. [Kjønns- og aldersforskjeller ved bruk av psykofarmaka]. *Tidsskrift for Den Norske Laegeforening*, 132(3), 288-291.
- Claussen, B., & Dalgard, O. S. (2009). Disability pensioning: the gender divide can be explained by occupation, income, mental distress and health. *Scandinavian Journal of Public Health*, 37(6), 590-597. doi:<https://dx.doi.org/10.1177/1403494809105795>
- Czajkowski, N., Kendler, K. S., Tambs, K., Roysamb, E., & Reichborn-Kjennerud, T. (2011). The structure of genetic and environmental risk factors for phobias in women. *Psychological Medicine*, 41(9), 1987-1995. doi:<https://dx.doi.org/10.1017/S0033291710002436>
- Dahl, B., & Malterud, K. (2015). Neither father nor biological mother. A qualitative study about lesbian co-mothers' maternity care experiences. *Sexual & reproductive healthcare: official journal of the Swedish Association of Midwives*, 6(3), 169-173. doi:<https://dx.doi.org/10.1016/j.srhc.2015.02.002>
- Dahlgren, C. L., Stedal, K., & Ro, O. (2017). Eating Disorder Examination Questionnaire (EDE-Q) and Clinical Impairment Assessment (CIA): clinical norms and functional impairment in male and female adults with eating disorders. *Nordic Journal of Psychiatry*, 71(4), 256-261. doi:<https://dx.doi.org/10.1080/08039488.2016.1271452>
- Dale, M. T., Solberg, O., Holmstrom, H., Landolt, M. A., Eskedal, L. T., & Vollrath, M. E. (2012). Mothers of infants with congenital heart defects: well-being from pregnancy through the child's first six months. *Quality of Life Research*, 21(1), 115-122. doi:<https://dx.doi.org/10.1007/s11136-011-9920-9>
- Dale, M. T., Solberg, O., Holmstrom, H., Landolt, M. A., Eskedal, L. T., & Vollrath, M. E. (2013). Relationship satisfaction among mothers of children with congenital heart defects: a prospective case-cohort study. *Journal of Pediatric Psychology*, 38(8), 915-926. doi:<https://dx.doi.org/10.1093/jpepsy/jst038>
- Dalen, J. D. (2014). Gender differences in the relationship between school problems, school class context and psychological distress: results from the Young-HUNT 3 study. *Social Psychiatry & Psychiatric Epidemiology*, 49(2), 183-191. doi:<https://dx.doi.org/10.1007/s00127-013-0744-5>
- Dalgard, O. S., Rognerud, M., & Strand, B. H. (2002). Mental health in Norway 1998. II. Geographical differences. [Psykisk helse i Helse- og levevilkårundersøkelsen i 1998. II. Geografiske forskjeller]. *Norsk Epidemiologi*, 12(3), 249-256.

- Dalgard, O. S., & Thapa, S. B. (2007). Immigration, social integration and mental health in Norway, with focus on gender differences. *Clinical Practice & Epidemiology in Mental Health* [Electronic Resource]: CP & EMH, 3, 24. doi:<https://dx.doi.org/10.1186/1745-0179-3-24>
- Dellava, J. E., Von Holle, A., Torgersen, L., Reichborn-Kjennerud, T., Haugen, M., Meltzer, H. M., & Bulik, C. M. (2011). Dietary supplement use immediately before and during pregnancy in Norwegian women with eating disorders. *International Journal of Eating Disorders*, 44(4), 325-332. doi:<https://dx.doi.org/10.1002/eat.20831>
- Derdikman-Eiron, R., Hjemdal, O., Lydersen, S., Bratberg, G. H., & Indredavik, M. S. (2013). Adolescent predictors and associates of psychosocial functioning in young men and women: 11 year follow-up findings from the Nord-Trøndelag Health Study. *Scandinavian Journal of Psychology*, 54(2), 95-101. doi:<https://dx.doi.org/10.1111/sjop.12036>
- Derdikman-Eiron, R., Indredavik, M. S., Bakken, I. J., Bratberg, G. H., Hjemdal, O., & Colton, M. (2012). Gender differences in psychosocial functioning of adolescents with symptoms of anxiety and depression: longitudinal findings from the Nord-Trøndelag Health Study. *Social Psychiatry & Psychiatric Epidemiology*, 47(11), 1855-1863. doi:<https://dx.doi.org/10.1007/s00127-012-0492-y>
- Derdikman-Eiron, R., Indredavik, M. S., Bratberg, G. H., Taraldsen, G., Bakken, I. J., & Colton, M. (2011). Gender differences in subjective well-being, self-esteem and psychosocial functioning in adolescents with symptoms of anxiety and depression: findings from the Nord-Trøndelag Health Study. *Scandinavian Journal of Psychology*, 52(3), 261-267. doi:<https://dx.doi.org/10.1111/j.1467-9450.2010.00859.x>
- Diaz, E., Poblador-Pou, B., Gimeno-Feliu, L.-A., Calderón-Larrañaga, A., Kumar, B. N., & Prados-Torres, A. (2015). Multimorbidity and Its Patterns according to Immigrant Origin. A Nationwide Register-Based Study in Norway. *PLoS ONE* [Electronic Resource], 10(12), e0145233. doi:10.1371/journal.pone.0145233
- Dorheim, S. K., Bjorvatn, B., & Eberhard-Gran, M. (2012). Insomnia and depressive symptoms in late pregnancy: a population-based study. *Behavioral Sleep Medicine*, 10(3), 152-166. doi:<https://dx.doi.org/10.1080/15402002.2012.660588>
- Dorheim, S. K., Bjorvatn, B., & Eberhard-Gran, M. (2013). Sick leave during pregnancy: a longitudinal study of rates and risk factors in a Norwegian population. *BJOG: An International Journal of Obstetrics & Gynaecology*, 120(5), 521-530. doi:<https://dx.doi.org/10.1111/1471-0528.12035>
- Dorheim, S. K., Bjorvatn, B., & Eberhard-Gran, M. (2014). Can insomnia in pregnancy predict postpartum depression? A longitudinal, population-based study. *PLoS ONE* [Electronic Resource], 9(4), e94674. doi:<https://dx.doi.org/10.1371/journal.pone.0094674>
- Dorheim, S. K., Bondevik, G. T., Eberhard-Gran, M., & Bjorvatn, B. (2009). Sleep and depression in postpartum women: a population-based study. *Sleep*, 32(7), 847-855.
- Dorheim, S. K., Bondevik, G. T., Eberhard-Gran, M., & Bjorvatn, B. (2009). Subjective and objective sleep among depressed and non-depressed postnatal women. *Acta Psychiatrica Scandinavica*, 119(2), 128-136. doi:<https://dx.doi.org/10.1111/j.1600-0447.2008.01272.x>
- Dorheim, S. K., Garthus-Niegel, S., Bjorvatn, B., & Eberhard-Gran, M. (2016). Personality and Perinatal Maternal Insomnia: A Study Across Childbirth. *Behavioral Sleep Medicine*, 14(1), 34-48. doi:<https://dx.doi.org/10.1080/15402002.2014.941063>
- Dormaenen, A., Heimdal, M. R., Wang, C. E., & Grimsgaard, A. S. (2011). Depression in postmenopause: a study on a subsample of the Acupuncture on Hot Flashes Among Menopausal Women (ACUFLASH) study. *Menopause*, 18(5), 525-530. doi:<https://dx.doi.org/10.1097/gme.0b013e3181f9f89f>
- Drageset, S., Lindstrom, T. C., Giske, T., & Underlid, K. (2011). Being in suspense: women's experiences awaiting breast cancer surgery. *Journal of Advanced Nursing*, 67(9), 1941-1951. doi:<https://dx.doi.org/10.1111/j.1365-2648.2011.05638.x>
- Drageset, S., Lindstrom, T. C., Giske, T., & Underlid, K. (2012). "The support I need": women's experiences of social support after having received breast cancer diagnosis and awaiting surgery. *Cancer Nursing*, 35(6), E39-47. doi:<https://dx.doi.org/10.1097/NCC.0b013e31823634aa>
- Drageset, S., Lindstrom, T. C., & Underlid, K. (2010). Coping with breast cancer: between diagnosis and surgery. *Journal of Advanced Nursing*, 66(1), 149-158. doi:<https://dx.doi.org/10.1111/j.1365-2648.2009.05210.x>

- Drageset, S., Lindstrom, T. C., & Underlid, K. (2016). "I just have to move on": Women's coping experiences and reflections following their first year after primary breast cancer surgery. *European Journal of Oncology Nursing*, 21, 205-211. doi:<https://dx.doi.org/10.1016/j.ejon.2015.10.005>
- Drozdz, F., Haga, S. M., Brendryen, H., & Slinning, K. (2015). An Internet-Based Intervention (Mamma Mia) for Postpartum Depression: Mapping the Development from Theory to Practice. *JMIR Research Protocols*, 4(4), e120. doi:10.2196/resprot.4858
- Drozdz, F., Vaskinn, L., Bergsund, H. B., Haga, S. M., Slinning, K., & Bjorkli, C. A. (2016). The Implementation of Internet Interventions for Depression: A Scoping Review. *Journal of Medical Internet Research*, 18(9), e236. doi:10.2196/jmir.5670
- Dueland, A. N., Leira, R., & Cabelli, S. T. (2005). The impact of migraine on psychological well-being of young women and their communication with physicians about migraine: a multinational study. *Current Medical Research & Opinion*, 21(8), 1297-1305. doi:<https://dx.doi.org/10.1185/030079905X56394>
- Dyremyhr, Å. E., Diaz, E., & Meland, E. (2014). How Adolescent Subjective Health and Satisfaction with Weight and Body Shape Are Related to Participation in Sports. *Journal of Environmental and Public Health*, 2014, 7. doi:10.1155/2014/851932
- Eberhard-Gran, M., Eskild, A., Tambs, K., Samuelsen, S. O., & Opjordsmoen, S. (2002). Depression in postpartum and non-postpartum women: prevalence and risk factors. *Acta Psychiatrica Scandinavica*, 106(6), 426-433.
- Eberhard-Gran, M., Slinning, K., & Eskild, A. (2008). Fear during labor: the impact of sexual abuse in adult life. *Journal of Psychosomatic Obstetrics & Gynecology*, 29(4), 258-261. doi:<https://dx.doi.org/10.1080/01674820802075998>
- Eberhard-Gran, M., Slinning, K., & Rognerud, M. (2014). Screening for barseldepresjon – en kunnskapsoppsummering. *Tidsskrift for Den norske legeforening*(3), 134:297-301. doi:10.4045/tidsskr.13.0068
- Eberhard-Gran, M., Tambs, K., Opjordsmoen, S., Skrandal, A., & Eskild, A. (2003). A comparison of anxiety and depressive symptomatology in postpartum and non-postpartum mothers. *Social Psychiatry & Psychiatric Epidemiology*, 38(10), 551-556. doi:<https://dx.doi.org/10.1007/s00127-003-0679-3>
- Eberhard-Gran, M., Tambs, K., Opjordsmoen, S., Skrandal, A., & Eskild, A. (2004). Depression during pregnancy and after delivery: a repeated measurement study. *Journal of Psychosomatic Obstetrics & Gynecology*, 25(1), 15-21.
- Egestad, H., & Emaus, N. (2014). Changes in health related quality of life in women and men undergoing radiation treatment for head and neck cancer and the impact of smoking status in the radiation treatment period. *European Journal of Oncology Nursing*, 18(4), 339-346. doi:<https://dx.doi.org/10.1016/j.ejon.2014.04.003>
- Eide, J., Hovengen, R., & Nordhagen, R. (2010). Childhood abuse and later worries about the baby's health in pregnancy. *Acta Obstetrica et Gynecologica Scandinavica*, 89(12), 1523-1531. doi:<https://dx.doi.org/10.3109/00016349.2010.526180>
- Eik-Nes, T., Romild, U., Guzey, I., Holmen, T., Micali, N., & Bjorneliv, S. (2015). Women's weight and disordered eating in a large Norwegian community sample: the Nord-Trøndelag Health Study (HUNT). *BMJ Open*, 5(10), e008125. doi:<https://dx.doi.org/10.1136/bmjopen-2015-008125>
- Eilertsen, G., Kirkevold, M., & Bjork, I. T. (2010). Recovering from a stroke: a longitudinal, qualitative study of older Norwegian women. *Journal of Clinical Nursing*, 19(13-14), 2004-2013. doi:<https://dx.doi.org/10.1111/j.1365-2702.2009.03138.x>
- Engeland, A., Bjorge, T., Klungsoyr, K., Skurtveit, S., & Furu, K. (2017). Preterm births and use of medication in early adulthood: a population-based registry study. *Pharmacoepidemiology & Drug Safety*, 7, 07. doi:<https://dx.doi.org/10.1002/pds.4174>
- Eri, T. S. (2004). Pregnancy and limits - about overweight women's experience of the body. [Graviditet og grenser - om overvektige kvinners opplevelse av kroppen]. *Tidsskrift for Jordmødre*, 110(4), 14-17.
- Fangen, K., & Hjelde, K. H. (2006). Oppfølging, respekt og Empowerment. Somalieres forståelse og hjelpepraksis ved psykososiale vanskeligheter. *Norsk tidsskrift for migrasjonsforskning*(2).

- Felde, G., Bjelland, I., & Hunskaar, S. (2012). Anxiety and depression associated with incontinence in middle-aged women: a large Norwegian cross-sectional study. *International Urogynecology Journal*, 23(3), 299-306. doi:<https://dx.doi.org/10.1007/s00192-011-1564-3>
- Gamperiene, M., Nygard, J. F., Sandanger, I., Waersted, M., & Bruusgaard, D. (2006). The impact of psychosocial and organizational working conditions on the mental health of female cleaning personnel in Norway. *Journal of Occupational Medicine & Toxicology*, 1, 24. doi:<https://dx.doi.org/10.1186/1745-6673-1-24>
- Garthus-Niegel, S., Ayers, S., von Soest, T., Torgersen, L., & Eberhard-Gran, M. (2015). Maintaining factors of posttraumatic stress symptoms following childbirth: A population-based, two-year follow-up study. *Journal of Affective Disorders*, 172, 146-152. doi:<https://dx.doi.org/10.1016/j.jad.2014.10.003>
- Garthus-Niegel, S., Knoph, C., von Soest, T., Nielsen, C. S., & Eberhard-Gran, M. (2014). The role of labor pain and overall birth experience in the development of posttraumatic stress symptoms: a longitudinal cohort study. *Birth*, 41(1), 108-115. doi:<https://dx.doi.org/10.1111/birt.12093>
- Garthus-Niegel, S., von Soest, T., Knoph, C., Simonsen, T. B., Torgersen, L., & Eberhard-Gran, M. (2014). The influence of women's preferences and actual mode of delivery on post-traumatic stress symptoms following childbirth: a population-based, longitudinal study. *BMC Pregnancy & Childbirth*, 14, 191. doi:<https://dx.doi.org/10.1186/1471-2393-14-191>
- Glavin, K., Smith, L., Sorum, R., & Ellefsen, B. (2010). Redesigned community postpartum care to prevent and treat postpartum depression in women--a one-year follow-up study. *Journal of Clinical Nursing*, 19(21-22), 3051-3062. doi:<https://dx.doi.org/10.1111/j.1365-2702.2010.03332.x>
- Glavin, K., Smith, L., Sorum, R., & Ellefsen, B. (2010). Supportive counselling by public health nurses for women with postpartum depression. *Journal of Advanced Nursing*, 66(6), 1317-1327. doi:<https://dx.doi.org/10.1111/j.1365-2648.2010.05263.x>
- Grøvdal, Y. (2015). Menn på krisesenter (Vol. 5/2015). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- Hafslund, B., Espehaug, B., & Nortvedt, M. W. (2012). Health-related quality of life, anxiety and depression related to mammography screening in Norway. *Journal of Clinical Nursing*, 21(21-22), 3223-3234. doi:<https://dx.doi.org/10.1111/j.1365-2702.2012.04244.x>
- Haga, S. M., Drozd, F., Brendryen, H., & Slinning, K. (2013). Mamma mia: a feasibility study of a web-based intervention to reduce the risk of postpartum depression and enhance subjective well-being. *JMIR Research Protocols*, 2(2), e29. doi:10.2196/resprot.2659
- Haga, S. M., Lisoy, C., Drozd, F., Valla, L., & Slinning, K. (2017). A population-based study of the relationship between perinatal depressive symptoms and breastfeeding: a cross-lagged panel study. *Arch Womens Ment Health*. doi:10.1007/s00737-017-0792-z
- Haga, S. M., Lynne, A., Slinning, K., & Kraft, P. (2012). A qualitative study of depressive symptoms and well-being among first-time mothers. *Scandinavian Journal of Caring Sciences*, 26(3), 458-466. doi:10.1111/j.1471-6712.2011.00950.x
- Haga, S. M., Ulleberg, P., Slinning, K., Kraft, P., Steen, T. B., & Staff, A. (2012). A longitudinal study of postpartum depressive symptoms: multilevel growth curve analyses of emotion regulation strategies, breastfeeding self-efficacy, and social support. *Arch Womens Ment Health*, 15(3), 175-184. doi:10.1007/s00737-012-0274-2
- Halvorsen, J. W. (2015). Kroppsidealer i norske trenings- og kostholdsblogger. *Norsk medietidsskrift*, 21(02), 1-20.
- Hansen, A. H., & Høye, A. (2015). Gender differences in the use of psychiatric outpatient specialist services in Tromsø, Norway are dependent on age: a population-based cross-sectional survey. *BMC Health Services Research*, 15, 477. doi:<https://dx.doi.org/10.1186/s12913-015-1146-z>
- Hjelmeland, H., Knizek, B. L., & Nordvik, H. (2002). The communicative aspect of nonfatal suicidal behavior--are there gender differences? *Crisis: Journal of Crisis Intervention & Suicide*, 23(4), 144-155. doi:<https://dx.doi.org/10.1027//0227-5910.23.4.144>
- Hofsø, K. (2015). Symptoms and quality of life of women with breast cancer, before, during and after radiotherapy. (no. 2028), Institute of Clinical Medicine, Faculty of Medicine, University of Oslo, Oslo.

- Holm, A. L., Begat, I., & Severinsson, E. (2009). Emotional pain: surviving mental health problems related to childhood experiences. *Journal of Psychiatric & Mental Health Nursing*, 16(7), 636-645. doi:<https://dx.doi.org/10.1111/j.1365-2850.2009.01426.x>
- Holsen, I. (2002). Depressed mood from adolescence to "emerging adulthood": course and longitudinal influences of body image and parent-adolescent relationship. Research Centre for Health Promotion, Faculty of Psychology, University of Bergen, Bergen.
- Hoye, A., Jacobsen, B. K., & Hansen, V. (2011). Increasing mortality in schizophrenia: are women at particular risk? A follow-up of 1111 patients admitted during 1980-2006 in Northern Norway. *Schizophrenia Research*, 132(2-3), 228-232. doi:<https://dx.doi.org/10.1016/j.schres.2011.07.021>
- Hoye, A., Jacobsen, B. K., & Hansen, V. (2013). Sex differences in mortality of admitted patients with personality disorders in North Norway--a prospective register study. *BMC Psychiatry*, 13, 317. doi:<https://dx.doi.org/10.1186/1471-244X-13-317>
- Hoye, A., Nesvag, R., Reichborn-Kjennerud, T., & Jacobsen, B. K. (2016). Sex differences in mortality among patients admitted with affective disorders in North Norway: a 33-year prospective register study. *Bipolar Disorders*, 18(3), 272-281. doi:<https://dx.doi.org/10.1111/bdi.12389>
- Hummelen, B., Wilberg, T., & Karterud, S. (2007). Interviews of female patients with borderline personality disorder who dropped out of group psychotherapy. *International Journal of Group Psychotherapy*, 57(1), 67-91. doi:<https://dx.doi.org/10.1521/ijgp.2007.57.1.67>
- Hussain, A., Bjorge, B., Hjellset, V. T., Holmboe-Ottesen, G., & Wandel, M. (2010). Body size perceptions among Pakistani women in Norway participating in a controlled trial to prevent deterioration of glucose tolerance. *Ethnicity & Health*, 15(3), 237-251. doi:<https://dx.doi.org/10.1080/13557851003668148>
- Ingebretsen, R., Thorsen, K., & Myrvang, V. H. (2015). Livsmot og mismot blant eldre kvinner med innvandrerbakgrunn: "Møteplasser er viktig! Det er kjempeviktig". Tønsberg: Aldring og helse.
- Innstrand, S. T., Langballe, E. M., Falkum, E., & Aasland, O. G. (2011). Exploring within- and between-gender differences in burnout: 8 different occupational groups. *International Archives of Occupational & Environmental Health*, 84(7), 813-824. doi:<https://dx.doi.org/10.1007/s00420-011-0667-y>
- Jávo, I. M. (2012). Psychosocial predictors of an interest in cosmetic surgery: based on a population study of young Norwegian women. University of Tromsø, Faculty of Health Sciences, Department of Clinical Medicine, Tromsø.
- Johansen, R. E. (2006). Experiences and perceptions of pain, sexuality and childbirth: a study of female genital cutting among Somalis in Norwegian exile, and their health care providers. (no. 441), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Johansen, V. F., & Universitetet i B. (2012). Når det intime blir offentlig: om kvinners åpenhet om brystkreft og om markedsføring av brystkreftsaken. Universitetet i Bergen, Bergen.
- Kjelsas, E., Bjornstrom, C., & Gotestam, K. G. (2004). Prevalence of eating disorders in female and male adolescents (14-15 years). *Eating Behaviors*, 5(1), 13-25. doi:[https://dx.doi.org/10.1016/S1471-0153\(03\)00057-6](https://dx.doi.org/10.1016/S1471-0153(03)00057-6)
- Klokk, M., Gotestam, K. G., & Mykletun, A. (2007). There are no association between IgE levels and symptoms of anxiety and depression in the adult female general population. The Hordaland Health Study (HUSK). *Nordic Journal of Psychiatry*, 61(6), 410-417. doi:<https://dx.doi.org/10.1080/08039480701788715>
- Knoph Berg, C., Bulik, C. M., Von Holle, A., Torgersen, L., Hamer, R., Sullivan, P., & Reichborn-Kjennerud, T. (2008). Psychosocial factors associated with broadly defined bulimia nervosa during early pregnancy: findings from the Norwegian Mother and Child Cohort Study. *Australian & New Zealand Journal of Psychiatry*, 42(5), 396-404. doi:<https://dx.doi.org/10.1080/00048670801961149>
- Knoph Berg, C., Torgersen, L., Von Holle, A., Hamer, R. M., Bulik, C. M., & Reichborn-Kjennerud, T. (2011). Factors associated with binge eating disorder in pregnancy. *International Journal of Eating Disorders*, 44(2), 124-133. doi:<https://dx.doi.org/10.1002/eat.20797>
- Kravdal, O., Grundy, E., & Skirbekk, V. (2017). Fertility history and use of antidepressant medication in late mid-life: a register-based analysis of Norwegian women and men. *Aging & Mental Health*, 21(5), 477-486. doi:<https://dx.doi.org/10.1080/13607863.2015.1118010>

- Kringlen, E., Torgersen, S., & Cramer, V. (2001). A Norwegian psychiatric epidemiological study. *American Journal of Psychiatry*, 158(7), 1091-1098. doi:10.1176/appi.ajp.158.7.1091
- Kringlen, E., Torgersen, S., & Cramer, V. (2006). Mental illness in a rural area: a Norwegian psychiatric epidemiological study. *Social Psychiatry & Psychiatric Epidemiology*, 41(9), 713-719. doi:10.1007/s00127-006-0080-0
- Kurtze, N., & Svebak, S. (2001). Fatigue and patterns of pain in fibromyalgia: correlations with anxiety, depression and co-morbidity in a female county sample. *British Journal of Medical Psychology*, 74(Pt 4), 523-537.
- Kvamme, J. M., Gronli, O., Florholmen, J., & Jacobsen, B. K. (2011). Risk of malnutrition is associated with mental health symptoms in community living elderly men and women: the Tromso study. *BMC Psychiatry*, 11, 112. doi:https://dx.doi.org/10.1186/1471-244X-11-112
- Kvamme, J. M., Olsen, J. A., Florholmen, J., & Jacobsen, B. K. (2011). Risk of malnutrition and health-related quality of life in community-living elderly men and women: the Tromso study. *Quality of Life Research*, 20(4), 575-582. doi:https://dx.doi.org/10.1007/s11136-010-9788-0
- Landheim, A. S., Bakken, K., & Vaglum, P. (2003). Gender differences in the prevalence of symptom disorders and personality disorders among poly-substance abusers and pure alcoholics. Substance abusers treated in two counties in Norway. *European Addiction Research*, 9(1), 8-17. doi:https://dx.doi.org/67732
- Langvik, E., & Nordahl, H. M. (2014). Anhedonic depression, history of depression, and anxiety as gender-specific risk factors of myocardial infarction in healthy men and women: The HUNT study. *Health Psychology Open*, 1(1), 2055102914557658. doi:https://dx.doi.org/10.1177/2055102914557658
- Larun, L., Lyngstadaas, A., & Langengen, I. W. (2005). Svangerskap og psykisk helse: kvinners psykiske helse i forbindelse med svangerskap og første året etter fødsel (Vol. nr 2-2005). Oslo: Nasjonalt kunnskapssenter for helsetjenesten.
- Lassemo, E., Sandanger, I., Nygard, J. F., & Sorgaard, K. W. (2017). The epidemiology of post-traumatic stress disorder in Norway: trauma characteristics and pre-existing psychiatric disorders. *Social Psychiatry & Psychiatric Epidemiology*, 52(1), 11-19. doi:https://dx.doi.org/10.1007/s00127-016-1295-3
- Leirvag, H., Pedersen, G., & Karterud, S. (2010). Long-term continuation treatment after short-term day treatment of female patients with severe personality disorders: Body awareness group therapy versus psychodynamic group therapy. *Nordic Journal of Psychiatry*, 64(2), 115-122. doi:https://dx.doi.org/10.3109/08039480903487525
- Lerdal, B., Sörensen, K., Vestrheim, I., & Skranes, J. (2015). Gender differences in parenting stress of preschool children with cerebral palsy. [Forskjeller i stressnivå hos mødre og fedre til førskolebarn med cerebral parese]. *Tidsskrift for Norsk Psykologforening*, 52(5), 396-401.
- Lillefjell, M. (2006). Gender differences in psychosocial influence and rehabilitation outcomes for work-disabled individuals with chronic musculoskeletal pain. *Journal of Occupational Rehabilitation*, 16(4), 659-674. doi:https://dx.doi.org/10.1007/s10926-006-9056-x
- Linaker, O. M. (2000). Dangerous female psychiatric patients: prevalences and characteristics. *Acta Psychiatrica Scandinavica*, 101(1), 67-72.
- Listol, W., Hoberg-Vetti, H., Eide, G. E., & Bjorvatn, C. (2017). Anxiety and depression symptoms among women attending group-based patient education courses for hereditary breast and ovarian cancer. *Hereditary Cancer in Clinical Practice*, 15, 2. doi:https://dx.doi.org/10.1186/s13053-016-0062-5
- Lovlie, A. L., & Madar, A. A. (2017). Postpartum Depression Among Somali Women in Norway. *Journal of Immigrant & Minority Health*, 19(3), 638-644. doi:https://dx.doi.org/10.1007/s10903-016-0487-y
- Lukasse, M., Helbig, A., Benth, J. S., & Eberhard-Gran, M. (2014). Antenatal maternal emotional distress and duration of pregnancy. *PLoS ONE [Electronic Resource]*, 9(7), e101682. doi:https://dx.doi.org/10.1371/journal.pone.0101682
- Lukasse, M., Schei, B., & Ryding, E. L. (2014). Prevalence and associated factors of fear of childbirth in six European countries. *Sexual & reproductive healthcare: official journal of the Swedish Association of Midwives*, 5(3), 99-106. doi:https://dx.doi.org/10.1016/j.srhc.2014.06.007

- Lupattelli, A., Spigset, O., Torgersen, L., Zerwas, S., Hatle, M., Reichborn-Kjennerud, T., . . . Nordeng, H. (2015). Medication Use before, during, and after Pregnancy among Women with Eating Disorders: A Study from the Norwegian Mother and Child Cohort Study. *PLoS ONE [Electronic Resource]*, 10(7), e0133045. doi:<https://dx.doi.org/10.1371/journal.pone.0133045>
- Martinsen, M., Bahr, R., Borresen, R., Holme, I., Pensgaard, A. M., & Sundgot-Borgen, J. (2014). Preventing eating disorders among young elite athletes: a randomized controlled trial. *Medicine & Science in Sports & Exercise*, 46(3), 435-447. doi:10.1249/MSS.0b013e3182a702fc
- Martinsen, M., & Sundgot-Borgen, J. (2013). Higher prevalence of eating disorders among adolescent elite athletes than controls. *Medicine & Science in Sports & Exercise*, 45(6), 1188-1197. doi:10.1249/MSS.0b013e318281a939
- Mathisen, T. F., Rosenvinge, J. H., Friberg, O., Pettersen, G., Stensrud, T., Hansen, B. H., . . . Sundgot-Borgen, J. (2018). Body composition and physical fitness in women with bulimia nervosa or binge-eating disorder. *International Journal of Eating Disorders*. doi:10.1002/eat.22841
- Melin, A., Torstveit, M. K., Burke, L., Marks, S., & Sundgot-Borgen, J. (2014). Disordered eating and eating disorders in aquatic sports. *Int J Sport Nutr Exerc Metab*, 24(4), 450-459. doi:10.1123/ijsnem.2014-0029
- Minde, G. T., & Saeterstrand, T. M. (2013). What is important in the surroundings in order to extend the healthy life period? A regional study of 19 older women in a northern part of Norway. *International Journal of Circumpolar Health*, 72. doi:<https://dx.doi.org/10.3402/ijch.v72i0.21189>
- Moen, H. B. (2010). I spenningsfeltet mellom personlig identitet og sosiale prosesser: en studie av kvinners beretninger om opprinnelse og tilfriskning ved spiseforstyrrelser. (nr. 3-2010), Høgskolen i Bodø, Bodø.
- Mogstad, K. L. (2017). *Kroppsklemma: hvordan være trygge og gode voksne for barn og unge i et kroppsfixert samfunn*. Oslo: Cappelen Damm.
- Moseng, B. U. (2002). *Lesbiske psykisk[e] helse* (Vol. 4/02). Oslo: Norsk institutt for forskning om oppvekst, velferd og aldring.
- Naletova, A. (2011). Women, mental health and suicidality. [Kvinner, psykisk helse og suicidalitet]. *Suicidologi*, 16(1), 25-27.
- Narum, I., & Bergland, A. (2009). Quality of life and salutogenesis: flow and elderly women. [Livskvalitet og salutogenese: flyt og eldre damer]. *Tidsskrift for Psykisk Helsearbeid*, 6(2), 100-109.
- Nasjonalt folkehelseinstitutt. (2009). *Psykiske lidelser i Norge: et folkehelseperspektiv Rapport* (Nasjonalt folkehelseinstitutt: online), Vol. 2009:8.
- Neroien, A. I., & Schei, B. (2008). Partner violence and health: results from the first national study on violence against women in Norway. *Scandinavian Journal of Public Health*, 36(2), 161-168. doi:<https://dx.doi.org/10.1177/1403494807085188>
- Nicolaisen, M., & Thorsen, K. (2014). Loneliness among men and women--a five-year follow-up study. *Aging & Mental Health*, 18(2), 194-206. doi:<https://dx.doi.org/10.1080/13607863.2013.821457>
- Nilsen, W., Skipstein, A., & Demerouti, E. (2016). Adverse trajectories of mental health problems predict subsequent burnout and work-family conflict - a longitudinal study of employed women with children followed over 18 years. *BMC Psychiatry*, 16(1), 384. doi:<https://dx.doi.org/10.1186/s12888-016-1110-4>
- Nordeng, H., Hansen, C., Garthus-Niegel, S., & Eberhard-Gran, M. (2012). Fear of childbirth, mental health, and medication use during pregnancy. *Archives of Women's Mental Health*, 15(3), 203-209. doi:<https://dx.doi.org/10.1007/s00737-012-0278-y>
- Oerbeck, B., Overgaard, K., Pripp, A. H., Aase, H., Reichborn-Kjennerud, T., & Zeiner, P. (2015). Adult ADHD Symptoms and Satisfaction With Life: Does Age and Sex Matter? *Journal of Attention Disorders*, 17, 17. doi:<https://dx.doi.org/10.1177/1087054715612257>
- Olsen, K., Danielsen, K., Wilsgaard, T., Sangvik, M., Sollid, J. U., Thune, I., . . . Furberg, A. S. (2013). Obesity and *Staphylococcus aureus* nasal colonization among women and men in a general population. *PLoS ONE [Electronic Resource]*, 8(5), e63716. doi:<https://dx.doi.org/10.1371/journal.pone.0063716>
- Pedersen, W. (2008). Abortion and depression: a population-based longitudinal study of young women. *Scandinavian Journal of Public Health*, 36(4), 424-428. doi:<https://dx.doi.org/10.1177/1403494807088449>

- Pedersen, W., & Mastekaasa, A. (2011). Conduct disorder symptoms and subsequent pregnancy, child-birth and abortion: a population-based longitudinal study of adolescents. *Journal of Adolescence*, 34(5), 1025-1033. doi:<https://dx.doi.org/10.1016/j.adolescence.2010.11.005>
- Peleikis, D. E., Mykletun, A., & Dahl, A. A. (2004). The relative influence of childhood sexual abuse and other family background risk factors on adult adversities in female outpatients treated for anxiety disorders and depression. *Child Abuse & Neglect*, 28(1), 61-76. doi:<https://dx.doi.org/10.1016/j.chiabu.2003.08.003>
- Peleikis, D. E., Mykletun, A., & Dahl, A. A. (2005). Current mental health in women with childhood sexual abuse who had outpatient psychotherapy. *European Psychiatry: the Journal of the Association of European Psychiatrists*, 20(3), 260-267. doi:<https://dx.doi.org/10.1016/j.eurpsy.2005.01.004>
- Perry, J., Silvera, D., Rosenvinge, J. H., & Holte, A. (2002). Are oral, obsessive, and hysterical personality traits related to disturbed eating patterns? A general population study of 6,313 men and women. *Journal of Personality Assessment*, 78(3), 405-416. doi:https://dx.doi.org/10.1207/S15327752JPA7803_02
- Pettersen, G., Sordal, S., Rosenvinge, J. H., Skomakerstuen, T., Mathisen, T. F., & Sundgot-Borgen, J. (2017). How do women with eating disorders experience a new treatment combining guided physical exercise and dietary therapy? An interview study of women participating in a randomised controlled trial at the Norwegian School of Sport Sciences. *BMJ Open*, 7(12), e018588. doi:10.1136/bmjopen-2017-018588
- Rasmussen, K., & Levander, S. (2009). Untreated ADHD in adults: are there sex differences in symptoms, comorbidity, and impairment? *Journal of Attention Disorders*, 12(4), 353-360. doi:<https://dx.doi.org/10.1177/1087054708314621>
- Reas, D. L., Ro, O., Karterud, S., Hummelen, B., & Pedersen, G. (2013). Eating disorders in a large clinical sample of men and women with personality disorders. *International Journal of Eating Disorders*, 46(8), 801-809. doi:<https://dx.doi.org/10.1002/eat.22176>
- Reichborn-Kjennerud, T., Bulik, C. M., Kendler, K. S., Roysamb, E., Maes, H., Tambs, K., & Harris, J. R. (2003). Gender differences in binge-eating: a population-based twin study. *Acta Psychiatrica Scandinavica*, 108(3), 196-202.
- Reichborn-Kjennerud, T., Bulik, C. M., Kendler, K. S., Roysamb, E., Tambs, K., Torgersen, S., & Harris, J. R. (2004). Undue influence of weight on self-evaluation: a population-based twin study of gender differences. *International Journal of Eating Disorders*, 35(2), 123-132; discussion 133-125. doi:<https://dx.doi.org/10.1002/eat.10252>
- Reiter, S. F., Veiby, G., Daltveit, A. K., Engelsen, B. A., & Gilhus, N. E. (2013). Psychiatric comorbidity and social aspects in pregnant women with epilepsy - the Norwegian Mother and Child Cohort Study. *Epilepsy & Behavior*, 29(2), 379-385. doi:<https://dx.doi.org/10.1016/j.yebeh.2013.08.016>
- Ro, O., Bang, L., Reas, D. L., & Rosenvinge, J. H. (2012). The impact of age and BMI on impairment due to disordered eating in a large female community sample. *Eating Behaviors*, 13(4), 342-346. doi:<https://dx.doi.org/10.1016/j.eatbeh.2012.05.010>
- Rognerud, M., Strand, B. H., & Dalgard, O. S. (2002). Mental health in Norway 1998. I. Socioeconomic differences in mental health and life style. [Psykisk helse i Helse- og levekårsundersøkelsen i 1998. I. Sosioøkonomiske forskjeller i psykisk helse og livsstil]. *Norsk Epidemiologi*, 12(3), 239-248.
- Rommen, K., Schei, B., Rydning, A., A, H. S., & Morkved, S. (2012). Prevalence of anal incontinence among Norwegian women: a cross-sectional study. *BMJ Open*, 2(4). doi:<https://dx.doi.org/10.1136/bmjopen-2012-001257>
- Rosand, G. M., Slinning, K., Eberhard-Gran, M., Roysamb, E., & Tambs, K. (2011). Partner relationship satisfaction and maternal emotional distress in early pregnancy. *BMC Public Health*, 11, 161. doi:<https://dx.doi.org/10.1186/1471-2458-11-161>
- Rustoen, T., Wahl, A. K., Hanestad, B. R., Lerdal, A., Paul, S., & Miaskowski, C. (2004). Gender differences in chronic pain--findings from a population-based study of Norwegian adults. *Pain Management Nursing*, 5(3), 105-117. doi:<https://dx.doi.org/10.1016/j.pmn.2004.01.004>
- Røsand, G.-M. B. (2011). Relationship satisfaction, emotional distress, and relationship dissolution : a population-based study on pregnant women and their partners. (no. 259), Department of Psychology, Faculty of Social Sciences, University of Oslo, Oslo.

- Sand, A. S., Emaus, N., & Lian, O. (2015). Overweight and obesity in young adult women: A matter of health or appearance? The Tromso study: Fit futures. *International Journal of Qualitative Studies on Health and Well-being*, 10(1), 29026. doi:<https://dx.doi.org/10.3402/qhw.v10.29026>
- Schei, B., & Bakketeig, L. S. (2007). *Kvinner lider - menn dør: folkehelse i et kjønnsperspektiv*. Oslo: Gyldendal akademisk.
- Schjolberg, T. K., Dodd, M., Henriksen, N., & Rustoen, T. (2011). Factors affecting hope in a sample of fatigued breast cancer outpatients. *Palliative & Supportive Care*, 9(1), 63-72. doi:<https://dx.doi.org/10.1017/S1478951510000556>
- Schou Bredal, I., Karesen, R., Skaane, P., Engelstad, K. S., & Ekeberg, O. (2013). Recall mammography and psychological distress. *European Journal of Cancer*, 49(4), 805-811. doi:<https://dx.doi.org/10.1016/j.ejca.2012.09.001>
- Schou, I., Ekeberg, O., Sandvik, L., & Ruland, C. M. (2005). Stability in optimism-pessimism in relation to bad news: a study of women with breast cancer. *Journal of Personality Assessment*, 84(2), 148-154. doi:https://dx.doi.org/10.1207/s15327752jpa8402_04
- Shakeel, N., Eberhard-Gran, M., Sletner, L., Slinning, K., Martinsen, E. W., Holme, I., & Jennum, A. K. (2015). A prospective cohort study of depression in pregnancy, prevalence and risk factors in a multi-ethnic population. *BMC Pregnancy & Childbirth*, 15, 5. doi:<https://dx.doi.org/10.1186/s12884-014-0420-0>
- Sivertsen, B., Hysing, M., Dorheim, S. K., & Eberhard-Gran, M. (2015). Trajectories of maternal sleep problems before and after childbirth: a longitudinal population-based study. *BMC Pregnancy & Childbirth*, 15, 129. doi:<https://dx.doi.org/10.1186/s12884-015-0577-1>
- Skari, H., Malt, U. F., Bjornland, K., Egeland, T., Haugen, G., Skreden, M., . . . Emblem, R. (2006). Prenatal diagnosis of congenital malformations and parental psychological distress--a prospective longitudinal cohort study. *Prenatal Diagnosis*, 26(11), 1001-1009. doi:<https://dx.doi.org/10.1002/pd.1542>
- Skari, H., Skreden, M., Malt, U. F., Dalholt, M., Ostensen, A. B., Egeland, T., & Emblem, R. (2002). Comparative levels of psychological distress, stress symptoms, depression and anxiety after childbirth--a prospective population-based study of mothers and fathers. *BJOG: An International Journal of Obstetrics & Gynaecology*, 109(10), 1154-1163.
- Skjothaug, T., Smith, L., Wentzel-Larsen, T., & Moe, V. (2015). Prospective fathers' adverse childhood experiences, pregnancy-related anxiety, and depression during pregnancy. *Infant Mental Health Journal*, 36(1), 104-113. doi:<https://dx.doi.org/10.1002/imhj.21485>
- Skjörten, K. (2009). Partner violence among elderly. [Partnervold blant eldre]. *Tidsskrift for Psykisk Helsearbeid*, 6(2), 120-128.
- Skårderud, F., Rosenvinge, J. H., & Gøtestam, K. G. (2004). Spiseforstyrrelser – en oversikt. *Tidsskrift for Den norske legeförening*(15), 124:1938-1942.
- Sletten, M. A. (2016). *Psykiske helseplager blant ungdom - tidstrender og samfunnsmessige forklaringer : en kunnskapsoversikt og en empirisk analyse NOVA notat (trykt utg.)*, Vol. 2016:4. A. Bakken (Ed.)
- Solberg, O., Dale, M. T., Holmstrom, H., Eskedal, L. T., Landolt, M. A., & Vollrath, M. E. (2011). Long-term symptoms of depression and anxiety in mothers of infants with congenital heart defects. *Journal of Pediatric Psychology*, 36(2), 179-187. doi:<https://dx.doi.org/10.1093/jpepsy/jsq054>
- Solberg, O., Gronning Dale, M. T., Holmstrom, H., Eskedal, L. T., Landolt, M. A., & Vollrath, M. E. (2012). Trajectories of maternal mental health: a prospective study of mothers of infants with congenital heart defects from pregnancy to 36 months postpartum. *Journal of Pediatric Psychology*, 37(6), 687-696. doi:<https://dx.doi.org/10.1093/jpepsy/jss044>
- Solbraekke, K. N., Soiland, H., Lode, K., & Gripsrud, B. H. (2017). Our genes, our selves: hereditary breast cancer and biological citizenship in Norway. *Medicine, Health Care & Philosophy*, 20(1), 89-103. doi:[10.1007/s11019-016-9737-y](https://doi.org/10.1007/s11019-016-9737-y)
- Soleröd, M., & Åse, V. (2005). Theme: violence against women. [Tema: vold mot kvinner]. *Tidsskrift for Jordmödre*, 111(7), 9-15.

- Songoygard, K. M., Stafne, S. N., Evensen, K. A., Salvesen, K. A., Vik, T., & Morkved, S. (2012). Does exercise during pregnancy prevent postnatal depression? A randomized controlled trial. *Acta Obstetrica et Gynecologica Scandinavica*, 91(1), 62-67. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01262.x>
- Sorbo, M. F., Grimstad, H., Bjorngaard, J. H., Lukasse, M., & Schei, B. (2014). Adult physical, sexual, and emotional abuse and postpartum depression, a population based, prospective study of 53,065 women in the Norwegian Mother and Child Cohort Study. *BMC Pregnancy & Childbirth*, 14, 316. doi:<https://dx.doi.org/10.1186/1471-2393-14-316>
- Stefansen, K. (2006). Shelters for abused women in Norway - from social movement to professional institutions. [Krisesentrene i Norge - fra sosial bevegelse til profesjoniserte hjelpetiltak]. *Nordisk Sosialt Arbeid*, 26(1), 27-37.
- Stene, L. E., Dyb, G., Jacobsen, G. W., & Schei, B. (2010). Psychotropic drug use among women exposed to intimate partner violence: A population-based study. *Scandinavian Journal of Public Health*, 38(5 Suppl), 88-95. doi:<https://dx.doi.org/10.1177/1403494810382815>
- Stene, L. E., Dyb, G., Tverdal, A., Jacobsen, G. W., & Schei, B. (2012). Intimate partner violence and prescription of potentially addictive drugs: prospective cohort study of women in the Oslo Health Study. *BMJ Open*, 2(2), e000614. doi:<https://dx.doi.org/10.1136/bmjopen-2011-000614>
- Stene, L. E., Jacobsen, G. W., Dyb, G., Tverdal, A., & Schei, B. (2013). Intimate partner violence and cardiovascular risk in women: a population-based cohort study. *Journal of Women's Health*, 22(3), 250-258. doi:<https://dx.doi.org/10.1089/jwh.2012.3920>
- Stene-Larsen, K., Torgersen, L., Strandberg-Larsen, K., Normann, P. T., & Vollrath, M. E. (2013). Impact of maternal negative affectivity on light alcohol use and binge drinking during pregnancy. *Acta Obstetrica et Gynecologica Scandinavica*, 92(12), 1388-1394. doi:<https://dx.doi.org/10.1111/aogs.12259>
- Storksen, H. T., Eberhard-Gran, M., Garthus-Niegel, S., & Eskild, A. (2012). Fear of childbirth; the relation to anxiety and depression. *Acta Obstetrica et Gynecologica Scandinavica*, 91(2), 237-242. doi:<https://dx.doi.org/10.1111/j.1600-0412.2011.01323.x>
- Storksen, H. T., Garthus-Niegel, S., Adams, S. S., Vangen, S., & Eberhard-Gran, M. (2015). Fear of childbirth and elective caesarean section: a population-based study. *BMC Pregnancy & Childbirth*, 15, 221. doi:<https://dx.doi.org/10.1186/s12884-015-0655-4>
- Straiton, M. L., Hjelmeland, H., Grimholt, T. K., & Dieserud, G. (2013). Self-harm and conventional gender roles in women. *Suicide & Life-Threatening Behavior*, 43(2), 161-173. doi:<https://dx.doi.org/10.1111/sltb.12005>
- Straiton, M. L., Powell, K., Reneflot, A., & Diaz, E. (2016). Managing Mental Health Problems Among Immigrant Women Attending Primary Health Care Services. *Health Care for Women International*, 37(1), 118-139. doi:<https://dx.doi.org/10.1080/07399332.2015.1077844>
- Straiton, M. L., Reneflot, A., & Diaz, E. (2014). Immigrants' use of primary health care services for mental health problems. *BMC Health Services Research*, 14(1), 341. doi:[10.1186/1472-6963-14-341](https://dx.doi.org/10.1186/1472-6963-14-341)
- Straiton, M. L., Reneflot, A., & Diaz, E. (2016). Socioeconomic status and primary health service use for mental health problems among immigrants with short and long lengths of stay. *International Journal of Migration, Health and Social Care*, 12(2), 85-98. doi:[doi:10.1108/IJMHS-01-2015-0001](https://dx.doi.org/10.1108/IJMHS-01-2015-0001)
- Straiton, M. L., Reneflot, A., & Diaz, E. (2017). Mental Health of Refugees and Non-refugees from War-Conflict Countries: Data from Primary Healthcare Services and the Norwegian Prescription Database. *Journal of Immigrant & Minority Health*, 19(3), 582-589. doi:[10.1007/s10903-016-0450-y](https://dx.doi.org/10.1007/s10903-016-0450-y)
- Strand, B. H., & Kunst, A. (2006). Childhood socioeconomic status and suicide mortality in early adulthood among Norwegian men and women. A prospective study of Norwegians born between 1955 and 1965 followed for suicide from 1990 to 2001. *Social Science & Medicine*, 63(11), 2825-2834. doi:<https://dx.doi.org/10.1016/j.socscimed.2006.07.020>
- Størksen, H. T. (2014). Fear of childbirth, mental health, and obstetric outcome: a population-based cohort study. (no. 1873), Institute of Clinical Medicine, Faculty of Medicine, University of Oslo, Oslo.
- Suhrke, P., Maehlen, J., & Zahl, P. H. (2012). Hormone therapy use and breast cancer incidence by histological subtypes in Sweden and Norway. *Breast Journal*, 18(6), 549-556. doi:<https://dx.doi.org/10.1111/tbj.12001>

- Sundgot-Borgen, J., Fasting, K., Brackenridge, C., Torstveit, M. K., & Berglund, B. (2003). Sexual harassment and eating disorders in female elite athletes - a controlled study. *Scandinavian Journal of Medicine & Science in Sports*, 13(5), 330-335.
- Svendal, G., Fasmer, O. B., Engeland, A., Berk, M., & Lund, A. (2012). Co-prescription of medication for bipolar disorder and diabetes mellitus: a nationwide population-based study with focus on gender differences. *BMC Medicine*, 10, 148. doi:<https://dx.doi.org/10.1186/1741-7015-10-148>
- Sørbrø, M. F. (2016). Prevalence of abuse reported by pregnant women: impact on postpartum depression and breastfeeding : a prospective population-based analysis in the Norwegian Mother and Child Cohort Study. (2016:67), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Thapa, S. B., & Hauff, E. (2005). Gender differences in factors associated with psychological distress among immigrants from low- and middle-income countries--findings from the Oslo Health Study. *Social Psychiatry & Psychiatric Epidemiology*, 40(1), 78-84. doi:<https://dx.doi.org/10.1007/s00127-005-0855-8>
- Thoresen, S., & Hjemdal, O. K. (2014). Vold og voldtekt i Norge: en nasjonal forekomststudie av vold i et livsløpsperspektiv (Vol. 1/2014). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- Thoresen, S., Myhre, M., Wentzel-Larsen, T., Aakvaag, H. F., & Hjemdal, O. K. (2015). Violence against children, later victimisation, and mental health: a cross-sectional study of the general Norwegian population. *European Journal of Psychotraumatology*, 6, 1-12. doi:10.3402/ejpt.v6.26259
- Thoresen, S., & Overlien, C. (2009). Trauma victim: yes or no? Why it may be difficult to answer questions regarding violence, sexual abuse, and other traumatic events. *Violence Against Women*, 15(6), 699-719. doi:<https://dx.doi.org/10.1177/1077801209332182>
- Thorsen, K., Myrvang, V. H., Ingebretsen, R., & Moen, B. (2015). Motivation or discouragement? What do older women with immigrant backgrounds experience as bothersome in everyday life and what promotes mental health? [Livsmot eller mismot? Hva opplever eldre kvinner med innvandrerbakgrunn er belastende i hverdagslivet og hva er psykisk helsefremmende?]. *Demens & Alderspsykiatri*, 19(1), 8-14.
- Torstveit, M. K. (2004). The female athlete triad in Norwegian elite athletes and non-athletic controls : identification and prevalence of disordered eating, menstrual dysfunction and osteoporosis. M.K. Torstveit, Oslo.
- Torstveit, M. K., Rosenvinge, J. H., & Sundgot-Borgen, J. (2008). Prevalence of eating disorders and the predictive power of risk models in female elite athletes: a controlled study. *Scandinavian Journal of Medicine & Science in Sports*, 18(1), 108-118. doi:10.1111/j.1600-0838.2007.00657.x
- Torvik, F. A., Ystrom, E., Gustavson, K., Rosenström, T. H., Bramness, J. G., Gillespie, N., . . . Reichborn-Kjennerud, T. (2017). Diagnostic and genetic overlap of three common mental disorders in structured interviews and health registries. *Acta Psychiatrica Scandinavica*, n/a-n/a. doi:10.1111/acps.12829
- Vage, V., Solhaug, J. H., Viste, A., Bergsholm, P., & Wahl, A. K. (2003). Anxiety, depression and health-related quality of life after jejunoileal bypass: a 25-year follow-up study of 20 female patients. *Obesity Surgery*, 13(5), 706-713. doi:<https://dx.doi.org/10.1381/096089203322509264>
- Vatnar, S. K., & Bjorkly, S. (2013). Lethal intimate partner violence: an interactional perspective on women's perceptions of lethal incidents. *Violence & Victims*, 28(5), 772-789.
- von Soest, T., & Wichstrom, L. (2006). Cohabitation reduces bulimic symptoms in young women. *International Journal of Eating Disorders*, 39(6), 484-491. doi:<https://dx.doi.org/10.1002/eat.20273>
- von Soest, T., & Wichstrom, L. (2008). The impact of becoming a mother on eating problems. *International Journal of Eating Disorders*, 41(3), 215-223. doi:<https://dx.doi.org/10.1002/eat.20493>
- Wallenius, M., Skomsvoll, J. F., Koldingsnes, W., Rodevand, E., Mikkelsen, K., Kaufmann, C., & Kvien, T. K. (2009). Comparison of work disability and health-related quality of life between males and females with rheumatoid arthritis below the age of 45 years. *Scandinavian Journal of Rheumatology*, 38(3), 178-183. doi:10.1080/03009740802400594
- Wallenius, M., Skomsvoll, J. F., Koldingsnes, W., Rodevand, E., Mikkelsen, K., Kaufmann, C., & Kvien, T. K. (2009). Work disability and health-related quality of life in males and females with psoriatic arthritis. *Annals of the Rheumatic Diseases*, 68(5), 685-689. doi:10.1136/ard.2008.092049

- Warholm, C., Marie Oien, A., & Raheim, M. (2014). The ambivalence of losing weight after bariatric surgery. *International Journal of Qualitative Studies on Health and Well-being*, 9, 22876. doi:<https://dx.doi.org/10.3402/qhw.v9.22876>
- Watson, H. J., Von Holle, A., Knoph, C., Hamer, R. M., Torgersen, L., Reichborn-Kjennerud, T., . . . Bulik, C. M. (2015). Psychosocial factors associated with bulimia nervosa during pregnancy: An internal validation study. *International Journal of Eating Disorders*, 48(6), 654-662. doi:<https://dx.doi.org/10.1002/eat.22361>
- Wikenius, E., Moe, V., Kjellefold, M., Smith, L., Lyle, R., Waagbo, R., . . . Myhre, A. M. (2016). The Association between Hair Cortisol and Self-Reported Symptoms of Depression in Pregnant Women. *PLoS ONE [Electronic Resource]*, 11(9), e0161804. doi:<https://dx.doi.org/10.1371/journal.pone.0161804>
- Willumsen, T. (2001). Dental fear in sexually abused women. *European Journal of Oral Sciences*, 109(5), 291-296.
- Willumsen, T., & Graugaard, P. K. (2005). Dental fear, regularity of dental attendance and subjective evaluation of dental erosion in women with eating disorders. *European Journal of Oral Sciences*, 113(4), 297-302. doi:<https://dx.doi.org/10.1111/j.1600-0722.2005.00227.x>
- Wisting, L., Bang, L., Skriverhaug, T., Dahl-Jorgensen, K., & Ro, O. (2016). Psychological barriers to optimal insulin therapy: more concerns in adolescent females than males. *BMJ Open Diabetes Research & Care*, 4(1), e000203. doi:<https://dx.doi.org/10.1136/bmjdr-2016-000203>
- Øverlie, I. (2003). Menopause, sex hormones and subjective complaints among a sample of Norwegian women. (no. 131), Faculty of Medicine, University of Oslo Unipub, Oslo.

Brukere og helsevesen

- Aambö, A., Iqbal, T., & Fjeldstad, B. (2014). Domestic violence - an overlooked challenge. [Vold i nære relasjoner - en oversett utfordring]. *Utposten*, 43(6), 6-13.
- Aasen, H. S. (2008). *Menneskerettslige aspekter knyttet til kjønnslemlestelse og helseundersøkelser* (Vol. nr. 5/2008). Oslo: Institutt for offentlig rett, Universitetet i Oslo Unipub.
- Anderssen, J. (2017). Because she's worth it. How spa therapists in a Norwegian health resort explain women's need for their services. *Women's Studies International Forum*, 63, 27-32.
doi:<https://doi.org/10.1016/j.wsif.2017.07.001>
- Augestad, M. T., Hoberg-Vetti, H., Bjorvatn, C., & Sekse, R. J. (2017). Identifying Needs: a Qualitative Study of women's Experiences Regarding Rapid Genetic Testing for Hereditary Breast and Ovarian Cancer in the DNA BONus Study. *Journal of Genetic Counseling*, 26(1), 182-189.
doi:<https://dx.doi.org/10.1007/s10897-016-9996-z>
- Aune, I., Amundsen, H. H., & Skaget Aas, L. C. (2014). Is a midwife's continuous presence during childbirth a matter of course? Midwives' experiences and thoughts about factors that may influence their continuous support of women during labour. *Midwifery*, 30(1), 89-95. doi:<https://dx.doi.org/10.1016/j.midw.2013.02.001>
- Aune, I., Dahlberg Msc, U., & Ingebrigtsen, O. (2012). Parents' experiences of midwifery students providing continuity of care. *Midwifery*, 28(4), 372-378. doi:<https://dx.doi.org/10.1016/j.midw.2011.06.006>
- Aune, I., Marit Torvik, H., Selboe, S. T., Skogas, A. K., Persen, J., & Dahlberg, U. (2015). Promoting a normal birth and a positive birth experience - Norwegian women's perspectives. *Midwifery*, 31(7), 721-727.
doi:<https://dx.doi.org/10.1016/j.midw.2015.03.016>
- Aune, I., & Olufsen, V. (2014). From fragmented to interdisciplinary understanding of integrated antenatal and postnatal care'-an interprofessional project between public health nursing students and midwifery students. *Midwifery*, 30(3), 353-358. doi:<https://dx.doi.org/10.1016/j.midw.2013.03.007>
- Berge, T. (2016). Formell og uformell omsorg: samspillet mellom familien og velferdsstaten Notat (Norsk institutt for forskning om oppvekst, velferd og aldring: online), Vol. 3/2014. H. Øien & L. N. Jakobsson (Eds.),
- Berthinussen, I. S., & Fredriksen, S.-T. D. (2014). The demanding tension between work, home and old dependent parents A hermeneutic study on the situation of women in the intersection of professional life and dual care responsibilities. [Det krevende spennet mellom arbeid, hjemmet og gamle hjelpetrengende foreldre En hermeneutisk studie om kvinners situasjon i skjaeringspunktet mellom yrkesliv og dobbelt omsorgsansvar]. *Nordisk Tidsskrift for Helseforskning*, 10(1), 56-69.
- Bjorkman, M., & Malterud, K. (2009). Lesbian women's experiences with health care: a qualitative study. *Scandinavian Journal of Primary Health Care*, 27(4), 238-243.
doi:<https://dx.doi.org/10.3109/02813430903226548>
- Borosund, E., Cvancarova, M., Moore, S. M., Ekstedt, M., & Ruland, C. M. (2014). Comparing effects in regular practice of e-communication and Web-based self-management support among breast cancer patients: preliminary results from a randomized controlled trial. *Journal of Medical Internet Research*, 16(12), e295.
doi:<https://dx.doi.org/10.2196/jmir.3348>
- Breimo, J. P. (2014). Koordinering og tilstedeværelse - om kjønne forventninger til pårørende i rehabiliteringsprosesser. *Tidsskrift for kjønnsforskning*.
- Brekke, I., Berg, J. E., Sletner, L., & Jenum, A. K. (2013). Doctor-certified sickness absence in first and second trimesters of pregnancy among native and immigrant women in Norway. *Scandinavian Journal of Public Health*, 41(2), 166-173. doi:<https://dx.doi.org/10.1177/1403494812472005>

- Chomutare, T., Arsand, E., & Hartvigsen, G. (2016). Effectiveness of an Internet Community for Severely Obese Women. *Studies in Health Technology & Informatics*, 225, 597-601.
- Claussen, B., & Dalgard, O. S. (2009). Disability pensioning: the gender divide can be explained by occupation, income, mental distress and health. *Scandinavian Journal of Public Health*, 37(6), 590-597. doi:<https://dx.doi.org/10.1177/1403494809105795>
- Dahl, B., & Malterud, K. (2015). Neither father nor biological mother. A qualitative study about lesbian co-mothers' maternity care experiences. *Sexual & reproductive healthcare: official journal of the Swedish Association of Midwives*, 6(3), 169-173. doi:<https://dx.doi.org/10.1016/j.srhc.2015.02.002>
- De Freitas, C., García-Ramirez, M., Aambø, A., & Buttigieg, S. C. (2014). Transforming health policies through migrant user involvement: Lessons learnt from three European countries. *Psychosocial Intervention*, 23(2), 105-113. doi:<https://doi.org/10.1016/j.psi.2014.07.007>
- Diaz, E., Calderon-Larranaga, A., Prado-Torres, A., Poblador-Plou, B., & Gimeno-Feliu, L. A. (2015). How do immigrants use primary health care services? A register-based study in Norway. *European Journal of Public Health*, 25(1), 72-78. doi:10.1093/eurpub/cku123
- Diaz, E., Gimeno-Feliu, L. A., Calderon-Larranaga, A., & Prados-Torres, A. (2014). Frequent attenders in general practice and immigrant status in Norway: a nationwide cross-sectional study. *Scandinavian Journal of Primary Health Care*, 32(4), 232-240. doi:<https://dx.doi.org/10.3109/02813432.2014.982368>
- Diaz, E., & Kumar, B. (2014). Differential utilization of Primary Health Care services among older immigrants and Norwegians. A register-based comparative study in Norway. *BMC Health Services Research*, 14, 623. doi:10.1186/s12913-014-0623-0
- Foss, C. (2002). Gender bias in nursing care? Gender-related differences in patient satisfaction with the quality of nursing care. *Scandinavian Journal of Caring Sciences*, 16(1), 19-26.
- Foss, C. (2002). Kjønnnet kvalitet?: en studie av kvinnelige og mannlige pasienters sykehusopphold = Gendered quality of care: a study of male and female in-patients at a Norwegian county hospital. Universitetet i Oslo, Det medisinske fakultet, Institutt for sykepleievitenskap, Oslo.
- Foss, C., & Hofoss, D. (2004). Patients' voices on satisfaction: unheeded women and maltreated men? *Scandinavian Journal of Caring Sciences*, 18(3), 273-280. doi:<https://dx.doi.org/10.1111/j.1471-6712.2004.00290.x>
- Foss, C., & Sundby, J. (2003). The construction of the gendered patient: hospital staff's attitudes to female and male patients. *Patient Education & Counseling*, 49(1), 45-52.
- Garnweidner-Holme, L. M., Lukasse, M., Solheim, M., & Henriksen, L. (2017). Talking about intimate partner violence in multi-cultural antenatal care: a qualitative study of pregnant women's advice for better communication in South-East Norway. *BMC Pregnancy & Childbirth*, 17(1), 123. doi:<https://dx.doi.org/10.1186/s12884-017-1308-6>
- Gjernes, T. (2003). Helseopplysning og motstrategier: en studie av hvordan helseinformasjon blir mottatt av forskjellige grupper av kvinner. Sosiologisk institutt, Universitetet i Bergen, Bergen.
- Granlund, T. O. (2003). Who seeks counseling with the foundation Alternative to Abortion in Norway? [Hvem oppsøker stiftelsen Alternativ til Abort i Norge?]. *Tidsskrift for Den Norske Laegeforening*, 123(2), 165-168.
- Hagemann, C. T. (2014). Medical findings and legal outcome among postpubertal women attending the Sexual Assault Centre at St. Olavs Hospital, Trondheim, Norway: a record-based study from 1997-2010. (2014:317), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Hansen, A. H., & Lian, O. S. (2016). Experiences of general practitioner continuity among women with chronic fatigue syndrome/myalgic encephalomyelitis: a cross-sectional study. *BMC Health Services Research*, 16(1), 650. doi:<https://dx.doi.org/10.1186/s12913-016-1909-1>
- Hansen, A. H., & Lian, O. S. (2016). How do women with chronic fatigue syndrome/myalgic encephalomyelitis rate quality and coordination of healthcare services? A cross-sectional study. *BMJ Open*, 6(4), e010277. doi:<https://dx.doi.org/10.1136/bmjopen-2015-010277>

- Haukenes, I., Gjesdal, S., Rortveit, G., Riise, T., & Maeland, J. G. (2012). Women's higher likelihood of disability pension: the role of health, family and work. A 5-7 years follow-up of the Hordaland Health Study. *BMC Public Health*, 12, 720. doi:<https://dx.doi.org/10.1186/1471-2458-12-720>
- Heitmann, K., Svendsen, H. C., Sporsheim, I. H., & Holst, L. (2016). Nausea in pregnancy: attitudes among pregnant women and general practitioners on treatment and pregnancy care. *Scandinavian Journal of Primary Health Care*, 34(1), 13-20. doi:<https://dx.doi.org/10.3109/02813432.2015.1132894>
- Hjorleifsson, S., Hammer, E., & Diaz, E. (2017). General practitioners' strategies in consultations with immigrants in Norway-practice-based shared reflections among participants in focus groups. *Fam Pract.* doi:10.1093/fampra/cmz097
- Jakobsson, N., Kotsadam, A., Syse, A., & Øien, H. (2015). Gender bias in public long-term care? A survey experiment among care managers. doi:10.1016/j.jebo.2015.09.004
- Jonassen, W., & Eidheim, F. (2001). Den gode vilje: mishandlede kvinners erfaringer med hjelpeapparatet (Vol. 1-2001). Oslo: NIBR.
- Jonassen, W., & Saur, R. (2011). Arbeid med kjønnslemlestelse i Norge: en kartlegging (Vol. 1/2011). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- Jortveit, J., Govatsmark, R. E. S., Langörgen, J., Hole, T., Mannsverk, J., Olsen, S., . . . Halvorsen, S. (2016). Gender differences in the assessment and treatment of myocardial infarction. [Kjønnsforskjeller i utredning og behandling av hjerteinfarkt]. *Tidsskrift for Den Norske Lægeforening*, 136(14-15), 1215-1222.
- Kale, E., Finset, A., Eikeland, H. L., & Gulbrandsen, P. (2011). Emotional cues and concerns in hospital encounters with non-Western immigrants as compared with Norwegians: an exploratory study. *Patient Education & Counseling*, 84(3), 325-331. doi:10.1016/j.pec.2011.05.009
- Kjøllestad, M. K. R. (2011). Health promotion among South Asian immigrants in Oslo, Norway: the Oslo Immigrant Health Study and a culturally adapted lifestyle intervention. (no. 1089), Faculty of Medicine, University of Oslo, Oslo.
- Laerum, K. T., & Grue, L. (2003). Physically disabled women do bear children, too. [Fysisk funksjonshemmede kvinner får også barn]. *Tidsskrift for Den Norske Lægeforening*, 123(13-14), 1852-1853.
- Lerdal, B., Sörensen, K., Vestrheim, I., & Skranes, J. (2015). Gender differences in parenting stress of preschool children with cerebral palsy. [Forskjeller i stressnivå hos mødre og fedre til førskolebarn med cerebral parese]. *Tidsskrift for Norsk Psykologforening*, 52(5), 396-401.
- Lian, O. S., & Hansen, A. H. (2016). Factors facilitating patient satisfaction among women with medically unexplained long-term fatigue: A relational perspective. *Health: an Interdisciplinary Journal for the Social Study of Health, Illness & Medicine*, 20(3), 308-326. doi:<https://dx.doi.org/10.1177/1363459315583158>
- Lien, I.-L., Schultz, J.-H., & Borgen, G. (2012). Intervensjon mot kjønnslemlestelse: erfaringer fra tilbudet "samtaler og frivillige underlivsundersøkelser" (Vol. 2/2012). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- M, O. D., Monz, B., & Hunskaar, S. (2007). General preferences for involvement in treatment decision making among European women with urinary incontinence. *Social Science & Medicine*, 64(9), 1914-1924. doi:<https://dx.doi.org/10.1016/j.socscimed.2007.01.017>
- Malterud, K. (2001). Kvinners ubestemte helseplager. Oslo: Pax.
- Malterud, K., & Taksdal, A. (2001). A shared room of reflection where the patient's symptoms are valid sources of knowledge. [Et felles refleksjonsrom med pasientens symptomer som gyldige kunnskapskilder]. *Tidsskrift for Den Norske Lægeforening*, 121(30), 3605-3609.
- Moller, T., Gudde, C. B., Folden, G. E., & Linaker, O. M. (2009). The experience of caring in relatives to patients with serious mental illness: gender differences, health and functioning. *Scandinavian Journal of Caring Sciences*, 23(1), 153-160. doi:<https://dx.doi.org/10.1111/j.1471-6712.2008.00605.x>
- Nortvedt, L., Kumar, B. N., & Lohne, V. (2017). A qualitative study of immigrant women on long-term sick leave and their experience of dignity. *Disability & Rehabilitation*, 1-8. doi:10.1080/09638288.2017.1331379
- Nylander, G. (2004). Eating from the tree of knowledge is not for free. [Å spise av kunnskapens tre er ikke gratis]. *Tidsskrift for Den Norske Lægeforening*, 124(23), 3035.

- O'Donnell, M., & Hunskaar, S. (2007). Preferences for involvement in treatment decision-making among Norwegian women with urinary incontinence. [Erratum appears in *Acta Obstet Gynecol Scand.* 2008;87(4):484]. *Acta Obstetrica et Gynecologica Scandinavica*, 86(11), 1370-1376. doi:<https://dx.doi.org/10.1080/00016340701622310>
- Palm, O., & Purinszky, E. (2005). Women with early rheumatoid arthritis are referred later than men. *Annals of the Rheumatic Diseases*, 64(8), 1227-1228. doi:<https://dx.doi.org/10.1136/ard.2004.031716>
- Ramvi, E., & Tangerud, M. (2011). Experiences of women who have a vaginal birth after requesting a cesarean section due to a fear of birth: a biographical, narrative, interpretative study. *Nursing & Health Sciences*, 13(3), 269-274. doi:<https://dx.doi.org/10.1111/j.1442-2018.2011.00614.x>
- Risa, C. F., Liden, E., & Friberg, F. (2011). Communication patterns in antenatal diabetes care: an explorative and descriptive study of midwife-led consultations. *Journal of Clinical Nursing*, 20(13-14), 2053-2063. doi:<https://dx.doi.org/10.1111/j.1365-2702.2010.03552.x>
- Romoren, T. I. (2003). *LAST YEARS OF LONG LIVES*. Hoboken: Taylor and Francis.
- Rostad, B., & Hunt. (2009). Social inequalities in women's health: HUNT 1984-86 and 1995-97, The Nord-Trøndelag Health Study (HUNT). (2009:28), Norwegian University of Science and Technology, Faculty of Medicine, Department of Public Health and General Practice, Trondheim.
- Sandvik, H., Hunskaar, S., & Diaz, E. (2012). Immigrants' use of emergency primary health care in Norway: a registry-based observational study. *BMC Health Services Research*, 12, 308. doi:[10.1186/1472-6963-12-308](https://doi.org/10.1186/1472-6963-12-308)
- Sjetne, I. S., & Iversen, H. H. (2017). Do experiences with pregnancy, birth and postnatal care in Norway vary by the women's geographic origin? a comparison of cross-sectional survey results. *BMC Pregnancy & Childbirth*, 17(1), 37. doi:<https://dx.doi.org/10.1186/s12884-016-1214-3>
- Sjetne, I. S., Iversen, H. H., & Kjollesdal, J. G. (2015). A questionnaire to measure women's experiences with pregnancy, birth and postnatal care: instrument development and assessment following a national survey in Norway. *BMC Pregnancy & Childbirth*, 15, 182. doi:<https://dx.doi.org/10.1186/s12884-015-0611-3>
- Solbraa, A. K., Ekelund, U., Holme, I. M., Graff-Iversen, S., Steene-Johannessen, J., Aadland, E., & Anderssen, S. A. (2015). Long-Term Correlates of Objectively Measured Physical Activity and Sedentary Time in Norwegian Men and Women. *Journal of Physical Activity & Health*, 12(11), 1500-1507. doi:<https://dx.doi.org/10.1123/jpah.2014-0390>
- Solbrække, K. N., & Leseth, A. B. (2011). *Profesjon, kjønn og etnisitet*. Oslo: Cappelen akademisk.
- Spidsberg, B. D. (2007). Vulnerable and strong--lesbian women encountering maternity care. *Journal of Advanced Nursing*, 60(5), 478-486. doi:<https://dx.doi.org/10.1111/j.1365-2648.2007.04439.x>
- Steihaug, S. (2002). Fra trening og undervisning til bevegelse og samhandling: anerkjennelse av kvinner med kroniske muskelsmerter. (49), Universitetet i Oslo, Institutt for allmenn- og samfunnsmedisin og Senter for kvinne- og kjønnsforskning Unipub, Oslo.
- Steihaug, S., & Malterud, K. (2002). Recognition and reciprocity in encounters with women with chronic muscular pain. *Scandinavian Journal of Primary Health Care*, 20(3), 151-156.
- Stene, L. E., Dyb, G., Tverdal, A., Jacobsen, G. W., & Schei, B. (2012). Intimate partner violence and prescription of potentially addictive drugs: prospective cohort study of women in the Oslo Health Study. *BMJ Open*, 2(2), e000614. doi:<https://dx.doi.org/10.1136/bmjopen-2011-000614>
- Straiton, M. L., Powell, K., Reneflot, A., & Diaz, E. (2016). Managing Mental Health Problems Among Immigrant Women Attending Primary Health Care Services. *Health Care for Women International*, 37(1), 118-139. doi:<https://dx.doi.org/10.1080/07399332.2015.1077844>
- Straiton, M. L., Reneflot, A., & Diaz, E. (2014). Immigrants' use of primary health care services for mental health problems. *BMC Health Services Research*, 14(1), 341. doi:[10.1186/1472-6963-14-341](https://doi.org/10.1186/1472-6963-14-341)
- Straiton, M. L., Reneflot, A., & Diaz, E. (2016). Socioeconomic status and primary health service use for mental health problems among immigrants with short and long lengths of stay. *International Journal of Migration, Health and Social Care*, 12(2), 85-98. doi:[doi:10.1108/IJMHS-01-2015-0001](https://doi.org/10.1108/IJMHS-01-2015-0001)

- Suominen-Taipale, A. L., Martelin, T., Koskinen, S., Holmen, J., & Johnsen, R. (2006). Gender differences in health care use among the elderly population in areas of Norway and Finland. A cross-sectional analysis based on the HUNT study and the FINRISK Senior Survey. *BMC Health Services Research*, 6, 110. doi:<https://dx.doi.org/10.1186/1472-6963-6-110>
- Svendal, G., Fasmer, O. B., Engeland, A., Berk, M., & Lund, A. (2012). Co-prescription of medication for bipolar disorder and diabetes mellitus: a nationwide population-based study with focus on gender differences. *BMC Medicine*, 10, 148. doi:<https://dx.doi.org/10.1186/1741-7015-10-148>
- Taksdal, A., & Malterud, K. (2000). Et felles refleksjonsrom: hypoteser om betingelser, begrensninger og utfordringer for gyldiggjøring av kvinners symptomer som medisinsk kunnskapskilde (Vol. 6-2000). Bergen: Senter for samfunnsforskning.
- Trulsson, O., & Radestad, I. (2004). The silent child--mothers' experiences before, during, and after stillbirth. *Birth*, 31(3), 189-195. doi:<https://dx.doi.org/10.1111/j.0730-7659.2004.00304.x>
- Valbo, A., Iversen, H. H., & Kristoffersen, M. (2011). Postpartum care: evaluation and experience among care providers and care receivers. *Journal of Midwifery & Women's Health*, 56(4), 332-339. doi:<https://dx.doi.org/10.1111/j.1542-2011.2011.00038.x>
- Viken, B., & Kumar, B. N. (2010). *Folkehelse i et migrasjonsperspektiv*. Bergen: Fagbokforl.
- Werner, A. (2005). Kampen for (tro)verdighet: kvinner med "ubestemte" helseplager i møtet med legen og dagliglivet. (no. 249), Det medisinske fakultet, Universitetet i Oslo Unipub, Oslo.
- Werner, A., & Malterud, K. (2003). It is hard work behaving as a credible patient: encounters between women with chronic pain and their doctors. *Social Science & Medicine*, 57(8), 1409-1419.
- Werner, A., Steihaug, S., & Malterud, K. (2003). Encountering the continuing challenges for women with chronic pain: recovery through recognition. *Qualitative Health Research*, 13(4), 491-509. doi:<https://dx.doi.org/10.1177/1049732302250755>

Etniske minoriteters helse

- Aasen, H. S. (2008). *Menneskerettslige aspekter knyttet til kjønnslemlestelse og helseundersøkelser* (Vol. nr. 5/2008). Oslo: Institutt for offentlig rett, Universitetet i Oslo Unipub.
- Amundsen, O. J. (2010). More non-western women in mammography screening wanted. [Vil ha flere ikke-vestlige i mammografiscreeningen]. *HMT*(2), 26-27.
- Austveg, B. (2006). *Kvinnens helse på spill: et historisk og globalt perspektiv på fødsel og abort*. Oslo: Universitetsforl.
- Bakken, K. S., Skjeldal, O. H., & Stray-Pedersen, B. (2015). Higher risk for adverse obstetric outcomes among immigrants of African and Asian descent: a comparison study at a low-risk maternity hospital in Norway. *Birth*, 42(2), 132-140. doi:<https://dx.doi.org/10.1111/birt.12165>
- Bakken, K. S., Skjeldal, O. H., & Stray-Pedersen, B. (2015). Immigrants from conflict-zone countries: an observational comparison study of obstetric outcomes in a low-risk maternity ward in Norway. *BMC Pregnancy & Childbirth*, 15, 163. doi:<https://dx.doi.org/10.1186/s12884-015-0603-3>
- Bakken, K. S., Skjeldal, O. H., & Stray-Pedersen, B. (2017). Obstetric Outcomes of First- and Second-Generation Pakistani Immigrants: A Comparison Study at a Low-Risk Maternity Ward in Norway. *Journal of Immigrant & Minority Health*, 19(1), 33-40. doi:<https://dx.doi.org/10.1007/s10903-015-0329-3>
- Berg, R. C., Underland, V., Odgaard-Jensen, J., Fretheim, A., & Vist, G. E. (2014). Effects of female genital cutting on physical health outcomes: a systematic review and meta-analysis. *BMJ Open*, 4(11), e006316. doi:<https://dx.doi.org/10.1136/bmjopen-2014-006316>
- Bjerke, S. E., Holter, E., Vangen, S., & Stray-Pedersen, B. (2010). Sexually transmitted infections among Pakistani pregnant women and their husbands in Norway. *International Journal of Women's Health*, 2, 303-309. doi:<https://dx.doi.org/10.2147/IJWH.S13018>
- Bjerke, S. E., Vangen, S., Holter, E., & Stray-Pedersen, B. (2011). Infectious immune status in an obstetric population of Pakistani immigrants in Norway. *Scandinavian Journal of Public Health*, 39(5), 464-470. doi:<https://dx.doi.org/10.1177/1403494811399653>
- Bjerke, S. E., Vangen, S., Nordhagen, R., Ytterdahl, T., Magnus, P., & Stray-Pedersen, B. (2008). Postpartum depression among Pakistani women in Norway: prevalence and risk factors. *Journal of Maternal-Fetal & Neonatal Medicine*, 21(12), 889-894. doi:<https://dx.doi.org/10.1080/14767050802320340>
- Bo, K., Pauck Oglund, G., Sletner, L., Morkrid, K., & Jenum, A. K. (2012). The prevalence of urinary incontinence in pregnancy among a multi-ethnic population resident in Norway. [Erratum appears in *BJOG*. 2012 Nov;119(12):1553]. *BJOG: An International Journal of Obstetrics & Gynaecology*, 119(11), 1354-1360. doi:<https://dx.doi.org/10.1111/j.1471-0528.2012.03435.x>
- Borgen, I., Garnweidner-Holme, L. M., Jacobsen, A. F., Bjerkan, K., Fayyad, S., Joranger, P., . . . Lukasse, M. (2017). Smartphone application for women with gestational diabetes mellitus: a study protocol for a multicentre randomised controlled trial. *BMJ Open*, 7(3), e013117. doi:<https://dx.doi.org/10.1136/bmjopen-2016-013117>
- Braekke, K., & Staff, A. C. (2003). Periconceptional use of folic acid supplements in Oslo. *Acta Obstetrica et Gynecologica Scandinavica*, 82(7), 620-627.
- Brekke, I., Berg, J. E., Sletner, L., & Jenum, A. K. (2013). Doctor-certified sickness absence in first and second trimesters of pregnancy among native and immigrant women in Norway. *Scandinavian Journal of Public Health*, 41(2), 166-173. doi:<https://dx.doi.org/10.1177/1403494812472005>

- Chan, J. L., Kar, S., Vanky, E., Morin-Papunen, L., Piltonen, T., Puurunen, J., . . . Dokras, A. (2017). Racial and Ethnic Differences in the Prevalence of Metabolic Syndrome and its Components of Metabolic Syndrome in Women with Polycystic Ovary Syndrome (PCOS): A Regional Cross-Sectional Study. *American Journal of Obstetrics & Gynecology*, 08, 08. doi:<https://dx.doi.org/10.1016/j.ajog.2017.04.007>
- Dalgard, O. S., & Thapa, S. B. (2007). Immigration, social integration and mental health in Norway, with focus on gender differences. *Clinical Practice & Epidemiology in Mental Health [Electronic Resource]: CP & EMH*, 3, 24. doi:<https://dx.doi.org/10.1186/1745-0179-3-24>
- De Freitas, C., García-Ramirez, M., Aambø, A., & Buttigieg, S. C. (2014). Transforming health policies through migrant user involvement: Lessons learnt from three European countries. *Psychosocial Intervention*, 23(2), 105-113. doi:<https://doi.org/10.1016/j.psi.2014.07.007>
- Diaz, E., Calderon-Larranaga, A., Prado-Torres, A., Poblador-Plou, B., & Gimeno-Feliu, L. A. (2015). How do immigrants use primary health care services? A register-based study in Norway. *European Journal of Public Health*, 25(1), 72-78. doi:10.1093/eurpub/cku123
- Diaz, E., Gimeno-Feliu, L. A., Calderon-Larranaga, A., & Prados-Torres, A. (2014). Frequent attenders in general practice and immigrant status in Norway: a nationwide cross-sectional study. *Scandinavian Journal of Primary Health Care*, 32(4), 232-240. doi:<https://dx.doi.org/10.3109/02813432.2014.982368>
- Diaz, E., & Kumar, B. (2014). Differential utilization of Primary Health Care services among older immigrants and Norwegians. A register-based comparative study in Norway. *BMC Health Services Research*, 14, 623. doi:10.1186/s12913-014-0623-0
- Diaz, E., Kumar, B. N., & Engedal, K. (2015). Immigrant patients with dementia and memory impairment in primary health care in Norway: a national registry study. *Dement Geriatr Cogn Disord*, 39(5-6), 321-331. doi:10.1159/000375526
- Diaz, E., Kumar, B. N., Gimeno-Feliu, L. A., Calderon-Larranaga, A., Poblador-Pou, B., & Prados-Torres, A. (2015). Multimorbidity among registered immigrants in Norway: the role of reason for migration and length of stay. *Trop Med Int Health*, 20(12), 1805-1814. doi:10.1111/tmi.12615
- Diaz, E., Ortiz-Barreda, G., Ben-Shlomo, Y., Holdsworth, M., Salami, B., Rammohan, A., . . . Krafft, T. (2017). Interventions to improve immigrant health. A scoping review. *European Journal of Public Health*, 27(3), 433-439. doi:10.1093/eurpub/ckx001
- Diaz, E., Poblador-Pou, B., Gimeno-Feliu, L.-A., Calderón-Larrañaga, A., Kumar, B. N., & Prados-Torres, A. (2015). Multimorbidity and Its Patterns according to Immigrant Origin. A Nationwide Register-Based Study in Norway. *PLoS ONE [Electronic Resource]*, 10(12), e0145233. doi:10.1371/journal.pone.0145233
- Eggemoen, A. R., Falk, R. S., Knutsen, K. V., Lagerlov, P., Sletner, L., Birkeland, K. I., & Jenum, A. K. (2016). Vitamin D deficiency and supplementation in pregnancy in a multiethnic population-based cohort. *BMC Pregnancy & Childbirth*, 16, 7. doi:<https://dx.doi.org/10.1186/s12884-016-0796-0>
- Eskild, A., Nesheim, B. I., Busund, B., Vatten, L., & Vangen, S. (2007). Childbearing or induced abortion: the impact of education and ethnic background. Population study of Norwegian and Pakistani women in Oslo, Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 86(3), 298-303. doi:<https://dx.doi.org/10.1080/00016340601133780>
- Falch, J. A., & Steihaug, S. (2000). Vitamin D deficiency in Pakistani premenopausal women living in Norway is not associated with evidence of reduced skeletal strength. *Scandinavian Journal of Clinical & Laboratory Investigation*, 60(2), 103-109.
- Fangen, K., & Hjelde, K. H. (2006). Oppfølging, respekt og Empowerment. Somalieres forståelse og hjelpepraksis ved psykososiale vanskeligheter. *Norsk tidsskrift for migrasjonsforskning*(2).
- Flakstad, P. (2000). High frequency of Cesarean sections among immigrant women. [Høy keisersnittsfrekvens blant invandrerkvinner]. *Jordmorbladet*, 7(3), 14-15.
- Garnweidner, L. M., Sverre Pettersen, K., & Mosdol, A. (2013). Experiences with nutrition-related information during antenatal care of pregnant women of different ethnic backgrounds residing in the area of Oslo, Norway. *Midwifery*, 29(12), e130-137. doi:<https://dx.doi.org/10.1016/j.midw.2012.12.006>

- Gele, A. A., Johansen, E. B., & Sundby, J. (2012). When female circumcision comes to the West: attitudes toward the practice among Somali Immigrants in Oslo. *BMC Public Health*, 12, 697. doi:<https://dx.doi.org/10.1186/1471-2458-12-697>
- Gele, A. A., Kumar, B., Hjelde, K. H., & Sundby, J. (2012). Attitudes toward female circumcision among Somali immigrants in Oslo: a qualitative study. *International Journal of Women's Health*, 4, 7-17. doi:<https://dx.doi.org/10.2147/IJWH.S27577>
- Gele, A. A., Pettersen, K. S., Kumar, B., & Torheim, L. E. (2016). Diabetes Risk by Length of Residence among Somali Women in Oslo Area. *Journal of Diabetes Research*, 2016, 5423405. doi:<https://dx.doi.org/10.1155/2016/5423405>
- Gele, A. A., Pettersen, K. S., Torheim, L. E., & Kumar, B. (2016). Health literacy: the missing link in improving the health of Somali immigrant women in Oslo. *BMC Public Health*, 16(1), 1134. doi:<https://dx.doi.org/10.1186/s12889-016-3790-6>
- Gele, A. A., Qureshi, S. A., Kour, P., Kumar, B., & Diaz, E. (2017). Barriers and facilitators to cervical cancer screening among Pakistani and Somali immigrant women in Oslo: a qualitative study. *Int J Womens Health*, 9, 487-496. doi:10.2147/ijwh.s139160
- Gele, A. A., Sagbakken, M., & Kumar, B. (2015). Is female circumcision evolving or dissolving in Norway? A qualitative study on attitudes toward the practice among young Somalis in the Oslo area. *International Journal of Women's Health*, 7, 933-943. doi:<https://dx.doi.org/10.2147/IJWH.S93217>
- Gele, A. A., Torheim, L. E., Pettersen, K. S., & Kumar, B. (2015). Beyond Culture and Language: Access to Diabetes Preventive Health Services among Somali Women in Norway. *Journal of Diabetes Research*, 2015, 549795. doi:<https://dx.doi.org/10.1155/2015/549795>
- Helland-Kigen, K. M., Raberg Kjollesdal, M. K., Hjellset, V. T., Bjorge, B., Holmboe-Ottesen, G., & Wandel, M. (2013). Maintenance of changes in food intake and motivation for healthy eating among Norwegian-Pakistani women participating in a culturally adapted intervention. *Public Health Nutrition*, 16(1), 113-122. doi:<https://dx.doi.org/10.1017/S1368980012002790>
- Hjellset, V. T., Bjorge, B., Eriksen, H. R., & Hostmark, A. T. (2011). Risk factors for type 2 diabetes among female Pakistani immigrants: the InvaDiab-DEPLAN study on Pakistani immigrant women living in Oslo, Norway. *Journal of Immigrant & Minority Health*, 13(1), 101-110. doi:<https://dx.doi.org/10.1007/s10903-009-9290-3>
- Hjellset, V. T., Ihlebaek, C. M., Bjorge, B., Eriksen, H. R., & Hostmark, A. T. (2011). Health-Related Quality of Life, Subjective Health Complaints, Psychological Distress and Coping in Pakistani Immigrant Women With and Without the Metabolic Syndrome: The InnvaDiab-DEPLAN Study on Pakistani Immigrant Women Living in Oslo, Norway. *Journal of Immigrant & Minority Health*, 13(4), 732-741. doi:<https://dx.doi.org/10.1007/s10903-010-9409-6>
- Hjerkind, K. V., Qureshi, S. A., Moller, B., Weiderpass, E., Deapen, D., Kumar, B., & Ursin, G. (2017). Ethnic differences in the incidence of cancer in Norway. *International Journal of Cancer*, 140(8), 1770-1780. doi:10.1002/ijc.30598
- Hjorleifsson, S., Hammer, E., & Diaz, E. (2017). General practitioners' strategies in consultations with immigrants in Norway-practice-based shared reflections among participants in focus groups. *Fam Pract*. doi:10.1093/fampra/cmz097
- Hussain, A., Bjorge, B., Hjellset, V. T., Holmboe-Ottesen, G., & Wandel, M. (2010). Body size perceptions among Pakistani women in Norway participating in a controlled trial to prevent deterioration of glucose tolerance. *Ethnicity & Health*, 15(3), 237-251. doi:<https://dx.doi.org/10.1080/13557851003668148>
- Ingebretsen, R., Thorsen, K., & Myrvang, V. H. (2015). Livsmot og mismot blant aldrende kvinner med innvandrerbakgrunn: "Møteplasser er viktig! Det er kjempeviktig". Tønsberg: Aldring og helse.
- Jenum, A. K., Diep, L. M., Holmboe-Ottesen, G., Holme, I. M., Kumar, B. N., & Birkeland, K. I. (2012). Diabetes susceptibility in ethnic minority groups from Turkey, Vietnam, Sri Lanka and Pakistan compared with Norwegians - the association with adiposity is strongest for ethnic minority women. *BMC Public Health*, 12, 150. doi:<https://dx.doi.org/10.1186/1471-2458-12-150>

- Johansen, K. S., Bjorge, B., Hjellset, V. T., Holmboe-Ottesen, G., Raberg, M., & Wandel, M. (2010). Changes in food habits and motivation for healthy eating among Pakistani women living in Norway: results from the InnvaDiab-DEPLAN study. *Public Health Nutrition*, 13(6), 858-867. doi:<https://dx.doi.org/10.1017/S1368980009992047>
- Johansen, R. E. (2006). Experiences and perceptions of pain, sexuality and childbirth: a study of female genital cutting among Somalis in Norwegian exile, and their health care providers. (no. 441), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Johansen, R. E. (2017). Kjønnsmlestelse. Forebygging og informasjon om helsehjelp til flyktninger, asylsøkere og bosatte i Norge (N. k. o. v. o. t. stress Ed. Vol. 2017:8). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- Johansen, R. E. (2017). Undoing female genital cutting: perceptions and experiences of infibulation, defibulation and virginity among Somali and Sudanese migrants in Norway. *Culture, Health & Sexuality*, 19(4), 528-542. doi:<https://dx.doi.org/10.1080/13691058.2016.1239838>
- Johansen, R. E. (2017). Virility, pleasure and female genital mutilation/cutting. A qualitative study of perceptions and experiences of medicalized defibulation among Somali and Sudanese migrants in Norway. *Reproductive Health*, 14(1), 25. doi:<https://dx.doi.org/10.1186/s12978-017-0287-4>
- Jonassen, W., & Saur, R. (2011). Arbeid med kjønnsmlestelse i Norge: en kartlegging (Vol. 1/2011). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- Kale, E., Finset, A., Eikeland, H. L., & Gulbrandsen, P. (2011). Emotional cues and concerns in hospital encounters with non-Western immigrants as compared with Norwegians: an exploratory study. *Patient Education & Counseling*, 84(3), 325-331. doi:10.1016/j.pec.2011.05.009
- Kinnunen, T. I., Waage, C. W., Sommer, C., Sletner, L., Raitanen, J., & Jenum, A. K. (2016). Ethnic Differences in Gestational Weight Gain: A Population-Based Cohort Study in Norway. *Maternal & Child Health Journal*, 20(7), 1485-1496. doi:<https://dx.doi.org/10.1007/s10995-016-1947-7>
- Kjøllestad, M. K. R. (2011). Health promotion among South Asian immigrants in Oslo, Norway : the Oslo Immigrant Health Study and a culturally adapted lifestyle intervention. (no. 1089), Faculty of Medicine, University of Oslo, Oslo.
- Kumar, B. N., Selmer, R., Lindman, A. S., Tverdal, A., Falster, K., & Meyer, H. E. (2009). Ethnic differences in SCORE cardiovascular risk in Oslo, Norway. *European Journal of Cardiovascular Prevention & Rehabilitation*, 16(2), 229-234. doi:10.1097/HJR.0b013e3283294b07
- Latif, F., Helgeland, J., Bukholm, G., & Bukholm, I. R. (2015). Ethnicity differences in breast cancer stage at the time of diagnosis in Norway. *Scandinavian Journal of Surgery: SJS*, 104(4), 248-253. doi:<https://dx.doi.org/10.1177/1457496914565420>
- Lien, I.-L., Schultz, J.-H., & Borgen, G. (2012). Intervensjon mot kjønnsmlestelse: erfaringer fra tilbudet "samtaler og frivillige underlivsundersøkelser" (Vol. 2/2012). Oslo: Nasjonalt kunnskapssenter om vold og traumatisk stress.
- Lovlie, A. L., & Madar, A. A. (2017). Postpartum Depression Among Somali Women in Norway. *Journal of Immigrant & Minority Health*, 19(3), 638-644. doi:<https://dx.doi.org/10.1007/s10903-016-0487-y>
- Lunde, M. S., Hjellset, V. T., & Hostmark, A. T. (2012). Slow post meal walking reduces the blood glucose response: an exploratory study in female Pakistani immigrants. *Journal of Immigrant & Minority Health*, 14(5), 816-822. doi:<https://dx.doi.org/10.1007/s10903-012-9574-x>
- Mellin-Olsen, T., & Wandel, M. (2005). Changes in food habits among Pakistani immigrant women in Oslo, Norway. *Ethnicity & Health*, 10(4), 311-339. doi:<https://dx.doi.org/10.1080/13557850500145238>
- Moen, K. A., Kumar, B., Qureshi, S., & Diaz, E. (2016). Differences in cervical cancer screening between immigrants and nonimmigrants in Norway: a primary healthcare register-based study. *European Journal of Cancer Prevention*, 04, 04. doi:<https://dx.doi.org/10.1097/CEJ.0000000000000311>
- Morkrid, K., Jenum, A. K., Sletner, L., Vardal, M. H., Waage, C. W., Nakstad, B., . . . Birkeland, K. I. (2012). Failure to increase insulin secretory capacity during pregnancy-induced insulin resistance is associated with ethnicity and gestational diabetes. *European Journal of Endocrinology*, 167(4), 579-588. doi:<https://dx.doi.org/10.1530/EJE-12-0452>

- Naimy, Z., Grytten, J., Monkerud, L., & Eskild, A. (2013). Perinatal mortality in non-western migrants in Norway as compared to their countries of birth and to Norwegian women. *BMC Public Health*, 13, 37. doi:<https://dx.doi.org/10.1186/1471-2458-13-37>
- Naimy, Z., Grytten, J., Monkerud, L., & Eskild, A. (2015). The prevalence of pre-eclampsia in migrant relative to native Norwegian women: a population-based study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 122(6), 859-865. doi:<https://dx.doi.org/10.1111/1471-0528.12978>
- Nortvedt, L., Hansen, H. P., Kumar, B. N., & Lohne, V. (2015). Caught in suffering bodies: a qualitative study of immigrant women on long-term sick leave in Norway. *Journal of Clinical Nursing*, 24(21-22), 3266-3275. doi:<https://dx.doi.org/10.1111/jocn.12901>
- Nortvedt, L., Kumar, B. N., & Lohne, V. (2017). A qualitative study of immigrant women on long-term sick leave and their experience of dignity. *Disability & Rehabilitation*, 1-8. doi:10.1080/09638288.2017.1331379
- Nortvedt, L., Lohne, V., Kumar, B. N., & Hansen, H. P. (2016). A lonely life--A qualitative study of immigrant women on long-term sick leave in Norway. *International Journal of Nursing Studies*, 54, 54-64. doi:<https://dx.doi.org/10.1016/j.ijnurstu.2015.03.017>
- Norum, J., Hofvind, S., Nieder, C., Schnell, E. A., & Broderstad, A. R. (2012). Mammographic screening in Sami speaking municipalities and a control group. Are early outcome measures influenced by ethnicity? *International Journal of Circumpolar Health*, 71, 1-6. doi:<https://dx.doi.org/10.3402/ijch.v71i0.18205>
- Norum, J., Svee, T. E., Heyd, A., & Nieder, C. (2013). Induced abortion on demand and birth rate in Sami-speaking municipalities and a control group in Finnmark, Norway. *International Journal of Circumpolar Health*, 72, 20357. doi:<https://dx.doi.org/10.3402/ijch.v72i0.20357>
- Omland, G., Ruths, S., & Diaz, E. (2014). Use of hormonal contraceptives among immigrant and native women in Norway: data from the Norwegian Prescription Database. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(10), 1221-1228. doi:<https://dx.doi.org/10.1111/1471-0528.12906>
- Raberg Kjollesdal, M. K., Hjellset, V. T., Borge, B., Holmboe-Ottesen, G., & Wandel, M. (2011). Intention to change dietary habits, and weight loss among Norwegian-Pakistani women participating in a culturally adapted intervention. *Journal of Immigrant & Minority Health*, 13(6), 1150-1158. doi:<https://dx.doi.org/10.1007/s10903-010-9416-7>
- Raberg Kjollesdal, M. K., Hjellset, V. T., Borge, B., Holmboe-Ottesen, G., & Wandel, M. (2011). Perceptions of risk factors for diabetes among Norwegian-Pakistani women participating in a culturally adapted intervention. *Ethnicity & Health*, 16(3), 279-297. doi:<https://dx.doi.org/10.1080/13557858.2011.573537>
- Raberg Kjollesdal, M. K., Holmboe-Ottesen, G., & Wandel, M. (2013). Does the "stages of change" construct predict cross-sectional and temporal variations in dietary behavior and selected indicators of diabetes risk among Norwegian-Pakistani women? *Journal of Immigrant & Minority Health*, 15(1), 85-92. doi:<https://dx.doi.org/10.1007/s10903-012-9580-z>
- Raberg Kjollesdal, M. K., Telle Hjellset, V., Borge, B., Holmboe-Ottesen, G., & Wandel, M. (2010). Barriers to healthy eating among Norwegian-Pakistani women participating in a culturally adapted intervention. *Scandinavian Journal of Public Health*, 38(5 Suppl), 52-59. doi:<https://dx.doi.org/10.1177/1403494810378923>
- Richardsen, K. R., Mdala, I., Berntsen, S., Ommundsen, Y., Martinsen, E. W., Sletner, L., & Jennum, A. K. (2016). Objectively recorded physical activity in pregnancy and postpartum in a multi-ethnic cohort: association with access to recreational areas in the neighbourhood. *International Journal of Behavioral Nutrition & Physical Activity*, 13, 78. doi:<https://dx.doi.org/10.1186/s12966-016-0401-y>
- Saadati, M. (2009). Easier to communicate with multicultural nurses. [Åpner seg lettere for flerkulturelle sykepleiere]. *Sykepleien*, 97(16), 56-57.
- Saadati, M. (2009). Is pain experience in Iranian women affected by the islamic view of women? [Er iranske kvinners smerteopplevelser påvirket av islamsk kvinnesyn?]. *Sykepleien*, 97(5), 64-65.
- Saadati, M., & Hanssen, I. (2015). "This pain torments my soul": A qualitative interview study of Iranian women in Norway. ["Disse smertene plager min sjel": En kvalitativ intervjustudie av iranske kvinner i Norge]. *Nordic Journal of Nursing Research*, 35(1), 38-44.

- Salaman, M., & Darvishi, S. (2013). Low vitamin D levels in immigrant women. Reflections on barriers and measures to prevent vitamin D deficiency. [Lave vitamin D-verdier hos innvandrerkvinner. Refleksjoner over barrierer og tiltak for å motvirke vitamin D-mangel]. *Utposten*, 42(5), 21-23.
- Sandvik, H., Hunnskaar, S., & Diaz, E. (2012). Immigrants' use of emergency primary health care in Norway: a registry-based observational study. *BMC Health Services Research*, 12, 308. doi:10.1186/1472-6963-12-308
- Savosnick, G. (2011). Conversation changed opinion about circumcision. [Samtaler endret syn på omskjaering]. *Sykepleien*, 99(10), 56-59.
- Schultz, J. H., & Lien, I. L. (2013). Meaning-making of female genital cutting: children's perception and acquired knowledge of the ritual. *International Journal of Women's Health*, 5, 165-175. doi:https://dx.doi.org/10.2147/IJWH.S40447
- Shakeel, N., Eberhard-Gran, M., Sletner, L., Slinning, K., Martinsen, E. W., Holme, I., & Jenum, A. K. (2015). A prospective cohort study of depression in pregnancy, prevalence and risk factors in a multi-ethnic population. *BMC Pregnancy & Childbirth*, 15, 5. doi:https://dx.doi.org/10.1186/s12884-014-0420-0
- Sorbye, I. K., Daltveit, A. K., Sundby, J., & Vangen, S. (2014). Preterm subtypes by immigrants' length of residence in Norway: a population-based study. *BMC Pregnancy & Childbirth*, 14, 239. doi:https://dx.doi.org/10.1186/1471-2393-14-239
- Sorbye, I. K., Stoltenberg, C., Sundby, J., Daltveit, A. K., & Vangen, S. (2014). Stillbirth and infant death among generations of Pakistani immigrant descent: a population-based study. *Acta Obstetrica et Gynecologica Scandinavica*, 93(2), 168-174. doi:https://dx.doi.org/10.1111/aogs.12303
- Straiton, M. L., Powell, K., Reneflot, A., & Diaz, E. (2016). Managing Mental Health Problems Among Immigrant Women Attending Primary Health Care Services. *Health Care for Women International*, 37(1), 118-139. doi:https://dx.doi.org/10.1080/07399332.2015.1077844
- Straiton, M. L., Reneflot, A., & Diaz, E. (2014). Immigrants' use of primary health care services for mental health problems. *BMC Health Services Research*, 14(1), 341. doi:10.1186/1472-6963-14-341
- Straiton, M. L., Reneflot, A., & Diaz, E. (2016). Socioeconomic status and primary health service use for mental health problems among immigrants with short and long lengths of stay. *International Journal of Migration, Health and Social Care*, 12(2), 85-98. doi:doi:10.1108/IJMHS-01-2015-0001
- Straiton, M. L., Reneflot, A., & Diaz, E. (2017). Mental Health of Refugees and Non-refugees from War-Conflict Countries: Data from Primary Healthcare Services and the Norwegian Prescription Database. *Journal of Immigrant & Minority Health*, 19(3), 582-589. doi:10.1007/s10903-016-0450-y
- Sverre, B. L. (2016). Migrasjon og helse: en etnografisk studie av eldre pakistanske kvinner i det norske samfunnet. Institutt for helse og samfunn, Det medisinske fakultet, Universitetet i Oslo, Oslo.
- Sverre, B. L., Solbraekke, K. N., & Eilertsen, G. (2014). Stories of pain and health by elderly Pakistani women in Norway. *Scandinavian Journal of Public Health*, 42(15 Suppl), 96-97. doi:https://dx.doi.org/10.1177/1403494814560128
- Telle-Hjellset, V., Raberg Kjollesdal, M. K., Bjorge, B., Holmboe-Ottesen, G., Wandel, M., Birkeland, K. I., . . . Hostmark, A. T. (2013). The InnvaDiab-DE-PLAN study: a randomised controlled trial with a culturally adapted education programme improved the risk profile for type 2 diabetes in Pakistani immigrant women. *British Journal of Nutrition*, 109(3), 529-538. doi:https://dx.doi.org/10.1017/S000711451200133X
- Thapa, S. B., & Hauff, E. (2005). Gender differences in factors associated with psychological distress among immigrants from low- and middle-income countries--findings from the Oslo Health Study. *Social Psychiatry & Psychiatric Epidemiology*, 40(1), 78-84. doi:https://dx.doi.org/10.1007/s00127-005-0855-8
- Thogersen, H., Moller, B., Robsahm, T. E., Aaserud, S., Babigumira, R., & Larsen, I. K. (2017). Comparison of cancer stage distribution in the immigrant and host populations of Norway, 1990-2014. *International Journal of Cancer*, 141(1), 52-61. doi:10.1002/ijc.30713
- Thorsen, K., Myrvang, V. H., Ingebretsen, R., & Moen, B. (2015). Motivation or discouragement? What do older women with immigrant backgrounds experience as bothersome in everyday life and what promotes mental health? [Livsmot eller mismot? Hva opplever eldre kvinner med innvandrerbakgrunn er belastende i hverdagslivet og hva er psykisk helsefremmende?]. *Demens & Alderspsykiatri*, 19(1), 8-14.

- Vangen, S. (2002). Perinatal health among immigrants. (no. 62), Faculty of Medicine, University of Oslo Unipub, Oslo.
- Vangen, S., Eskild, A., & Forsen, L. (2008). Termination of pregnancy according to immigration status: a population-based registry linkage study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 115(10), 1309-1315. doi:<https://dx.doi.org/10.1111/j.1471-0528.2008.01832.x>
- Vangen, S., Johansen, R. E., Sundby, J., Traeen, B., & Stray-Pedersen, B. (2004). Qualitative study of perinatal care experiences among Somali women and local health care professionals in Norway. *European Journal of Obstetrics, Gynecology, & Reproductive Biology*, 112(1), 29-35.
- Vangen, S., Stoltenberg, C., Holan, S., Moe, N., Magnus, P., Harris, J. R., & Stray-Pedersen, B. (2003). Outcome of pregnancy among immigrant women with diabetes. *Diabetes Care*, 26(2), 327-332.
- Vangen, S., Stoltenberg, C., Johansen, R. E., Sundby, J., & Stray-Pedersen, B. (2002). Perinatal complications among ethnic Somalis in Norway. *Acta Obstetrica et Gynecologica Scandinavica*, 81(4), 317-322.
- Vikanes, A., Grjibovski, A. M., Vangen, S., & Magnus, P. (2008). Length of residence and risk of developing hyperemesis gravidarum among first generation immigrants to Norway. *European Journal of Public Health*, 18(5), 460-465. doi:<https://dx.doi.org/10.1093/eurpub/ckn051>
- Vikanes, A. V., Stoer, N. C., Gunnes, N., Grjibovski, A. M., Samuelsen, S. O., Magnus, P., & Melby, K. K. (2013). Helicobacter pylori infection and severe hyperemesis gravidarum among immigrant women in Norway: a case-control study. *European Journal of Obstetrics, Gynecology, & Reproductive Biology*, 167(1), 41-46. doi:<https://dx.doi.org/10.1016/j.ejogrb.2012.11.007>
- Viken, B., & Kumar, B. N. (2010). *Folkehelse i et migrasjonsperspektiv*. Bergen: Fagbokforl.
- Viken, B., Lyberg, A., & Severinsson, E. (2015). Maternal health coping strategies of migrant women in Norway. *Nursing Research and Practice*, 2015, 878040. doi:<https://dx.doi.org/10.1155/2015/878040>
- Vilming, B., & Nesheim, B. I. (2000). Hyperemesis gravidarum in a contemporary population in Oslo. *Acta Obstetrica et Gynecologica Scandinavica*, 79(8), 640-643.
- Waage, C. W., Falk, R. S., Sommer, C., Morkrid, K., Richardsen, K. R., Baerug, A., . . . Jenum, A. K. (2016). Ethnic differences in postpartum weight retention: a Norwegian cohort study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 123(5), 699-708. doi:<https://dx.doi.org/10.1111/1471-0528.13321>
- Waage, C. W., Mdala, I., Jenum, A. K., Michelsen, T. M., Birkeland, K. I., & Sletner, L. (2016). Ethnic differences in blood pressure from early pregnancy to postpartum: a Norwegian cohort study. *Journal of Hypertension*, 34(6), 1151-1159. doi:<https://dx.doi.org/10.1097/HJH.0000000000000918>

Øvrige referanser

- Bertelsen, R. J., Instanes, C., Granum, B., Lodrup Carlsen, K. C., Hetland, G., Carlsen, K. H., . . . Lovik, M. (2010). Gender differences in indoor allergen exposure and association with current rhinitis. *Clinical & Experimental Allergy*, 40(9), 1388-1397. doi:<https://dx.doi.org/10.1111/j.1365-2222.2010.03543.x>
- Bjorneliv, S., Lydersen, S., Holmen, J., Lund Nilsen, T. I., & Holmen, T. L. (2009). Sex differences in time trends for overweight and obesity in adolescents: the Young-HUNT study. *Scandinavian Journal of Public Health*, 37(8), 881-889. doi:<https://dx.doi.org/10.1177/1403494809347022>
- Bjorvatn, B., Flo, E., Mageröy, N., Moen, B. E., & Pallesen, S. (2011). Night work results in health problems. [Nattarbeid gir helseproblemer]. *Sykepleien*, 99(13), 70-72.
- Blix, H. S., Hjellvik, V., Litleskare, I., Ronning, M., & Tverdal, A. (2011). Cigarette smoking and risk of subsequent use of antibacterials: a follow-up of 365,117 men and women. *Journal of Antimicrobial Chemotherapy*, 66(9), 2159-2167. doi:<https://dx.doi.org/10.1093/jac/dkr273>
- Borch-Iohnsen, B., Sandstad, B., & Asberg, A. (2005). Iron status among 3005 women aged 20-55 years in Central Norway: the Nord-Trøndelag Health Study (the HUNT study). *Scandinavian Journal of Clinical & Laboratory Investigation*, 65(1), 45-54.
- Bretteville-Jensen, A. (2000). Sex differences concerning the habit patterns and health among intravenous heroin addicts in Oslo. [Kjønnsforskjeller i bruksmønster og helse blant intravenöse heroinmisbrukere i Oslo]. *Tidsskrift for Den Norske Lægeforening*, 120(2), 192-194.
- Eskeland, B., Baerheim, A., Ulvik, R., & Hunskaar, S. (2002). Influence of mild infections on iron status parameters in women of reproductive age. *Scandinavian Journal of Primary Health Care*, 20(1), 50-56.
- Gjerlow, E., Bjorgaas, M. R., Nielsen, E. W., Olsen, S. E., & Asvold, B. O. (2014). Fear of hypoglycemia in women and men with type 1 diabetes. *Nursing Research*, 63(2), 143-149. doi:<https://dx.doi.org/10.1097/NNR.0000000000000020>
- Gravseth, H. M., Bjerkedal, T., Irgens, L. M., Aalen, O. O., Selmer, R., & Kristensen, P. (2007). Life course determinants for early disability pension: a follow-up of Norwegian men and women born 1967-1976. *European Journal of Epidemiology*, 22(8), 533-543. doi:<https://dx.doi.org/10.1007/s10654-007-9139-9>
- Groven, K. S., & Engelsrud, G. (2014). When weight-loss surgery is regarded as the last chance. [Når fedmekirurgi vurderes som siste sjanse]. *Sykepleien Forskning*, 9(3), 252-258.
- Groven, K. S., & Engelsrud, G. (2016). Negotiating options in weight-loss surgery : "Actually I didn't have any other option". *Medicine, Health Care & Philosophy*, 19(3), 361-370. doi:<https://dx.doi.org/10.1007/s11019-015-9677-y>
- Henriksen, A. H., Holmen, T. L., & Bjermer, L. (2003). Gender differences in asthma prevalence may depend on how asthma is defined. *Respiratory Medicine*, 97(5), 491-497.
- Hjartaker, A., Adami, H. O., Lund, E., & Weiderpass, E. (2005). Body mass index and mortality in a prospectively studied cohort of Scandinavian women: the women's lifestyle and health cohort study. *European Journal of Epidemiology*, 20(9), 747-754. doi:<https://dx.doi.org/10.1007/s10654-005-2145-x>
- Holmen, T. L., Barrett-Connor, E., Clausen, J., Langhammer, A., Holmen, J., & Bjermer, L. (2002). Gender differences in the impact of adolescent smoking on lung function and respiratory symptoms. the Nord-Trøndelag Health Study, Norway, 1995-1997. *Respiratory Medicine*, 96(10), 796-804.
- Jonassen, T. M., Eagan, T. M., Bjorvatn, B., & Lehmann, S. (2016). Associations between obstructive lung disease and symptoms of obstructive sleep apnoea in a general population. *The clinical respiratory journal*, 07, 07. doi:<https://dx.doi.org/10.1111/crj.12472>

Øvrige referanser

- Kravdal, O. (2010). The importance of community education for individual mortality: a fixed-effects analysis of longitudinal multilevel data on 1.7 million Norwegian women and men. *Journal of Epidemiology & Community Health*, 64(12), 1029-1035. doi:<https://dx.doi.org/10.1136/jech.2008.081034>
- Kristensen, P., & Bjerkedal, T. (2009). Gender differences and social gradients in sickness absence 2000-03 among Norwegians born 1967-76. [Kjønnsforskjeller og sosiale ulikheter i sykefravær 2000-03 blant fødte i Norge, 1967-76]. *Norsk Epidemiologi*, 19(2), 179-191.
- Kvestad, E., Kvaerner, K. J., Roysamb, E., Tambs, K., Harris, J. R., & Magnus, P. (2004). Otitis media: genetic factors and sex differences. *Twin Research*, 7(3), 239-244.
- Langhammer, A., Johnsen, R., Gulsvik, A., Holmen, T. L., & Bjermer, L. (2003). Sex differences in lung vulnerability to tobacco smoking. *European Respiratory Journal*, 21(6), 1017-1023.
- Magnus, E. (2003). Activity and sex. Understanding activity limitation in a female perspective. [Aktivitet og kjønn. Om å forstå aktivitetsbegrensning et kvinnesperspektiv]. *Ergoterapeuten (Oslo)*, 46(11), 78-83.
- Moe, K., Schiøtz, H. A., & Kulseng-Hanssen, S. (2016). Outcome of TVT operations in women with low maximum urethral closure pressure. *Neurourology & Urodynamics*, 31, 31. doi:<https://dx.doi.org/10.1002/nau.23044>
- Moksnes, L. R., Svenningsen, R., Schiøtz, H. A., Moe, K., Staff, A. C., & Kulseng-Hanssen, S. (2016). Sling mobilization in the management of urinary retention after mid-urethral sling surgery. *Neurourology & Urodynamics*, 31, 31. doi:<https://dx.doi.org/10.1002/nau.23046>
- Naess, E. E., Bahr, D., & Gravholt, C. H. (2010). Health status in women with Turner syndrome: a questionnaire study on health status, education, work participation and aspects of sexual functioning. *Clinical Endocrinology*, 72(5), 678-684. doi:<https://dx.doi.org/10.1111/j.1365-2265.2009.03715.x>
- Naess, O., Strand, B. H., & Smith, G. D. (2007). Childhood and adulthood socioeconomic position across 20 causes of death: a prospective cohort study of 800,000 Norwegian men and women. *Journal of Epidemiology & Community Health*, 61(11), 1004-1009. doi:<https://dx.doi.org/10.1136/jech.2006.052811>
- Nystad, W., Meyer, H. E., Nafstad, P., Tverdal, A., & Engeland, A. (2004). Body mass index in relation to adult asthma among 135,000 Norwegian men and women. *American Journal of Epidemiology*, 160(10), 969-976. doi:<https://dx.doi.org/10.1093/aje/kwh303>
- Nystad, W., Samuelsen, S. O., Nafstad, P., & Langhammer, A. (2006). Association between level of physical activity and lung function among Norwegian men and women: the HUNT study. *International Journal of Tuberculosis & Lung Disease*, 10(12), 1399-1405.
- Rostad, B., Schei, B., & Krokstad, S. (2006). Socioeconomic factors and health in two generations of Norwegian women. *Gender Medicine*, 3(4), 328-340.
- Rylander, C., Lund, E., Froyland, L., & Sandanger, T. M. (2012). Predictors of PCP, OH-PCBs, PCBs and chlorinated pesticides in a general female Norwegian population. *Environment International*, 43, 13-20. doi:<https://dx.doi.org/10.1016/j.envint.2012.02.008>
- Rylander, C., Sandanger, T. M., Froyland, L., & Lund, E. (2010). Dietary patterns and plasma concentrations of perfluorinated compounds in 315 Norwegian women: the NOWAC Postgenome Study. *Environmental Science & Technology*, 44(13), 5225-5232. doi:<https://dx.doi.org/10.1021/es100224q>
- Skurtveit, S., & Tverdal, A. (2002). Sex differences in gamma-glutamyltransferase in people aged 40-42 years in two Norwegian counties. [Republished in *Drug Alcohol Depend.* 2003 Jan 24;69(1):103-6; PMID: 12760341]. *Drug & Alcohol Dependence*, 67(1), 95-98.
- Wenche, L. B., Holmen, J., Kruger, O., & Midthjell, K. (2004). Leisure time physical activity and change in body mass index: an 11-year follow-up study of 9357 normal weight health women 20-49 years old. *Journal of Women's Health*, 13(1), 55-62.